TRIANGLE COATINGS, INC.

SAFETY DATA SHEET

SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	Date Printed: 7/19/2019
Product name: Sophisticate	ed Finishes/Modern Options Gold AM201 (GD)
1.2. Relevant identified uses	of the substance or mixture and uses advised against
Identified uses	Metallic Decorative Coating
Uses advised against	No specific uses advised against are identified.
1.3. Details of the supplier of the safety data sheet	
Supplier	
	Triangle Coatings Inc
	4763 Bennett Drive
	Livermore, CA 94551
Manufacturer	+1-925-583-0800 (8:00am-5:00pm)
Manufacturer	Triangle Coatings Inc
	4763 Bennett Drive
	Livermore, CA 94551
	+1-925-583-0800 (8:00am-5:00pm)
Preparer	nbk, prepare date: 7/19/2019
1.4. Emergency telephone n	
Emergency telephone	CHEMTRAC 24HR EMERGENCY TELEPHONE +1-800-424-9300
SECTION 2: Hazards identifi	cation
	stance or mixture Classification
	stance or mixture Classification Not Classified
Physical hazards	
Physical hazards Health hazards	Not Classified Not Classified Aquatic Acute 1 - H400
Physical hazards Health hazards Environmental hazards	Not Classified Not Classified
2.1. Classification of the subs Physical hazards Health hazards Environmental hazards 2.2. Label elements Pictogram	Not Classified Not Classified Aquatic Acute 1 - H400
Physical hazards Health hazards Environmental hazards 2.2. Label elements	Not Classified Not Classified Aquatic Acute 1 - H400
Physical hazards Health hazards Environmental hazards <u>2.2. Label elements</u> Pictogram	Not Classified Not Classified Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412
Physical hazards Health hazards Environmental hazards 2.2. Label elements Pictogram Signal word	Not Classified Not Classified Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412 Warning
Physical hazards Health hazards Environmental hazards <u>2.2. Label elements</u> Pictogram Signal word	Not Classified Not Classified Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412 Warning H400 Very toxic to aquatic life.
Physical hazards Health hazards Environmental hazards <u>2.2. Label elements</u> Pictogram Signal word Hazard statements	Not Classified Not Classified Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412 Warning H400 Very toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects.
Physical hazards Health hazards Environmental hazards <u>2.2. Label elements</u> Pictogram Victogram Signal word Hazard statements	Not Classified Not Classified Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412 Warning H400 Very toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects. P273 Avoid release to the environment.
Physical hazards Health hazards Environmental hazards <u>2.2. Label elements</u> Pictogram Signal word Hazard statements	Not Classified Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412 Warning H400 Very toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects. P273 Avoid release to the environment. P391 Collect spillage.
Physical hazards Health hazards Environmental hazards <u>2.2. Label elements</u> Pictogram Victogram Signal word Hazard statements Precautionary statements	Not Classified Not Classified Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412 Warning H400 Very toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects. P273 Avoid release to the environment.
Physical hazards Health hazards Environmental hazards 2.2. Label elements Pictogram Signal word Hazard statements Precautionary statements 2.3. Other hazards	Not Classified Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412 Warning H400 Very toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects. P273 Avoid release to the environment. P391 Collect spillage.
Physical hazards Health hazards Environmental hazards 2.2. Label elements Pictogram Signal word Hazard statements Precautionary statements 2.3. Other hazards	Not Classified Not Classified Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412 Warning H400 Very toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects. P273 Avoid release to the environment. P391 Collect spillage. P501 Dispose of contents/ container in accordance with national regulations.

Copper, dusts and mists, a	is Cu 10-30%
CAS number: 7440-50-8	ACGIH TLV - TWA 1 mg/m ³ as inhalable dust
Classification	
Acute Tox. 4 - H302	
Aquatic Acute 1 - H400	
Aquatic Chronic 2 - H411	
Diethylene glycol monobut	yl ether 1-5%
CAS number: 112-34-5	ACGIH TLV - TWA 10 ppm 67.5 mg/m ³
Classification	
Eye Irrit. 2 - H319	
Zinc Powder - Zinc Dust (S	stabilized) 1-5%
CAS number: 7440-66-6	DFG MAK - TWA 2 mg/m ³ as inhalable dust
Classification	
Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	· · · · · · · · · · · · · · · · · · ·
1,2-Benzisothiazol-3(2H)-o	ne <1%
CAS number: 2634-33-5	ACGIH TLV – N.E.
Classification	
Acute Tox. 4 - H302	
Skin Irrit. 2 - H315	
Eye Dam. 1 - H318	
Skin Sens. 1 - H317	
Aquatic Acute 1 - H400	
Aquatic Chronic 1 - H410	
	atements are Displayed in Section 16.
SECTION 4: First aid measu	Ires
 Description of first aid m 	
General information	If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical personnel.
Inhalation	No specific recommendations. If throat irritation or coughing persists, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if any discomfort continues.
Ingestion	No specific recommendations. If throat irritation or coughing persists, proceed as follows. Rinse mouth. Get medical attention if any discomfort continues.
Skin contact	No specific recommendations. Rinse with water. Get medical attention if any discomfort continues.
Eye contact	Rinse with water. Get medical attention if any discomfort continues.
Protection of first aiders	Use protective equipment appropriate for surrounding materials.

Revision date: 07/19/2019 MSDS for #27111 - SOPHTCTD FNSH MTL SRFC Sophisticated Finishes/Modern Options Gold AM201 (GD)

4.2 Most important symptoms	and effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known. Spray/mists may cause respiratory tract irritation.
Ingestion	No specific symptoms known. May cause discomfort if swallowed.
Skin contact	No specific symptoms known. May cause discomfort.
Eye contact	No specific symptoms known. May be slightly irritating to eyes.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
Specific treatments	No special treatment required.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising fro	
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.
5.3. Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapors. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping the leak.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.
SECTION 6: Accidental releas	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	No specific recommendations. For personal protection, see Section 8.
6.2. Environmental precaution	<u>S</u>
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground.
6.3. Methods and material for	containment and cleaning up
Methods for cleaning up	Reuse or recycle products wherever possible. Absorb spillage to prevent material damage. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of contents/container in accordance with national regulations.
6.4. Reference to other section	<u>15</u>
Refer to other sections for pers	sonal protection, see Section 8.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs.

MSDS for #27111 - SOPH	ITCTD FNSH MTL SRFC phisticated Finishes/Modern Options Gold AM201 (GD)
	Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid the formation of mists.
Advice in general	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash occupational hygiene contaminated clothing before reuse.
7.2. Conditions for safe stora	ge, including any incompatibilities
Storage precautions	No specific recommendations.
Storage class	Unspecified storage.
7.3. Specific end use(s)	
	The identified uses for this product and datailed in Castion 4.0
Specific end use(s) SECTION 8: Exposure Contr	The identified uses for this product are detailed in Section 1.2.
8.1. Control parameters Occ	
Copper, dusts and mists, as CAS number: 7440-50-8	Cu Long-term exposure limit (8-hour TWA): ACGIH TLV - TWA 1 mg/m ³ as inhalable dust
Diethylene glycol monobutyl	
CAS number: 112-34-5	Long-term exposure limit (8-hour TWA): ACGIH TLV - TWA 10 ppm 67.5 mg/m ³
Zinc Powder - Zinc Dust (Sta CAS number: 7440-66-6	abilized) Exposure limit (8-hour TWA): DFG MAK - TWA 2 mg/m3 as inhalable dust
8.2. Exposure controls	
Appropriate engineering controls	No specific ventilation requirements
Eye/face protection	No specific eye protection required during normal use. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	No specific hand protection recommended.
Hygiene measures	Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.
Respiratory protection	No specific recommendations. Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.
Environmental exposure controls	Not regarded as dangerous for the environment.
SECTION 9: Physical and C	hemical Properties
9.1. Information on basic phy	vsical and chemical properties
Appearance	Liquid.
Color	Gold
Odor	Mild (or faint).
pH	pH (concentrated solution): 8.5-9.0
Initial boiling point	210-212°F
Flash point	400°F SCC (Seta flash closed cup).
Vapor pressure	Not applicable.
Solubility(ies)	Soluble in water.
Volatility	71.2 %
SECTION 10: Stability and re	eactivity
10.1. Reactivity	

10.1. Reactivity

Reactivity

There are no known reactivity hazards associated with this product.

10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	No potentially hazardous reactions known.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid contact with strong oxidizing agents.	
10.5. Incompatible materials		
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	

10.6. Hazardous decomposition products

Hazardous decomposition Does not decompose when used and stored as recommended. Thermal decomposition or products combustion products may include the following substances: Harmful gases or vapors. During fire, toxic gases (CO, CO2) are formed.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Toxicological effects	Not regarded as a health hazard under current legislation.
Acute toxicity - oral	
Oral LD ₅₀	>2000mg/kg (rat)
Acute toxicity - dermal	
Notes (dermal LD ₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC_{50})	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritation	
Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitization	
Respiratory sensitization	Based on available data the classification criteria are not met.
Skin sensitization	
Skin sensitization	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.

Item Numbers: 27111-4374, 27111-4375, 27111-4376, 27111-4379

300	nisucated Finishes/Modern Options Gold AM201 (GD)
<u>Specific target organ toxicity -</u> STOT - repeated exposure	repeated exposure Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard	
Aspiration hazard	Based on available data the classification criteria are not met.
General information	No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known. Spray/mists may cause respiratory tract irritation.
Ingestion	No specific symptoms known. May cause discomfort if swallowed.
Skin contact	No specific symptoms known. May cause discomfort.
Eye contact	No specific symptoms known. May be slightly irritating to eyes.
Route of entry	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.
SECTION 12: Ecological Infor	mation
Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
12.1. Toxicity	
Toxicity	Based on available data the classification criteria are not met.
12.2. Persistence and degradability	
Persistence and degradability	The degradability of the product is not known.
12.3. Bioaccumulative potentia	
Bioaccumulative potential	No data available on bioaccumulation.
12.4. Mobility in soil	
Mobility	No data available.
12.5. Results of PBT and vPvI	3 assessment 12.6. Other adverse effects
Other adverse effects	None known.
SECTION 13: Disposal consid	lerations
13.1. Waste treatment method	<u>ls</u>
General information	The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
SECTION 14: Transport inform	nation
<u>14.1. DOT</u> Not regulated for transport	
14.2. Classification for SEA tra Proper shipping name	ansport (IMO-IMDG): ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (COPPER and ZINC)
<u>14.3 Classification for AIR transport (IATA/ICAO):</u> Not regulated for transport	
<u>14.4. Transport in bulk accord</u> Consult IMO regulations befor	ing to Annex I or II of MARPOL 73/78 and the IBC or IGC Code e transporting ocean bulk

Consult IMO regulations before transporting ocean bulk

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



SECTION 15: Regulatory information

<u>15.1. Safety. health and enviror</u> OSHA Hazard Communication Standard	nmental regulations/legislation specific for the substance or mixture This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312	This product is not a hazardous chemical under 29CFR 1910.1200, and therefore is not covered by Title III of SARA.
Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
Pennsylvania Worker and Community Right-To-Know Act	To the best of our knowledge, this product does not contain chemicals at levels which : require reporting under this statute.
California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)	This product DOES NOT contain chemicals, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warning.ca.gov "
United States TSCA Inventory (TSCA)	All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION	16: Other information	

Training advice	Read and follow manufacturer's recommendations.
Revision date	07/19/2019
Revision	V5.0
Reasons for revision	Update to Globally Harmonized System (GHS)
Supersedes date	V4.0 04/24/2017
SDS number	AM201-v5.0
Hazard statements in full	H302 Harmful if swallowed.
	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects.
	H411 Toxic to aquatic life with long lasting effects.
	H412 Harmful to aquatic life with long lasting effects.

HMIS RATINGS - HEALTH: 1 FLAMMABILITY: 0 REACTIVITY: 0

LEGEND: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined

Item Numbers: 27111-4374, 27111-4375, 27111-4376, 27111-4379

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use. The information contained on this SDS has been checked and should be accurate. However, it is the responsibility of the user to comply with all Federal, State, and Local laws and regulations.

<End of SDS>