

TRIANGLE COATINGS, INC.

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Date Printed: 7/31/2019

Product name: Sophisticated Finishes/Modern Options **Rich Gold AM208 (RG)**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Metallic Decorative Coating

Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier

Triangle Coatings Inc
4763 Bennett Drive
Livermore, CA 94551
+1-925-583-0800 (8:00am-5:00pm)

Manufacturer

Triangle Coatings Inc
4763 Bennett Drive
Livermore, CA 94551
+1-925-583-0800 (8:00am-5:00pm)

Preparer

nbk, prepare date: 7/30/2019

1.4. Emergency telephone number

Emergency telephone CHEMTRAC 24HR EMERGENCY TELEPHONE +1-800-424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Aquatic Acute 1 - H400
Aquatic Chronic 2 - H411

2.2. Label elements

Pictogram



Signal word

Warning

Hazard statements

H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.
P391 Collect spillage.
P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

~~Sophisticated Finishes/Modern Options Rich Gold AM208 (RG)~~3.2. Mixtures

| | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|--------|
| Copper, dusts and mists, as Cu CAS number: 7440-50-8 | ACGIH TLV - TWA 1 mg/m ³ as inhalable dust | 10-30% |
| Classification Acute Tox. 4 - H302 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411 | | |
| Diethylene glycol monobutyl ether CAS number: 112-34-5 | ACGIH TLV - TWA 10 ppm 67.5 mg/m ³ | 1-5% |
| Classification Eye Irrit. 2 - H319 | | |
| Zinc Powder - Zinc Dust (Stabilized) CAS number: 7440-66-6 | DFG MAK - TWA 2 mg/m ³ as inhalable dust | 1-5% |
| Classification Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 | | |
| 1,2-Benzisothiazol-3(2H)-one CAS number: 2634-33-5 | ACGIH TLV – N.E. | <1% |
| Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 | | |

The Full Text for Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures4.1. Description of first aid measures

| | |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General information | If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical personnel. |
| Inhalation | No specific recommendations. If throat irritation or coughing persists, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if any discomfort continues. |
| Ingestion | No specific recommendations. If throat irritation or coughing persists, proceed as follows. Rinse mouth. Get medical attention if any discomfort continues. |
| Skin contact | No specific recommendations. Rinse with water. Get medical attention if any discomfort continues. |
| Eye contact | Rinse with water. Get medical attention if any discomfort continues. |
| Protection of first aiders | Use protective equipment appropriate for surrounding materials. |

~~Sophisticated Finishes/Modern Options Rich Gold AM208 (RG)~~4.2. Most important symptoms and effects, both acute and delayed

| | |
|---------------------|-------------------------------------------------------------------------------------------------------------|
| General information | The severity of the symptoms described will vary dependent on the concentration and the length of exposure. |
| Inhalation | No specific symptoms known. Spray/mists may cause respiratory tract irritation. |
| Ingestion | No specific symptoms known. May cause discomfort if swallowed. |
| Skin contact | No specific symptoms known. May cause discomfort. |
| Eye contact | No specific symptoms known. May be slightly irritating to eyes. |

4.3. Indication of any immediate medical attention and special treatment needed

| | |
|----------------------|--------------------------------|
| Notes for the doctor | Treat symptomatically. |
| Specific treatments | No special treatment required. |

SECTION 5: Firefighting measures5.1. Extinguishing media

| | |
|--------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media | The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |

5.2. Special hazards arising from the substance or mixture

| | |
|-------------------------------|-------------------------------------------------------------------------------------------------------------|
| Specific hazards | Containers can burst violently or explode when heated, due to excessive pressure build-up. |
| Hazardous combustion products | Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors. |

5.3. Advice for firefighters

| | |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Protective actions during firefighting | Avoid breathing fire gases or vapors. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping the leak. |
| Special protective equipment for firefighters | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents. |

SECTION 6: Accidental release measures6.1. Personal precautions, protective equipment and emergency procedures

| | |
|----------------------|----------------------------------------------------------------------|
| Personal precautions | No specific recommendations. For personal protection, see Section 8. |
|----------------------|----------------------------------------------------------------------|

6.2. Environmental precautions

| | |
|---------------------------|-----------------------------------------------------------------|
| Environmental precautions | Avoid discharge into drains or watercourses or onto the ground. |
|---------------------------|-----------------------------------------------------------------|

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Methods for cleaning up | Reuse or recycle products wherever possible. Absorb spillage to prevent material damage. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of contents/container in accordance with national regulations. |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

6.4. Reference to other sections

Refer to other sections for personal protection, see Section 8.

SECTION 7: Handling and storage7.1. Precautions for safe handling

| | |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Usage precautions | Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. |
|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

~~Sophisticated Finishes/Modern Options Rich Gold AM208 (RG)~~

Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid the formation of mists.

Advice in general Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash occupational hygiene contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions No specific recommendations.

Storage class Unspecified storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection8.1. Control parameters Occupational exposure limits

Copper, dusts and mists, as Cu
CAS number: 7440-50-8 Long-term exposure limit (8-hour TWA): ACGIH TLV - TWA 1 mg/m³ as inhalable dust

Diethylene glycol monobutyl ether
CAS number: 112-34-5 Long-term exposure limit (8-hour TWA): ACGIH TLV - TWA 10 ppm 67.5 mg/m³

Zinc Powder - Zinc Dust (Stabilized)
CAS number: 7440-66-6 Exposure limit (8-hour TWA): DFG MAK - TWA 2 mg/m³ as inhalable dust

8.2. Exposure controls

Appropriate engineering controls No specific ventilation requirements

Eye/face protection No specific eye protection required during normal use. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

Hand protection No specific hand protection recommended.

Hygiene measures Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

Respiratory protection No specific recommendations. Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.

Environmental exposure controls Not regarded as dangerous for the environment.

SECTION 9: Physical and Chemical Properties9.1. Information on basic physical and chemical properties

Appearance Liquid.
Color Gold
Odor Mild (or faint).
pH pH (concentrated solution): 8.7
Initial boiling point 210-212°F
Flash point 400°F SCC (Seta flash closed cup).
VOC 49 grams/liter
Vapor pressure Not applicable.
Solubility(ies) Soluble in water.
Volatility 72.1 %

SECTION 10: Stability and reactivity10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

~~Sophisticated Finishes/Modern Options Rich Gold AM208 (RG)~~10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No potentially hazardous reactions known.

10.4. Conditions to avoid

Conditions to avoid Avoid contact with strong oxidizing agents.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended. Thermal decomposition or products combustion products may include the following substances: Harmful gases or vapors. During fire, toxic gases (CO, CO₂) are formed.

SECTION 11: Toxicological information11.1. Information on toxicological effects

Toxicological effects Not regarded as a health hazard under current legislation.

Acute toxicity - oral

Oral LD₅₀ >2000mg/kg (rat)

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitization

Respiratory sensitization Based on available data the classification criteria are not met.

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicity

None of the ingredients are listed or exempt.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity development Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

~~Sophisticated Finishes/Modern Options Rich Gold AM208 (RG)~~Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

General information

No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

Inhalation

No specific symptoms known. Spray/mists may cause respiratory tract irritation.

Ingestion

No specific symptoms known. May cause discomfort if swallowed.

Skin contact

No specific symptoms known. May cause discomfort.

Eye contact

No specific symptoms known. May be slightly irritating to eyes.

Route of entry

Ingestion Inhalation Skin and/or eye contact

Target organs

No specific target organs known.

SECTION 12: Ecological Information

Ecotoxicity

Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

12.1. Toxicity

Toxicity Based on available data the classification criteria are not met.

12.2. Persistence and degradability

Persistence and degradability The degradability of the product is not known.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility No data available.

12.5. Results of PBT and vPvB assessment 12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations13.1. Waste treatment methods

General information

The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way.

Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information14.1. DOT

Not regulated for transport

14.2. Classification for SEA transport (IMO-IMDG):

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (COPPER and ZINC)

14.3 Classification for AIR transport (IATA/ICAO):

Not regulated for transport

14.4. Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code

Consult IMO regulations before transporting ocean bulk

~~Sophisticated Finishes/Modern Options Rich Gold AM208 (RG)~~14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

**SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| | |
|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OSHA Hazard Communication Standard | This product is not a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. |
| Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312 | This product is not a hazardous chemical under 29CFR 1910.1200, and therefore is not covered by Title III of SARA. |
| Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313 | This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. |
| Pennsylvania Worker and Community Right-To-Know Act: | To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute. |
| California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986) | This product DOES NOT contain chemicals, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warning.ca.gov " |
| United States TSCA Inventory (TSCA) | All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory. |

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

| | |
|---------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Training advice | Read and follow manufacturer's recommendations. |
| Revision date | 07/30/2019 |
| Revision | V4.0 |
| Reasons for revision | Update to Globally Harmonized System (GHS) |
| Supersedes date | V3.0 03/03/2017 |
| SDS number | AM208v4.0 |
| Hazard statements in full | H302 Harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. |

HMIS RATINGS - HEALTH: 1 FLAMMABILITY: 0 REACTIVITY: 0

LEGEND: N.A. - Not Applicable, N.E. - Not Established, N.D. - Not Determined

~~Sophisticated Finishes/Modern Options Rich Gold AM208 (RG)~~

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use. The information contained on this SDS has been checked and should be accurate. However, it is the responsibility of the user to comply with all Federal, State, and Local laws and regulations.

<End of SDS>