SAFETY DATA SHEET

30411-2183

EST. 1919

Revision Number 2

Revision date 17-Oct-2022

1. Identification	
Product identifier	
Product Name	V-363 Morning Fog
Other means of identification	
Product Code(s)	FG00068
UN number or ID number	UN3082
Synonyms	37621X, 37627F
Recommended use of the chemical	and restrictions on use
Recommended use	
Restrictions on use	
Details of the supplier of the safety	data sheet
Manufacturer Address American Art Clay Co Inc 6060 Guion Road Indianapolis, IN 46254-1222 USA Toll Free: 1-800-999-5456 CustomerCare@Amaco.com	
Emergency telephone number	
Emergency Telephone	U.S. Poison Control 1-800-222-1222
2. Hazard(s) identification	


Classification

Acute toxicity - Oral	Category 4
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

Hazards not otherwise classified (HNOC) Not applicable

Label elements

Hazard statements



Physical state Liquid

Precautionary Statements - Prevention Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Contaminated work clothing must not be allowed out of the workplace Wear protective gloves/clothing and eye/face protection Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Specific treatment (see .? on this label) Get medical advice/attention if you feel unwell IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Unknown acute toxicity

21.9244 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
25.5644 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
38.8844 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
38.8844 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
31.4044 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Other information

Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on ingredients

Not applicable.

<u>Mixture</u>

Chemical name	CAS No	Weight-%
Zircon	14940-68-2	10 - 20
Frits, chemicals	65997-18-4	5 - <10
Kaolin	1332-58-7	5 - <10
C.I. Pigment Red 232	68412-79-3	3 - <5
Aluminum oxide (Al2O3)	1344-28-1	3 - <5
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol	4719-04-4	0.1 - 1

Page 2 of 12

Revision date 17-Oct-2022

4. First-aid measures		
Description of first aid measures		
General advice	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.	
Inhalation	Remove to fresh air.	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.	
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	Itching. Rashes. Hives.	
Indication of any immediate medica	al attention and special treatment needed	
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.	
5. Fire-fighting measures		
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the	
Large Fire	surrounding environment. CAUTION: Use of water spray when fighting fire may be inefficient.	
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.	
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.	
Explosion data Sensitivity to mechanical impac	t None.	
Sensitivity to static discharge	None.	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures **Personal precautions** Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Other information Refer to protective measures listed in Sections 7 and 8. Methods and material for containment and cleaning up Methods for containment Prevent further leakage or spillage if safe to do so. Methods for cleaning up Pick up and transfer to properly labeled containers.

Item Numbers: 30411-2183, 30411-2186

Page 3 of 12

Revision date 17-Oct-2022

7. Handling and storage		
Precautions for safe handling		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up.	

8. Exposure controls/personal protection

Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Zircon	STEL: 10 mg/m ³ Zr	TWA: 5 mg/m³ Zr	IDLH: 25 mg/m ³ Zr
14940-68-2	TWA: 5 mg/m ³ Zr	(vacated) TWA: 5 mg/m ³ Zr	TWA: 5 mg/m ³ except Zirconium
	-	(vacated) STEL: 10 mg/m ³ Zr	tetrachloride Zr
			STEL: 10 mg/m ³ Zr
Frits, chemicals	STEL: 10 mg/m ³ Zr	TWA: 10 µg/m³ As	IDLH: 5 mg/m ³ As
65997-18-4	TWA: 0.01 mg/m ³ As	TWA: 50 µg/m³ Pb	IDLH: 9 mg/m ³ Cd dust and
	TWA: 0.05 mg/m ³ Pb	TWA: 0.5 mg/m ³ Sb	fume
	TWA: 0.01 mg/m ³ Cd	TWA: 5 mg/m ³ Zr	IDLH: 50 mg/m ³ Sb
	TWA: 0.002 mg/m ³ Cd	(vacated) TWA: 0.5 mg/m ³ Sb	IDLH: 100 mg/m ³ Cu dust and
	respirable particulate matter	(vacated) TWA: 5 mg/m ³ Zr	mist
	TWA: 0.5 mg/m ³ Sb	(vacated) STEL: 10 mg/m ³ Zr	IDLH: 500 mg/m ³ Mn
	TWA: 1 mg/m ³ Cu dust and mist	(vacated) Ceiling: 5 mg/m ³	IDLH: 25 mg/m ³ Zr
	TWA: 3 mg/m ³ W respirable	Ceiling: 5 mg/m ³ Mn	IDLH: 100 mg/m ³ Pb
	particulate matter in the absence		IDLH: 10 mg/m ³ Ni
	of cobalt		Ceiling: 0.002 mg/m ³ As 15 min
	TWA: 5 mg/m ³ Zr		Ceiling: 0.05 mg/m ³ V dust and
	TWA: 0.02 mg/m ³ Mn respirable		fume 15 min
	particulate matter		TWA: 0.5 mg/m ³ Sb
	TWA: 0.1 mg/m ³ Mn inhalable		TWA: 1 mg/m ³ Cu dust and
	particulate matter		mist
			TWA: 1 mg/m ³ Mn
			TWA: 5 mg/m ³ except Zirconium
			tetrachloride Zr
			TWA: 0.050 mg/m ³ Pb
			TWA: 0.015 mg/m ³ except
			Nickel carbonyl Ni
			STEL: 3 mg/m ³ Mn
			STEL: 10 mg/m ³ Zr
Kaolin	TWA: 2 mg/m ³ particulate	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
1332-58-7	matter containing no asbestos	TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust
	and <1% crystalline silica,	fraction	
	respirable particulate matter	(vacated) TWA: 10 mg/m ³ total	
		dust	

Revision date 17-Oct-2022

		(vacated) TWA: 5 mg/m ³ respirable fraction	
C.I. Pigment Red 232 68412-79-3	STEL: 10 mg/m³ Zr TWA: 5 mg/m³ Zr	TWA: 5 mg/m ³ Zr (vacated) TWA: 5 mg/m ³ Zr (vacated) STEL: 10 mg/m ³ Zr	IDLH: 25 mg/m ³ Zr TWA: 5 mg/m ³ except Zirconium tetrachloride Zr STEL: 10 mg/m ³ Zr
Aluminum oxide (Al2O3) 1344-28-1	TWA: 1 mg/m ³ respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	-

Biological occupational exposure limits

Chemical name	ACGIH
Frits, chemicals	200 μg/L - blood (Lead) - not critical
65997-18-4	5 µg/g creatinine - urine (Cadmium) - not critical
	5 μg/L - blood (Cadmium) - not critical

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.			
Individual protection measures, such as personal protective equipment				
Eye/face protection	Wear safety glasses with side shields (or goggles).			
Hand protection	Wear suitable gloves.			
Skin and body protection	Wear suitable protective clothing.			
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.			
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.			

9. Physical and chemical properties

Physical state Appearance Color Odor Odor threshold	Liquid	
Property	Values	Remarks • Method
pH	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	eNo data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive	No data available	

Item Numbers: 30411-2183, 30411-2186

limits		
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	410 °C / 770 °F	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
VOC Content (%)	No information available	
10. Stability and reactivi	t.v	
To. Stability and reactive	Ly	
Reactivity	No information available.	
Chemical stability	Stable under normal conditions.	

Chemical Stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information		
Inhalation	Specific test data for the substance or mixture is not available.	
Eye contact	Specific test data for the substance or mixture is not available.	
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).	
Ingestion	Specific test data for the substance or mixture is not available. Harmful if swallowed. (based on components).	
Symptoms related to the physical, chemical and toxicological characteristics		
Symptoms	Itching. Rashes. Hives.	
Acute toxicity		
Numerical measures of toxicity No information available		
The following values are calculated ATEmix (oral) ATEmix (dermal) ATEmix (inhalation-dust/mist)	I based on chapter 3.1 of the GHS document 1,018.00 mg/kg 15,166.20 mg/kg 13.80 mg/l	
Unknown acute toxicity		

Revision date 17-Oct-2022

Revision date 17-Oct-2022

21.9244 % of the mixture consists of ingredient(s) of unknown acute oral toxicity 25.5644 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity 38.8844 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) 38.8844 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor) 31.4044 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Comp	ponent	Infe	ormation	

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Frits, chemicals 65997-18-4	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
C.I. Pigment Red 232 68412-79-3	-	-	> 5.6 mg/L (Rat)4 h
Aluminum oxide (Al2O3) 1344-28-1	> 5000 mg/kg (Rat)	-	-
1,3,5-Triazine-1,3,5(2H,4H,6H)-t riethanol 4719-04-4	= 763 mg/kg (Rat)	> 4000 mg/kg (Rat)	= 0.4 mg/L (Rat)4 h = 0.338 mg/L (Rat)4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure_

Skin corrosion/irritation		No information available.			
Serious eye damage/eye	irritation	No information available.			
Respiratory or skin sens	itization	May cause an allergic skin reaction.			
Germ cell mutagenicity		No informatic	on available.		
Carcinogenicity The table below indicates	s whether ea	ingredients. N	nown or suspected carcino May cause cancer. s listed any ingredient as a		on data available for
Chemical name		CGIH	IARC	NTP	OSHA
Frits, chemicals 65997-18-4		A1 Group 1 Known X A3 Group 2B Reasonably Anticipated A2 Group 2A			
A2 Group 2A Legend ACGIH (American Conference of Governmental Industrial Hygienists) A1 - Known Human Carcinogen A2 A2 - Suspected Human Carcinogen A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans MTP (National Toxicology Program) Known - Known Carcinogen Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present X - Present					
Reproductive toxicity		Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May damage fertility or the unborn child.			

STOT - single exposure No information available.

Revision date	17-Oct-2022
----------------------	-------------

STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Target organ effects	Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate, Gastrointestinal tract (GI).
Aspiration hazard	No information available.
Other adverse effects	
Interactive effects	

12. Ecological information

Ecotoxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1,3,5-Triazine-1,3,5(2H,4	-	LC50: =16.07mg/L (96h,	-	-
H,6H)-triethanol		Danio rerio)		
4719-04-4				

Persistence and degradability

Bioaccumulation	There is no data for this product.
Other adverse effects	No information available.

13. Disposal considerations		
Disposal methods		
Waste from residues/unused products	Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.	
Contaminated packaging	Do not reuse empty containers.	
California Hazardous Waste Status	This product contains one or more substances that are listed with the State of California as a hazardous waste.	

14. Transport information

DOT UN number or ID number UN3082 Proper shipping name Environmentally hazardous substance, liquid, n.o.s. Transport hazard class(es) 9 Packing group Special Provisions ш 8, 146, 173, 335, IB3, T4, TP1, TP29 **DOT Marine Pollutant** PP Marine pollutant Frits, chemicals Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III, Marine pollutant **Emergency Response Guide** 171

Revision date 17-Oct-2022

Number	
TDG UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Special Provisions Marine pollutant name Description	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III 16, 99 Frits, chemicals. Frits, chemicals. UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III
MEX UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Technical Name Description Special Provisions	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III Frits, chemicals UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III 274, 331, 335
ICAO (air) UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Description Special Provisions	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III A97, A158, A197, A215
IATA UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Technical Name Description Special Provisions ERG Code	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III Frits, chemicals UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III A97, A158, A197 9L
IMDG UN number or ID number UN proper shipping name Transport hazard class(es) Packing group EmS-No Special Provisions Marine pollutant Marine Pollutant Description	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III F-A, S-F 274, 335, 969 P Frits, chemicals UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III, Marine pollutant
RID UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Classification code Special Provisions Description	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III M6 274, 335, 375, 601 UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III
ADR UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Classification code	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III M6

Revision date 17-Oct-2022

Tunnel restriction code Special Provisions Description	(-) 274, 335, 601, 375 UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III, (-)
ADN UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Classification code Special Provisions Description	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III M6 274, 335, 375, 601 UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III
Equipment Requirements	PP

15. Regulatory information

International Inventories

TSCA

Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Water	7732-18-5	Present	Active
Zircon	14940-68-2	Present	Active
Frits, chemicals	65997-18-4	Present	Active
Kaolin	1332-58-7	Present	Active
C.I. Pigment Red 232	68412-79-3	Present	Active
Aluminum oxide (Al2O3)	1344-28-1	Present	Active
Smectite-group minerals	12199-37-0	Present	Active
Nepheline syenite	37244-96-5	-	Unknown *
Sodium carboxymethyl cellulose	9004-32-4	Present	Active
1,3,5-Triazine-1,3,5(2H,4H,6H)-trietha nol	4719-04-4	Present	Active
Ethanolamine	141-43-5	Present	Active

*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
NZIoC	Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances **PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical

Revision date 17-Oct-2022

or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Frits, chemicals - 65997-18-4	0.1
	1.0
Aluminum oxide (Al2O3) - 1344-28-1	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Frits, chemicals 65997-18-4	-	Х	-	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	Х
Frits, chemicals 65997-18-4	Х	-	Х
Kaolin 1332-58-7	Х	Х	Х
Aluminum oxide (Al2O3) 1344-28-1	Х	Х	Х
Ethanolamine 141-43-5	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other	information			
NFPA HMIS Chronic Hazard	Health hazards 2 Health hazards 2 * d Star Legend *= Chronic F	Flammability 0 Flammability 0 Health Hazard	Instability 0 Physical hazards 0	Special hazards - Personal protection X
	d to abbreviations and acronyms u tion 8: Exposure controls/personal		sheet	
TWA Ceiling	TWA (time-weighted average) Maximum limit value	STEL *	STEL (Short Terr Skin designation	n Exposure Limit)
Centing Maximum limit value Skin designation Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database Skin designation				

Revision date 17-Oct-2022

U.S. Environmental Protection Agency Food Research Journal Hazardous Substance Database International Uniform Chemical Informa National Institute of Technology and Ev Australia National Industrial Chemicals NIOSH (National Institute for Occupation National Library of Medicine's ChemID National Library of Medicine's PubMed National Toxicology Program (NTP) New Zealand's Chemical Classification Organization for Economic Co-operatio	ý GL(s)) Federal Insecticide, Fungicide, and Rodenticide Act High Production Volume Chemicals tion Database (IUCLID) raluation (NITE) Notification and Assessment Scheme (NICNAS) onal Safety and Health) Plus (NLM CIP) database (NLM PUBMED)
0	n and Development High Production Volume Chemicals Program n and Development Screening Information Data Set
Revision date Revision Note Disclaimer	17-Oct-2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet