**SAFETY DATA SHEET** 

# 30411-2546

Category 2



**Revision Number** 2

Revision date 17-Oct-2022

1. Identification		
Product identifier		
Product Name	V-356 Pearl Gray	
Other means of identification		
Product Code(s)	FG00062	
UN number or ID number	UN3082	
Synonyms	37412N, 37433P	
Recommended use of the chemical	and restrictions on use	
Recommended use		
Restrictions on use		
Details of the supplier of the safety	data sheet	
Manufacturer Address American Art Clay Co Inc 6060 Guion Road Indianapolis, IN 46254-1222 USA Toll Free: 1-800-999-5456 CustomerCare@Amaco.com		
Emergency telephone number		
Emergency Telephone	U.S. Poison Control 1-800-222-1222	
2. Hazard(s) identification		
Skin sensitization		Category 1

# Specific target organ toxicity (repeated exposure) Hazards not otherwise classified (HNOC) Not applicable

# Label elements

Page 1/12



# Physical state Liquid

**Precautionary Statements - Prevention** Contaminated work clothing must not be allowed out of the workplace Wear protective gloves/clothing and eye/face protection Do not breathe dust/fume/gas/mist/vapors/spray

# **Precautionary Statements - Response**

Specific treatment (see .? on this label) Get medical advice/attention if you feel unwell IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

21.087 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

22.087 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

35.457 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

35.457 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

32.067 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

### Other information

May be harmful if swallowed. Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

# 3. Composition/information on ingredients

Not applicable.

### Mixture

Chemical name	CAS No	Weight-%
Kaolin	1332-58-7	5 - <10
Quartz	14808-60-7	5 - <10
Frits, chemicals	65997-18-4	3 - <5
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol	4719-04-4	0.1 - 1

# 4. First-aid measures Description of first aid measures General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.

Inhalation

Remove to fresh air.

# Revision date 17-Oct-2022

Revision date 17-Oct-2022

Page 3 of 12

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Rinse mouth.
Most important symptoms	and effects, both acute and delayed
Symptoms	Itching. Rashes. Hives.
Indication of any immediate	e medical attention and special treatment needed
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.

# 5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. CAUTION: Use of water spray when fighting fire may be inefficient.	
Large Fire		
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.	
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.	
Explosion data Sensitivity to mechanical impact None.		
Sensitivity to static discharge	None.	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures		
Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.	
Other information	Refer to protective measures listed in Sections 7 and 8.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Pick up and transfer to properly labeled containers.	

7. Handling and storage	
Precautions for safe handling	
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear

FG00062 - V-356 Pearl Gray	Revision date 17-Oct-2022
	suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes.
Conditions for safe storage, including any incompatibilities	
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

# 8. Exposure controls/personal protection

### Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Kaolin	TWA: 2 mg/m <sup>3</sup> particulate	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> total dust
1332-58-7	matter containing no asbestos	TWA: 5 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> respirable dust
	and <1% crystalline silica,	fraction	
	respirable particulate matter	(vacated) TWA: 10 mg/m <sup>3</sup> total	
		dust	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
-		respirable fraction	
Quartz	TWA: 0.025 mg/m <sup>3</sup> respirable	TWA: 50 μg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup> respirable dust
14808-60-7	particulate matter	(vacated) TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> respirable
		respirable dust	dust
		: (250)/(%SiO2 + 5) mppcf	
		TWA respirable fraction	
		: (10)/(%SiO2 + 2) mg/m <sup>3</sup>	
		TWA respirable fraction	
Frits, chemicals	STEL: 10 mg/m <sup>3</sup> Zr	TWA: 10 $\mu$ g/m <sup>3</sup> As	IDLH: 5 mg/m <sup>3</sup> As
65997-18-4	TWA: 0.01 mg/m <sup>3</sup> As	TWA: 50 $\mu$ g/m <sup>3</sup> Pb	IDLH: 9 mg/m <sup>3</sup> Cd dust and
	TWA: 0.05 mg/m <sup>3</sup> Pb	TWA: 0.5 mg/m <sup>3</sup> Sb	fume
	TWA: 0.01 mg/m <sup>3</sup> Cd	TWA: 5 mg/m <sup>3</sup> Zr	IDLH: 50 mg/m <sup>3</sup> Sb
	TWA: 0.002 mg/m <sup>3</sup> Cd respirable particulate matter	(vacated) TWA: 0.5 mg/m <sup>3</sup> Sb (vacated) TWA: 5 mg/m <sup>3</sup> Zr	IDLH: 100 mg/m³ Cu dust and mist
	TWA: 0.5 mg/m <sup>3</sup> Sb	(vacated) STEL: 10 mg/m <sup>3</sup> Zr	IDLH: 500 mg/m <sup>3</sup> Mn
	TWA: 0.5 mg/m <sup>3</sup> Sb TWA: 1 mg/m <sup>3</sup> Cu dust and mist	(vacated) STEL. 10 mg/m <sup>3</sup> Zi (vacated) Ceiling: 5 mg/m <sup>3</sup>	IDLH: 25 mg/m <sup>3</sup> Zr
	TWA: 3 mg/m <sup>3</sup> W respirable	Ceiling: 5 mg/m <sup>3</sup> Mn	IDLH: 100 mg/m <sup>3</sup> Pb
	particulate matter in the absence		IDLH: 10 mg/m <sup>3</sup> Ni
	of cobalt		Ceiling: 0.002 mg/m <sup>3</sup> As 15 min
	TWA: 5 mg/m <sup>3</sup> Zr		Ceiling: 0.05 mg/m <sup>3</sup> V dust and
	TWA: 0.02 mg/m <sup>3</sup> Mn respirable		fume 15 min
	particulate matter		TWA: 0.5 mg/m <sup>3</sup> Sb
	TWA: 0.1 mg/m <sup>3</sup> Mn inhalable		TWA: 1 mg/m <sup>3</sup> Cu dust and
	particulate matter		mist
			TWA: 1 mg/m <sup>3</sup> Mn
			TWA: 5 mg/m <sup>3</sup> except Zirconium
			tetrachloride Zr
			TWA: 0.050 mg/m <sup>3</sup> Pb
			TWA: 0.015 mg/m <sup>3</sup> except
			Nickel carbonyl Ni
			STEL: 3 mg/m <sup>3</sup> Mn
			STEL: 10 mg/m <sup>3</sup> Zr

### **Biological occupational exposure limits**

Chemical name	ACGIH
Frits, chemicals	200 μg/L - blood (Lead) - not critical
65997-18-4	5 μg/g creatinine - urine (Cadmium) - not critical

Item Numbers: 30411-2546, 30411-2804

Page 4 of 12

Page 5 of 12

	5 μg/L - blood (Cadmium) - not critical	
Appropriate engineering controls		
Engineering controls	Showers Eyewash stations Ventilation systems.	
Individual protection measures, such as personal protective equipment		
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Hand protection	Wear suitable gloves.	
Skin and body protection Respiratory protection	Wear suitable protective clothing. No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.	
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.	

# 9. Physical and chemical properties

Information on basic physical and chemical properties Physical state Liquid Appearance Color Odor Odor threshold

Property pH Melting point / freezing point Initial boiling point and boiling rang Flash point Evaporation rate	<u>Values</u> No data available No data available JeNo data available No data available No data available	Remarks • Method None known None known None known None known None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	410 °C / 770 °F	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other information Explosive properties Oxidizing properties VOC Content (%)	No information available No information available No information available	

# 10. Stability and reactivity

# Reactivity

No information available.

Item Numbers: 30411-2546, 30411-2804

Chemical stability	Stable under normal conditions.	
Possibility of hazardous reactions	None under normal processing.	
Conditions to avoid	None known based on information supplied.	
Incompatible materials	None known based on information supplied.	
Hazardous decomposition products None known based on information supplied.		

# 11. Toxicological information

Information on likely routes of exposure

**Product Information** 

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).
Ingestion	May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Itching. Rashes. Hives.

Acute toxicity

Numerical measures of toxicity No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	2,196.10 mg/kg
ATEmix (dermal)	21,108.90 mg/kg
ATEmix (inhalation-dust/mist)	30.10 mg/l

21.087 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

22.087 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

35.457 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

35.457 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor) 32.067 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
Frits, chemicals 65997-18-4	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
1,3,5-Triazine-1,3,5(2H,4H,6H)-t riethanol 4719-04-4	= 763 mg/kg (Rat)	> 4000 mg/kg (Rat)	= 0.4 mg/L (Rat)4 h = 0.338 mg/L (Rat)4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

No information available.

Serious eye damage/eye irritation No information available.

Item Numbers: 30411-2546, 30411-2804

Page 6 of 12

# Revision date 17-Oct-2022

Respiratory or skin sensitizatio	on May cause a	an allergic skin reaction.		
Germ cell mutagenicity	No informati	ion available.		
Carcinogenicity	ingredients.	May cause cancer.	nogen. Classification based on d	ata available for
The table below indicates wheth		· · ·	¥ i	
Chemical name	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group 1	Known	×
Frits, chemicals 65997-18-4	A1 A3 A2	Group 1 Group 2B Group 2A	Known Reasonably Anticipated	x
A2 - Suspected Human Carcinogen A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present				
Reproductive toxicity		Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May damage fertility or the unborn child.		
STOT - single exposure	No informati	No information available.		
STOT - repeated exposure	May cause o	May cause damage to organs through prolonged or repeated exposure.		
Target organ effects	Vascular Sy	Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate, Gastrointestinal tract (GI).		
Aspiration hazard	No informati	ion available.		
Other adverse effects				
Interactive effects				

# 12. Ecological information

# Ecotoxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1,3,5-Triazine-1,3,5(2H,4	-	LC50: =16.07mg/L (96h,	-	-

# Revision date 17-Oct-2022

H,6H)-triethanol 4719-04-4	Danio rerio)	
Persistence and degradability		
Bioaccumulation	There is no data for this product.	
Other adverse effects	No information available.	
13. Disposal consideration	ons	
Disposal methods		
Waste from residues/unused products	Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.	

Contaminated packaging	Do not reuse empty containers.
California Hazardous Waste Status	This product contains one or more substances that are listed with the State of California as a hazardous waste.

# 14. Transport information

DOT UN number or ID number Proper shipping name Transport hazard class(es) Packing group Special Provisions DOT Marine Pollutant Marine pollutant Description Emergency Response Guide Number	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III 8, 146, 173, 335, IB3, T4, TP1, TP29 PP Frits, chemicals UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III, Marine pollutant 171
TDG UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Special Provisions Marine pollutant name Description	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III 16, 99 Frits, chemicals. UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III
<u>MEX</u> UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Technical Name Description Special Provisions	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III Frits, chemicals UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III 274, 331, 335
ICAO (air) UN number or ID number UN proper shipping name Transport hazard class(es) Packing group	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III

Item Numbers: 30411-2546, 30411-2804

# Revision date 17-Oct-2022

Description Special Provisions	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III A97, A158, A197, A215
ATA_ UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Technical Name Description Special Provisions ERG Code	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III Frits, chemicals UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III A97, A158, A197 9L
MDG UN number or ID number UN proper shipping name Transport hazard class(es) Packing group EmS-No Special Provisions Marine pollutant Marine Pollutant Description	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III F-A, S-F 274, 335, 969 P Frits, chemicals UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III, Marine pollutant
RID UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Classification code Special Provisions Description	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III M6 274, 335, 375, 601 UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III
ADR UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Classification code Tunnel restriction code Special Provisions Description	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III M6 (-) 274, 335, 601, 375 UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III, (-)
ADN UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Classification code Special Provisions Description Equipment Requirements	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III M6 274, 335, 375, 601 UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III PP
15. Regulatory information	n

# International Inventories

# TSCA

Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Water	7732-18-5	Present	Active
Kaolin	1332-58-7	Present	Active

### Revision date 17-Oct-2022

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Nepheline syenite	37244-96-5	-	Unknown *
Quartz	14808-60-7	Present	Active
Frits, chemicals	65997-18-4	Present	Active
Smectite-group minerals	12199-37-0	Present	Active
Sodium carboxymethyl cellulose	9004-32-4	Present	Active
C.I. Pigment Red 232	68412-79-3	Present	Active
1,3,5-Triazine-1,3,5(2H,4H,6H)-trietha nol	4719-04-4	Present	Active
C.I. Pigment Blue 73	68187-40-6	Present	Active
Ethanolamine	141-43-5	Present	Active

\*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
NZIoC	Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

 KECL
 - Korean Existing and Evaluated Chemical Substances

 PICCS
 - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

### US Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %	
Frits, chemicals - 65997-18-4	0.1	
	1.0	

# SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Frits, chemicals 65997-18-4	-	Х	-	-

### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level

pertaining to releases of this material.

### US State Regulations

# U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	Х
Kaolin 1332-58-7	Х	Х	Х
Quartz 14808-60-7	Х	Х	Х
Frits, chemicals 65997-18-4	Х	-	Х
C.I. Pigment Blue 73 68187-40-6	Х	-	Х
Ethanolamine 141-43-5	Х	Х	Х

### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

### 16. Other information NFPA Health hazards 2 Flammability 0 Instability 0 Special hazards Health hazards 2 \* Flammability 0 Physical hazards 0 Personal protection X HMIS Chronic Hazard Star Legend \* = Chronic Health Hazard Key or legend to abbreviations and acronyms used in the safety data sheet Legend Section 8: Exposure controls/personal protection TWA (time-weighted average) STEL (Short Term Exposure Limit) TWA STEL Ceiling Maximum limit value Skin designation Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization **Revision date** 17-Oct-2022 **Revision Note** Disclaimer

Item Numbers: 30411-2546, 30411-2804

Page 11 of 12

### Revision date 17-Oct-2022

Revision date 17-Oct-2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet