

30411-5164

SAFETY DATA SHEET



Revision date 17-Oct-2022

Revision Number 2

1. Identification

Product identifier

Product Name V-329 Sea Glass Blue

Other means of identification

Product Code(s) FG00046

UN number or ID number UN3082

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use

Restrictions on use

Details of the supplier of the safety data sheet

Manufacturer Address

American Art Clay Co Inc
6060 Guion Road
Indianapolis, IN 46254-1222 USA
Toll Free: 1-800-999-5456
CustomerCare@Amaco.com

Emergency telephone number

Emergency Telephone U.S. Poison Control 1-800-222-1222

2. Hazard(s) identification

Classification

| | |
|--|------------|
| Acute toxicity - Oral | Category 4 |
| Skin sensitization | Category 1 |
| Specific target organ toxicity (repeated exposure) | Category 2 |

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

FG00046 - V-329 Sea Glass Blue

Revision date 17-Oct-2022

Hazard statements**Warning**

H302 - Harmful if swallowed

H317 - May cause an allergic skin reaction

H373 - May cause damage to organs through prolonged or repeated exposure

**Physical state** Liquid**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Contaminated work clothing must not be allowed out of the workplace

Wear protective gloves/clothing and eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Specific treatment (see .? on this label)

Get medical advice/attention if you feel unwell

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Unknown acute toxicity

20.4444 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

24.0844 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

38.6444 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

38.6444 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

30.1244 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Other information

Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on ingredients

Not applicable.

Mixture

| Chemical name | CAS No | Weight-% |
|--|------------|----------|
| Zircon | 14940-68-2 | 10 - 20 |
| Frits, chemicals | 65997-18-4 | 5 - <10 |
| Kaolin | 1332-58-7 | 5 - <10 |
| C.I. Pigment Blue 71 | 68186-95-8 | 5 - <10 |
| Aluminum oxide (Al ₂ O ₃) | 1344-28-1 | 3 - <5 |
| C.I. Pigment Yellow 159 | 68187-15-5 | 1 - <3 |
| 1,3,5-Triazine-1,3,5-(2H,4H,6H)-triethanol | 4719-04-4 | 0.1 - 1 |

FG00046 - V-329 Sea Glass Blue

Revision date 17-Oct-2022

4. First-aid measures

Description of first aid measures

| | |
|-----------------------|--|
| General advice | Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention. |
| Inhalation | Remove to fresh air. |
| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. |
| Skin contact | Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. |
| Ingestion | Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician. |

Most important symptoms and effects, both acute and delayed

| | |
|-----------------|-------------------------|
| Symptoms | Itching. Rashes. Hives. |
|-----------------|-------------------------|

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|--|
| Note to physicians | May cause sensitization in susceptible persons. Treat symptomatically. |
|---------------------------|--|

5. Fire-fighting measures

| | |
|---|--|
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Large Fire | CAUTION: Use of water spray when fighting fire may be inefficient. |
| Unsuitable extinguishing media | Do not scatter spilled material with high pressure water streams. |
| Specific hazards arising from the chemical | Product is or contains a sensitizer. May cause sensitization by skin contact. |
| Explosion data | |
| Sensitivity to mechanical impact | None. |
| Sensitivity to static discharge | None. |
| Special protective equipment and precautions for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. |

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| | |
|-----------------------------|--|
| Personal precautions | Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. |
| Other information | Refer to protective measures listed in Sections 7 and 8. |

Methods and material for containment and cleaning up

| | |
|--------------------------------|---|
| Methods for containment | Prevent further leakage or spillage if safe to do so. |
|--------------------------------|---|

FG00046 - V-329 Sea Glass Blue**Revision date** 17-Oct-2022**Methods for cleaning up** Pick up and transfer to properly labeled containers.**7. Handling and storage****Precautions for safe handling****Advice on safe handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes.

Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up.

8. Exposure controls/personal protection**Control parameters****Exposure Limits**

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH |
|--------------------------------|---|--|--|
| Zircon 14940-68-2 | STEL: 10 mg/m ³ Zr TWA: 5 mg/m ³ Zr | TWA: 5 mg/m ³ Zr (vacated) TWA: 5 mg/m ³ Zr (vacated) STEL: 10 mg/m ³ Zr | IDLH: 25 mg/m ³ Zr TWA: 5 mg/m ³ except Zirconium tetrachloride Zr STEL: 10 mg/m ³ Zr |
| Frits, chemicals 65997-18-4 | STEL: 10 mg/m ³ Zr TWA: 0.01 mg/m ³ As TWA: 0.05 mg/m ³ Pb TWA: 0.01 mg/m ³ Cd TWA: 0.002 mg/m ³ Cd respirable particulate matter TWA: 0.5 mg/m ³ Sb TWA: 1 mg/m ³ Cu dust and mist TWA: 3 mg/m ³ W respirable particulate matter in the absence of cobalt TWA: 5 mg/m ³ Zr TWA: 0.02 mg/m ³ Mn respirable particulate matter TWA: 0.1 mg/m ³ Mn inhalable particulate matter | TWA: 10 µg/m ³ As TWA: 50 µg/m ³ Pb TWA: 0.5 mg/m ³ Sb TWA: 5 mg/m ³ Zr (vacated) TWA: 0.5 mg/m ³ Sb (vacated) TWA: 5 mg/m ³ Zr (vacated) STEL: 10 mg/m ³ Zr (vacated) Ceiling: 5 mg/m ³ Ceiling: 5 mg/m ³ Mn | IDLH: 5 mg/m ³ As IDLH: 9 mg/m ³ Cd dust and fume IDLH: 50 mg/m ³ Sb IDLH: 100 mg/m ³ Cu dust and mist IDLH: 500 mg/m ³ Mn IDLH: 25 mg/m ³ Zr IDLH: 100 mg/m ³ Pb IDLH: 10 mg/m ³ Ni Ceiling: 0.002 mg/m ³ As 15 min Ceiling: 0.05 mg/m ³ V dust and fume 15 min TWA: 0.5 mg/m ³ Sb TWA: 1 mg/m ³ Cu dust and mist TWA: 1 mg/m ³ Mn TWA: 5 mg/m ³ except Zirconium tetrachloride Zr TWA: 0.050 mg/m ³ Pb TWA: 0.015 mg/m ³ except Nickel carbonyl Ni STEL: 3 mg/m ³ Mn STEL: 10 mg/m ³ Zr |
| Kaolin 1332-58-7 | TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter | TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total | TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust |

FG00046 - V-329 Sea Glass Blue

Revision date 17-Oct-2022

| | | | |
|---|--|---|--|
| | | dust (vacated) TWA: 5 mg/m ³ respirable fraction | |
| C.I. Pigment Blue 71 68186-95-8 | STEL: 10 mg/m ³ Zr TWA: 5 mg/m ³ Zr | TWA: 5 mg/m ³ Zr (vacated) TWA: 5 mg/m ³ Zr (vacated) STEL: 10 mg/m ³ Zr | IDLH: 25 mg/m ³ Zr Ceiling: 0.05 mg/m ³ V dust and fume 15 min TWA: 5 mg/m ³ except Zirconium tetrachloride Zr STEL: 10 mg/m ³ Zr |
| Aluminum oxide (Al ₂ O ₃) 1344-28-1 | TWA: 1 mg/m ³ respirable particulate matter | TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction | - |
| C.I. Pigment Yellow 159 68187-15-5 | STEL: 10 mg/m ³ Zr TWA: 5 mg/m ³ Zr | TWA: 5 mg/m ³ Zr (vacated) TWA: 5 mg/m ³ Zr (vacated) STEL: 10 mg/m ³ Zr | IDLH: 25 mg/m ³ Zr TWA: 5 mg/m ³ except Zirconium tetrachloride Zr STEL: 10 mg/m ³ Zr |

Biological occupational exposure limits

| Chemical name | ACGIH |
|--------------------------------|---|
| Frits, chemicals 65997-18-4 | 200 µg/L - blood (Lead) - not critical 5 µg/g creatinine - urine (Cadmium) - not critical 5 µg/L - blood (Cadmium) - not critical |

Appropriate engineering controls

Engineering controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Hand protection

Wear suitable gloves.

Skin and body protection

Wear suitable protective clothing.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations

Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid
Appearance
Color
Odor
Odor threshold

Property

Values

Remarks • Method

pH No data available
Melting point / freezing point No data available
Initial boiling point and boiling range No data available

None known
None known
None known

FG00046 - V-329 Sea Glass Blue**Revision date** 17-Oct-2022

| | | |
|---|--------------------------|------------|
| Flash point | No data available | None known |
| Evaporation rate | No data available | None known |
| Flammability | No data available | None known |
| Flammability Limit in Air | | None known |
| Upper flammability or explosive limits | No data available | |
| Lower flammability or explosive limits | No data available | |
| Vapor pressure | No data available | None known |
| Relative vapor density | No data available | None known |
| Relative density | No data available | None known |
| Water solubility | No data available | None known |
| Solubility(ies) | No data available | None known |
| Partition coefficient | No data available | None known |
| Autoignition temperature | 410 °C / 770 °F | None known |
| Decomposition temperature | | None known |
| Kinematic viscosity | No data available | None known |
| Dynamic viscosity | No data available | None known |
| <u>Other information</u> | | |
| Explosive properties | No information available | |
| Oxidizing properties | No information available | |
| VOC Content (%) | No information available | |

10. Stability and reactivity

| | |
|---|---|
| Reactivity | No information available. |
| Chemical stability | Stable under normal conditions. |
| Possibility of hazardous reactions | None under normal processing. |
| Conditions to avoid | None known based on information supplied. |
| Incompatible materials | None known based on information supplied. |
| Hazardous decomposition products | None known based on information supplied. |

11. Toxicological information**Information on likely routes of exposure****Product Information**

| | |
|---------------------|---|
| Inhalation | Specific test data for the substance or mixture is not available. |
| Eye contact | Specific test data for the substance or mixture is not available. |
| Skin contact | May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). |
| Ingestion | Specific test data for the substance or mixture is not available. Harmful if swallowed. (based on components). |

Symptoms related to the physical, chemical and toxicological characteristics

| | |
|-----------------|-------------------------|
| Symptoms | Itching. Rashes. Hives. |
|-----------------|-------------------------|

Acute toxicity

| | |
|---------------------------------------|--------------------------|
| Numerical measures of toxicity | No information available |
|---------------------------------------|--------------------------|

FG00046 - V-329 Sea Glass Blue

Revision date 17-Oct-2022

The following values are calculated based on chapter 3.1 of the GHS document

| | |
|-------------------------------|-----------------|
| ATEmix (oral) | 913.00 mg/kg |
| ATEmix (dermal) | 13,883.60 mg/kg |
| ATEmix (inhalation-dust/mist) | 12.30 mg/l |

Unknown acute toxicity

- 20.4444 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 24.0844 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 38.6444 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)
- 38.6444 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 30.1244 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|----------------------|----------------------|--|
| Frits, chemicals 65997-18-4 | > 2000 mg/kg (Rat) | > 2000 mg/kg (Rat) | - |
| Kaolin 1332-58-7 | > 5000 mg/kg (Rat) | > 5000 mg/kg (Rat) | - |
| C.I. Pigment Blue 71 68186-95-8 | - | - | > 5.1 mg/L (Rat) 4 h |
| Aluminum oxide (Al ₂ O ₃) 1344-28-1 | > 5000 mg/kg (Rat) | - | - |
| C.I. Pigment Yellow 159 68187-15-5 | - | - | > 5.5 mg/L (Rat) 4 h |
| 1,3,5-Triazine-1,3,5-(2H,4H,6H)-t riethanol 4719-04-4 | = 763 mg/kg (Rat) | > 4000 mg/kg (Rat) | = 0.4 mg/L (Rat) 4 h = 0.338 mg/L (Rat) 4 h |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| | |
|--|--------------------------------------|
| Skin corrosion/irritation | No information available. |
| Serious eye damage/eye irritation | No information available. |
| Respiratory or skin sensitization | May cause an allergic skin reaction. |
| Germ cell mutagenicity | No information available. |

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|--------------------------------|----------------|---------------------------------|---------------------------------|------|
| Frits, chemicals 65997-18-4 | A1 A3 A2 | Group 1 Group 2B Group 2A | Known Reasonably Anticipated | X |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

- A1 - Known Human Carcinogen
- A2 - Suspected Human Carcinogen
- A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

- Group 1 - Carcinogenic to Humans
- Group 2A - Probably Carcinogenic to Humans
- Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

- Known - Known Carcinogen
- Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

- X - Present

FG00046 - V-329 Sea Glass Blue

Revision date 17-Oct-2022

| | |
|---------------------------------|--|
| Reproductive toxicity | Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May damage fertility or the unborn child. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | May cause damage to organs through prolonged or repeated exposure. |
| Target organ effects | Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate, Gastrointestinal tract (GI). |
| Aspiration hazard | No information available. |
| Other adverse effects | |
| Interactive effects | |

12. Ecological information

Ecotoxicity Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|--|----------------------|-------------------------------------|----------------------------|-----------|
| 1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol 4719-04-4 | - | LC50: =16.07mg/L (96h, Danio rerio) | - | - |

Persistence and degradability

Bioaccumulation There is no data for this product.

Other adverse effects No information available.

13. Disposal considerations**Disposal methods**

Waste from residues/unused products Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.

Contaminated packaging Do not reuse empty containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport information**DOT**

UN number or ID number

UN3082

FG00046 - V-329 Sea Glass Blue**Revision date** 17-Oct-2022

| | |
|--|--|
| Proper shipping name | Environmentally hazardous substance, liquid, n.o.s. |
| Transport hazard class(es) | 9 |
| Packing group | III |
| Special Provisions | 8, 146, 173, 335, IB3, T4, TP1, TP29 |
| DOT Marine Pollutant | PP |
| Marine pollutant | Frits, chemicals |
| Description | UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III, Marine pollutant |
| Emergency Response Guide Number | 171 |

TDG

| | |
|-----------------------------------|--|
| UN number or ID number | UN3082 |
| UN proper shipping name | Environmentally hazardous substance, liquid, n.o.s. |
| Transport hazard class(es) | 9 |
| Packing group | III |
| Special Provisions | 16, 99 |
| Marine pollutant name | Frits, chemicals. |
| Description | UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III |

MEX

| | |
|-----------------------------------|--|
| UN number or ID number | UN3082 |
| UN proper shipping name | Environmentally hazardous substance, liquid, n.o.s. |
| Transport hazard class(es) | 9 |
| Packing group | III |
| Technical Name | Frits, chemicals |
| Description | UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III |
| Special Provisions | 274, 331, 335 |

ICAO (air)

| | |
|-----------------------------------|--|
| UN number or ID number | UN3082 |
| UN proper shipping name | Environmentally hazardous substance, liquid, n.o.s. |
| Transport hazard class(es) | 9 |
| Packing group | III |
| Description | UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III |
| Special Provisions | A97, A158, A197, A215 |

IATA

| | |
|-----------------------------------|--|
| UN number or ID number | UN3082 |
| UN proper shipping name | Environmentally hazardous substance, liquid, n.o.s. |
| Transport hazard class(es) | 9 |
| Packing group | III |
| Technical Name | Frits, chemicals |
| Description | UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III |
| Special Provisions | A97, A158, A197 |
| ERG Code | 9L |

IMDG

| | |
|-----------------------------------|--|
| UN number or ID number | UN3082 |
| UN proper shipping name | Environmentally hazardous substance, liquid, n.o.s. |
| Transport hazard class(es) | 9 |
| Packing group | III |
| EmS-No | F-A, S-F |
| Special Provisions | 274, 335, 969 |
| Marine pollutant | P |
| Marine Pollutant | Frits, chemicals |
| Description | UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III, Marine pollutant |

RID

| | |
|-----------------------------------|---|
| UN number or ID number | UN3082 |
| UN proper shipping name | Environmentally hazardous substance, liquid, n.o.s. |
| Transport hazard class(es) | 9 |
| Packing group | III |
| Classification code | M6 |

FG00046 - V-329 Sea Glass Blue**Revision date** 17-Oct-2022

Special Provisions 274, 335, 375, 601
Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III

ADR

UN number or ID number UN3082
UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es) 9
Packing group III
Classification code M6
Tunnel restriction code (-)
Special Provisions 274, 335, 601, 375
Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III, (-)

ADN

UN number or ID number UN3082
UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es) 9
Packing group III
Classification code M6
Special Provisions 274, 335, 375, 601
Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III
Equipment Requirements PP

15. Regulatory information**International Inventories****TSCA**

Contact supplier for inventory compliance status.

| Chemical name | CAS No | US TSCA Inventory listing | US TSCA inactive/active designation |
|--|------------|---------------------------|-------------------------------------|
| Water | 7732-18-5 | Present | Active |
| Zircon | 14940-68-2 | Present | Active |
| Frits, chemicals | 65997-18-4 | Present | Active |
| Kaolin | 1332-58-7 | Present | Active |
| C.I. Pigment Blue 71 | 68186-95-8 | Present | Active |
| Aluminum oxide (Al ₂ O ₃) | 1344-28-1 | Present | Active |
| C.I. Pigment Yellow 159 | 68187-15-5 | Present | Active |
| Smectite-group minerals | 12199-37-0 | Present | Active |
| Sodium carboxymethyl cellulose | 9004-32-4 | Present | Active |
| Nepheline syenite | 37244-96-5 | - | Unknown * |
| 1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol | 4719-04-4 | Present | Active |
| Ethanolamine | 141-43-5 | Present | Active |

*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

DSL/NDSL**EINECS/ELINCS****ENCS****IECSC****KECL****PICCS****AIIC****NZIoC**

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Legend:**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances

FG00046 - V-329 Sea Glass Blue**Revision date** 17-Oct-2022

IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Chemical name | SARA 313 - Threshold Values % |
|--|-------------------------------|
| Frits, chemicals - 65997-18-4 | 0.1 |
| | 1.0 |
| C.I. Pigment Blue 71 - 68186-95-8 | 1.0 |
| Aluminum oxide (Al ₂ O ₃) - 1344-28-1 | 1.0 |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|--------------------------------|-----------------------------|------------------------|---------------------------|----------------------------|
| Frits, chemicals 65997-18-4 | - | X | - | - |

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations**U.S. State Right-to-Know Regulations**

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|---|------------|---------------|--------------|
| Water 7732-18-5 | - | - | X |
| Frits, chemicals 65997-18-4 | X | - | X |
| Kaolin 1332-58-7 | X | X | X |
| C.I. Pigment Blue 71 68186-95-8 | X | - | - |
| Aluminum oxide (Al ₂ O ₃) 1344-28-1 | X | X | X |
| Ethanolamine 141-43-5 | X | X | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

FG00046 - V-329 Sea Glass Blue

Revision date 17-Oct-2022

| | | | | |
|-----------------------------------|----------------------------------|-----------------------|---------------------------|------------------------------|
| NFPA | Health hazards 2 | Flammability 0 | Instability 0 | Special hazards - |
| HMIS | Health hazards 2 * | Flammability 0 | Physical hazards 0 | Personal protection X |
| <i>Chronic Hazard Star Legend</i> | <i>* = Chronic Health Hazard</i> | | | |

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend Section 8: Exposure controls/personal protection**

| | | | |
|---------|-----------------------------|------|----------------------------------|
| TWA | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Maximum limit value | * | Skin designation |

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AELG(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 National Institute of Technology and Evaluation (NITE)
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program
 Organization for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Revision date 17-Oct-2022

Revision Note**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet