30411-7454

SAFETY DATA SHEET



Revision Number 2

Revision date 17-Oct-2022

1. Identification

Product identifier

Product Name V-381 Amethyst

Other means of identification

Product Code(s) FG00085

UN number or ID number UN3082

Synonyms 37467G, 37476E

Recommended use of the chemical and restrictions on use

Recommended use

Restrictions on use

Details of the supplier of the safety data sheet

Manufacturer Address

American Art Clay Co Inc 6060 Guion Road Indianapolis, IN 46254-1222 USA Toll Free: 1-800-999-5456 CustomerCare@Amaco.com

Emergency telephone number

Emergency Telephone U.S. Poison Control 1-800-222-1222

2. Hazard(s) identification

Classification

Acute toxicity - Oral	Category 4
Skin sensitization	Category 1
Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

Item Numbers: 30411-7454, 30411-7456 Page 1 of 12

Revision date 17-Oct-2022

Label elements

Hazard statements

Danger

H302 - Harmful if swallowed

H317 - May cause an allergic skin reaction

H350 - May cause cancer

H373 - May cause damage to organs through prolonged or repeated exposure



Physical state Liquid

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Contaminated work clothing must not be allowed out of the workplace

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Specific treatment (see .? on this label)

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Unknown acute toxicity

31.787 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

35.287 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

47.587 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

47.587 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

 $43.087\ \%\ of\ the\ mixture\ consists\ of\ ingredient(s)\ of\ unknown\ acute\ inhalation\ toxicity\ (dust/mist)$

Other information

Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on ingredients

Not applicable.

Mixture

Chemical name	CAS No	Weight-%
C.I. Pigment Red 233	68187-12-2	20 - 40
Kaolin	1332-58-7	5 - <10
Frits, chemicals	65997-18-4	3 - <5

Item Numbers: 30411-7454, 30411-7456 Page 2 of 12

Revision date 17-Oct-2022

Wollastonite (Ca(SiO3))	13983-17-0	3 - <5
Quartz	14808-60-7	1 - <3
C.I. Pigment Blue 73	68187-40-6	1 - <3
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol	4719-04-4	0.1 - 1

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention.

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Call a physician.

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Product is or contains a sensitizer. May cause sensitization by skin contact.

Specific hazards arising from the chemical

Explosion data Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Refer to protective measures listed in Sections 7 and 8. Other information

Page 3 of 12 Item Numbers: 30411-7454, 30411-7456

Revision date 17-Oct-2022

Methods and material for containment and cleaning up

Methods for containmentPrevent further leakage or spillage if safe to do so.Methods for cleaning upPick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
C.I. Pigment Red 233	-	TWA: 0.5 mg/m ³ Cr	IDLH: 25 mg/m ³ Cr(III)
68187-12-2		(vacated) TWA: 0.5 mg/m³ Cr	TWA: 0.5 mg/m ³ Cr
Kaolin	TWA: 2 mg/m³ particulate	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ total dust
1332-58-7	matter containing no asbestos	TWA: 5 mg/m³ respirable	TWA: 5 mg/m ³ respirable dust
	and <1% crystalline silica,	fraction	
	respirable particulate matter	(vacated) TWA: 10 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Frits, chemicals	STEL: 10 mg/m³ Zr	TWA: 10 µg/m³ As	IDLH: 5 mg/m³ As
65997-18-4	TWA: 0.01 mg/m³ As	TWA: 50 µg/m³ Pb	IDLH: 9 mg/m³ Cd dust and
	TWA: 0.05 mg/m ³ Pb	TWA: 0.5 mg/m ³ Sb	fume
	TWA: 0.01 mg/m ³ Cd	TWA: 5 mg/m³ Zr	IDLH: 50 mg/m³ Sb
	TWA: 0.002 mg/m ³ Cd	(vacated) TWA: 0.5 mg/m ³ Sb	IDLH: 100 mg/m³ Cu dust and
	respirable particulate matter	(vacated) TWA: 5 mg/m³ Zr	mist
	TWA: 0.5 mg/m ³ Sb	(vacated) STEL: 10 mg/m³ Zr	IDLH: 500 mg/m³ Mn
	TWA: 1 mg/m³ Cu dust and mist		IDLH: 25 mg/m³ Zr
	TWA: 3 mg/m ³ W respirable	Ceiling: 5 mg/m³ Mn	IDLH: 100 mg/m ³ Pb
	particulate matter in the absence		IDLH: 10 mg/m³ Ni
	of cobalt		Ceiling: 0.002 mg/m³ As 15 min
	TWA: 5 mg/m³ Zr		Ceiling: 0.05 mg/m³ V dust and
	TWA: 0.02 mg/m³ Mn respirable		fume 15 min
	particulate matter		TWA: 0.5 mg/m ³ Sb
	TWA: 0.1 mg/m ³ Mn inhalable		TWA: 1 mg/m³ Cu dust and
	particulate matter		mist
			TWA: 1 mg/m ³ Mn

Item Numbers: 30411-7454, 30411-7456 Page 4 of 12

Revision date 17-Oct-2022

FG00085 - V-381 Amethyst

			TWA: 5 mg/m³ except Zirconium tetrachloride Zr TWA: 0.050 mg/m³ Pb
			TWA: 0.015 mg/m³ except
			Nickel carbonyl Ni
			STEL: 3 mg/m³ Mn
			STEL: 10 mg/m³ Zr
Wollastonite (Ca(SiO3))	TWA: 1 mg/m³ inhalable	TWA: 15 mg/m³ total dust	TWA: 10 mg/m ³ total dust
13983-17-0	particulate matter, particulate	TWA: 5 mg/m³ respirable	TWA: 5 mg/m ³ respirable dust
	matter containing no asbestos	fraction	
	and <1% crystalline silica	(vacated) TWA: 15 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Quartz	TWA: 0.025 mg/m ³ respirable	TWA: 50 μg/m ³	IDLH: 50 mg/m ³ respirable dust
14808-60-7	particulate matter	(vacated) TWA: 0.1 mg/m ³	TWA: 0.05 mg/m³ respirable
		respirable dust	dust
		: (250)/(%SiO2 + 5) mppcf	
		TWA respirable fraction	
		: (10)/(%SiO2 + 2) mg/m ³ TWA respirable fraction	
C.I. Pigment Blue 73	TWA: 0.02 mg/m³ Co inhalable	i wa respirable fraction	
68187-40-6	particulate matter	_	- I
30107 40 0	particulate matter		

Biological occupational exposure limits

Chemical name	ACGIH
Frits, chemicals 65997-18-4	200 μg/L - blood (Lead) - not critical 5 μg/g creatinine - urine (Cadmium) - not critical 5 μg/L - blood (Cadmium) - not critical
C.I. Pigment Blue 73 68187-40-6	15 μg/L - urine (Cobalt) - end of shift at end of workweek

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties
Physical state
Liquid

Physical state Appearance Color Odor

Odor threshold

Item Numbers: 30411-7454, 30411-7456 Page 5 of 12

Revision date 17-Oct-2022

Property	<u>Values</u>	Remarks • Method
nU	No data available	None known

Melting point / freezing point No data available None known Initial boiling point and boiling rangeNo data available None known No data available Flash point None known No data available **Evaporation rate** None known **Flammability** No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Relative vapor density No data available None known Relative density No data available None known Water solubility No data available None known Solubility(ies) None known No data available **Partition coefficient** No data available None known °C / 770 None known Autoignition temperature **Decomposition temperature** None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Other information

Explosive properties

Oxidizing properties

VOC Content (%)

No information available
No information available
No information available

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

InhalationSpecific test data for the substance or mixture is not available.Eye contactSpecific test data for the substance or mixture is not available.

Skin contact May cause sensitization by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components).

Ingestion Specific test data for the substance or mixture is not available. Harmful if swallowed. (based

on components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

Item Numbers: 30411-7454, 30411-7456 Page 6 of 12

Revision date 17-Oct-2022

Acute toxicity

Numerical measures of toxicity

No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 1,443.40 mg/kg ATEmix (dermal) 16,985.00 mg/kg ATEmix (inhalation-dust/mist) 19.00 mg/l

Unknown acute toxicity

31.787 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

35.287 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

47.587 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas) 47.587 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

43.087 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
C.I. Pigment Red 233	-	-	> 5.4 mg/L (Rat)4 h
68187-12-2			
Kaolin	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
1332-58-7			
Frits, chemicals	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
65997-18-4			
Wollastonite (Ca(SiO3))	> 5000 mg/kg (Rat)	-	_
13983-17-0			
C.I. Pigment Blue 73	-	-	= 5.3 mg/L (Rat) 4 h
68187-40-6			> 5.3 mg/L (Rat) 4 h
1,3,5-Triazine-1,3,5(2H,4H,6H)-t	= 763 mg/kg (Rat)	> 4000 mg/kg (Rat)	= 0.4 mg/L (Rat) 4 h
riethanol			= 0.338 mg/L (Rat) 4 h
4719-04-4			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

	mine in the control of the control o	mere a and fingreeners are a		
Chemical name	ACGIH	IARC	NTP	OSHA
C.I. Pigment Red 233 68187-12-2	-	Group 3	-	-
Frits, chemicals 65997-18-4	A1 A3 A2	Group 1 Group 2B Group 2A	Known Reasonably Anticipated	×
Wollastonite (Ca(SiO3)) 13983-17-0	-	Group 3	-	-
Quartz 14808-60-7	A2	Group 1	Known	Х
C.I. Pigment Blue 73 68187-40-6	A3	Group 2B	Reasonably Anticipated	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

Item Numbers: 30411-7454, 30411-7456 Page 7 of 12

Revision date 17-Oct-2022

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen
Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Reproductive toxicity Contains a known or suspected reproductive toxin. Classification based on data available

for ingredients. May damage fertility or the unborn child.

STOT - single exposure No information available.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central **Target organ effects**

Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate,

Gastrointestinal tract (GI).

Aspiration hazard No information available.

Other adverse effects

Interactive effects

12. Ecological information

Toxic to aquatic life. Harmful to aquatic life with long lasting effects. **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1,3,5-Triazine-1,3,5(2H,4	=	LC50: =16.07mg/L (96h,	=	-
H,6H)-triethanol		Danio rerio)		
4719-04-4		•		

Persistence and degradability

Bioaccumulation There is no data for this product.

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Page 8 of 12 Item Numbers: 30411-7454, 30411-7456

Revision date 17-Oct-2022

Waste from residues/unused

products

Dispose of waste in accordance with environmental legislation. Dispose of in accordance

with local regulations.

Contaminated packaging

Do not reuse empty containers.

California Hazardous Waste Status

This product contains one or more substances that are listed with the State of California as

a hazardous waste.

14. Transport information

DOT

UN number or ID number UN3082

Environmentally hazardous substance, liquid, n.o.s. Proper shipping name

Transport hazard class(es)

Packing group Special Provisions Ш 8, 146, 173, 335, IB3, T4, TP1, TP29

DOT Marine Pollutant PP

Marine pollutant Frits, chemicals

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III,

Marine pollutant

Emergency Response Guide

Number

UN number or ID number

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Transport hazard class(es) 9 Ш Packing group **Special Provisions** 16 99

Marine pollutant name Frits, chemicals.

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III

MEX

UN number or ID number

Environmentally hazardous substance, liquid, n.o.s. **UN proper shipping name**

Transport hazard class(es) Packing group Ш

Technical Name Frits, chemicals

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III

Special Provisions 274, 331, 335

ICAO (air)

UN number or ID number UN3082

Environmentally hazardous substance, liquid, n.o.s. **UN proper shipping name**

Transport hazard class(es)

Packing group

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III

Special Provisions A97, A158, A197, A215

UN number or ID number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Transport hazard class(es) Packing group

Ш

Technical Name Frits, chemicals

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III

Special Provisions A97, A158, A197

ERG Code 9L

IMDG

UN number or ID number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Transport hazard class(es) Ш Packing group

Page 9 of 12 Item Numbers: 30411-7454, 30411-7456

Revision date 17-Oct-2022

EmS-No F-A, S-F Special Provisions 274, 335, 969 Marine pollutant P

Marine Pollutant Frits, chemicals

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III,

Marine pollutant

RID

UN number or ID number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Transport hazard class(es) 9
Packing group III
Classification code M6

Special Provisions 274, 335, 375, 601

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III

ADR

UN number or ID number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Transport hazard class(es) 9
Packing group III
Classification code M6
Tunnel restriction code (-)

Special Provisions 274, 335, 601, 375

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III, (-)

<u>ADN</u>

UN number or ID number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Transport hazard class(es) 9
Packing group III
Classification code M6

Special Provisions 274, 335, 375, 601

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III

Equipment Requirements PP

15. Regulatory information

International Inventories

TSCA Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Water	7732-18-5	Present	Active
C.I. Pigment Red 233	68187-12-2	Present	Active
Kaolin	1332-58-7	Present	Active
Frits, chemicals	65997-18-4	Present	Active
Wollastonite (Ca(SiO3))	13983-17-0	Present	Active
Quartz	14808-60-7	Present	Active
Nepheline syenite	37244-96-5	-	Unknown *
C.I. Pigment Blue 73	68187-40-6	Present	Active
Sodium carboxymethyl cellulose	9004-32-4	Present	Active
Smectite-group minerals	12199-37-0	Present	Active
Tin oxide (SnO2)	18282-10-5	Present	Active
1,3,5-Triazine-1,3,5(2H,4H,6H)-trietha	4719-04-4	Present	Active
nol			
Ethanolamine	141-43-5	Present	Active

^{*}Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

Item Numbers: 30411-7454, 30411-7456 Page 10 of 12

Revision date 17-Oct-2022

DSL/NDSL Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL** Contact supplier for inventory compliance status. **PICCS** Contact supplier for inventory compliance status. AIIC Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **NZIoC**

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
C.I. Pigment Red 233 - 68187-12-2	1.0
Frits, chemicals - 65997-18-4	0.1
	1.0
C.I. Pigment Blue 73 - 68187-40-6	0.1

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
C.I. Pigment Red 233 68187-12-2	-	X	-	-
Frits, chemicals 65997-18-4	-	X	-	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water	-	-	X
7732-18-5			
C.I. Pigment Red 233 68187-12-2	X	-	X

Item Numbers: 30411-7454, 30411-7456 Page 11 of 12

Revision	data	17 Oct	2022
Revision	nate	17-C)CT-	ノロノノ

Kaolin 1332-58-7	X	X	X
Frits, chemicals 65997-18-4	X	-	Х
Wollastonite (Ca(SiO3)) 13983-17-0	X	X	Х
Quartz 14808-60-7	X	X	X
C.I. Pigment Blue 73 68187-40-6	X	-	X
Tin oxide (SnO2) 18282-10-5	X	X	-
Ethanolamine 141-43-5	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

Instability 0 Special hazards Health hazards 2 Flammability 0 Health hazards 2 * Flammability 0 Physical hazards 0 **HMIS** Personal protection X Chronic Hazard Star Legend ' = Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 17-Oct-2022

Revision Note Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page 12 of 12 Item Numbers: 30411-7454, 30411-7456