**SAFETY DATA SHEET** 

# 30411-7504



Revision Number 2

Revision date 17-Oct-2022

1. Identification	
Product identifier	
Product Name	V-376 Hunter Green
Other means of identification	
Product Code(s)	FG00082
UN number or ID number	UN3082
Synonyms	37490V, 37495C
Recommended use of the chemical	and restrictions on use
Recommended use	
Restrictions on use	
Details of the supplier of the safety	data sheet
Manufacturer Address American Art Clay Co Inc 6060 Guion Road Indianapolis, IN 46254-1222 USA Toll Free: 1-800-999-5456 CustomerCare@Amaco.com	
Emergency telephone number	
Emergency Telephone	U.S. Poison Control 1-800-222-1222
2. Hazard(s) identification	

# **Classification**

Acute toxicity - Oral	Category 4
Skin sensitization	Category 1
Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2

Hazards not otherwise classified (HNOC) Not applicable

#### Label elements

Hazard statements Danger
H302 - Harmful if swallowed
H317 - May cause an allergic skin reaction
H350 - May cause cancer
H373 - May cause damage to organs through prolonged or repeated exposure

## Physical state Liquid

Precautionary Statements - Prevention Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Contaminated work clothing must not be allowed out of the workplace Do not breathe dust/fume/gas/mist/vapors/spray

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention Specific treatment (see .? on this label) IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

#### **Precautionary Statements - Storage**

Store locked up

### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Unknown acute toxicity

10.42515 % of the mixture consists of ingredient(s) of unknown acute oral toxicity 11.53515 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity 27.79515 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

- 27.79515 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)
- 22.79515 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

#### Other information

Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

#### 3. Composition/information on ingredients

Not applicable.

### Mixture

Chemical name	CAS No	Weight-%
Kaolin	1332-58-7	10 - 20
Frits, chemicals	65997-18-4	5 - <10
C.I. Pigment Blue 36	68187-11-1	3 - <5

# Revision date 17-Oct-2022

# Revision date 17-Oct-2022

Quartz	14808-60-7	1 - <3
Hematite, chromium green black	68909-79-5	1 - <3
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol	4719-04-4	0.1 - 1

4. First-aid measures				
Description of first aid measures				
General advice	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.			
Inhalation	Remove to fresh air.			
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids Consult a physician.			
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.			
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.			
Most important symptoms and effects, both acute and delayed				
Symptoms	Itching. Rashes. Hives.			
Indication of any immediate medical attention and special treatment needed				
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.			
5. Fire-fighting measures				
Suitable Extinguishing Media Large Fire	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. CAUTION: Use of water spray when fighting fire may be inefficient.			
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.			
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.			
Explosion data Sensitivity to mechanical impact None.				
Sensitivity to static discharge	None.			
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.			
6. Accidental release meas	sures			
Demonstrations, material				

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other information	Refer to protective measures listed in Sections 7 and 8.

Revision d	ate 17	7-Oct-2022
------------	--------	------------

Methods and material for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Pick up and transfer to properly labeled containers.		

# 7. Handling and storage

## Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes.

Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up.		

# 8. Exposure controls/personal protection

#### Control parameters

**Exposure Limits** 

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Kaolin	TWA: 2 mg/m <sup>3</sup> particulate	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> total dust
1332-58-7	matter containing no asbestos	TWA: 5 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> respirable dust
	and <1% crystalline silica,	fraction	
	respirable particulate matter	(vacated) TWA: 10 mg/m <sup>3</sup> total	
		dust	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction	
Frits, chemicals	STEL: 10 mg/m <sup>3</sup> Zr	TWA: 10 $\mu$ g/m <sup>3</sup> As	IDLH: 5 mg/m <sup>3</sup> As
65997-18-4	TWA: 0.01 mg/m <sup>3</sup> As	TWA: 50 $\mu$ g/m <sup>3</sup> Pb	IDLH: 9 mg/m <sup>3</sup> Cd dust and
	TWA: 0.05 mg/m <sup>3</sup> Pb	TWA: 0.5 mg/m <sup>3</sup> Sb	fume
	TWA: 0.01 mg/m <sup>3</sup> Cd TWA: 0.002 mg/m <sup>3</sup> Cd	TWA: 5 mg/m <sup>3</sup> Zr	IDLH: 50 mg/m <sup>3</sup> Sb
	respirable particulate matter	(vacated) TWA: 0.5 mg/m <sup>3</sup> Sb (vacated) TWA: 5 mg/m <sup>3</sup> Zr	IDLH: 100 mg/m <sup>3</sup> Cu dust and mist
	TWA: 0.5 mg/m <sup>3</sup> Sb	(vacated) STEL: 10 mg/m <sup>3</sup> Zr	IDLH: 500 mg/m <sup>3</sup> Mn
	TWA: 1 mg/m <sup>3</sup> Cu dust and mist		IDLH: 25 mg/m <sup>3</sup> Zr
	TWA: 3 mg/m <sup>3</sup> W respirable	Ceiling: 5 mg/m <sup>3</sup> Mn	IDLH: 100 mg/m <sup>3</sup> Pb
	particulate matter in the absence		IDLH: 10 mg/m <sup>3</sup> Ni
	of cobalt		Ceiling: 0.002 mg/m <sup>3</sup> As 15 min
	TWA: 5 mg/m <sup>3</sup> Zr		Ceiling: 0.05 mg/m <sup>3</sup> V dust and
	TWA: 0.02 mg/m <sup>3</sup> Mn respirable		fume 15 min
	particulate matter		TWA: 0.5 mg/m <sup>3</sup> Sb
	TWA: 0.1 mg/m <sup>3</sup> Mn inhalable		TWA: 1 mg/m <sup>3</sup> Cu dust and
	particulate matter		mist
			TWA: 1 mg/m <sup>3</sup> Mn
			TWA: 5 mg/m <sup>3</sup> except Zirconium
			tetrachloride Zr
			TWA: 0.050 mg/m <sup>3</sup> Pb
			TWA: 0.015 mg/m <sup>3</sup> except

Item Numbers: 30411-7504, 30411-7506

Page 4 of 12

# Revision date 17-Oct-2022

			Nickel carbonyl Ni
			STEL: 3 mg/m <sup>3</sup> Mn
			STEL: 10 mg/m <sup>3</sup> Zr
C.I. Pigment Blue 36	TWA: 0.02 mg/m <sup>3</sup> Co inhalable	TWA: 0.5 mg/m <sup>3</sup> Cr	IDLH: 25 mg/m <sup>3</sup> Cr(III)
68187-11-1	particulate matter	(vacated) TWA: 0.5 mg/m <sup>3</sup> Cr	TWA: 0.5 mg/m <sup>3</sup> Cr
Quartz	TWA: 0.025 mg/m <sup>3</sup> respirable	TWA: 50 μg/m³	IDLH: 50 mg/m <sup>3</sup> respirable dust
14808-60-7	particulate matter	(vacated) TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> respirable
		respirable dust	dust
		: (250)/(%SiO2 + 5) mppcf	
		TWA respirable fraction	
		: (10)/(%SiO2 + 2) mg/m <sup>3</sup>	
		TWA respirable fraction	
Hematite, chromium green black	-	TWA: 0.5 mg/m <sup>3</sup> Cr	IDLH: 25 mg/m <sup>3</sup> Cr(III)
68909-79-5		(vacated) TWA: 0.5 mg/m <sup>3</sup> Cr	TWA: 0.5 mg/m <sup>3</sup> Cr

# **Biological occupational exposure limits**

Chemical name	ACGIH
Frits, chemicals	200 μg/L - blood (Lead) - not critical
65997-18-4	5 µg/g creatinine - urine (Cadmium) - not critical
	5 μg/L - blood (Cadmium) - not critical
C.I. Pigment Blue 36	15 μg/L - urine (Cobalt) - end of shift at end of workweek
68187-11-1	

# Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, suc	ch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

# 9. Physical and chemical properties

Information on basic physical and chemical properties		
Physical state	Liquid	
Appearance		
Color		
Odor		
Odor threshold		
Property	Values	
рН	No data available	
Melting point / freezing point	No data available	
Initial boiling point and boiling range	<b>e</b> No data available	

Melting point / freezing pointNo data availableInitial boiling point and boiling rangeNo data availableNo data availableFlash pointNo data availableEvaporation rateNo data availableFlammabilityNo data availableFlammability Limit in Air

Item Numbers: 30411-7504, 30411-7506

Remarks • Method None known None known None known None known None known None known

Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	410 °C / 770 °F	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other information Explosive properties Oxidizing properties VOC Content (%)	No information available No information available No information available	
10. Stability and reactivity		
Reactivity	No information available.	
Chemical stability	Stable under normal conditions.	
Possibility of hazardous reactions	None under normal processing.	

None known based on information supplied. None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

# 11. Toxicological information

Conditions to avoid

Incompatible materials

#### Information on likely routes of exposure

Product Information		
Inhalation	Specific test data for the substance or mixture is not available.	
Eye contact	Specific test data for the substance or mixture is not available.	
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).	
Ingestion	Specific test data for the substance or mixture is not available. Harmful if swallowed. (based on components).	
Symptoms related to the physical, o	hemical and toxicological characteristics	
Symptoms	Itching. Rashes. Hives.	
Acute toxicity		
Numerical measures of toxicity No information available		
The following values are calculated ATEmix (oral) ATEmix (dermal)	<b>based on chapter 3.1 of the GHS document</b> 1,712.90 mg/kg 18,616.30 mg/kg	

Item Numbers: 30411-7504, 30411-7506

# \_\_\_\_\_

Revision date 17-Oct-2022

ATEmix (inhalation-dust/mist) 23.20 mg/l

#### Unknown acute toxicity

10.42515 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

11.53515 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

27.79515 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

27.79515 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

22.79515 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
Frits, chemicals 65997-18-4	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
C.I. Pigment Blue 36 68187-11-1	-	-	> 5.05 mg/L (Rat)4 h
Hematite, chromium green black 68909-79-5	-	-	> 5.14 mg/L (Rat)4 h
1,3,5-Triazine-1,3,5(2H,4H,6H)-t riethanol 4719-04-4	= 763 mg/kg (Rat)	> 4000 mg/kg (Rat)	= 0.4 mg/L (Rat)4 h = 0.338 mg/L (Rat)4 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	No information available.
Carcinogenicity	Contains a known or suspected carc ingredients. May cause cancer.

arcinogen. Classification based on data available for

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Frits, chemicals	A1	Group 1	Known	×
65997-18-4	A3	Group 2B	Reasonably Anticipated	
	A2	Group 2A		
C.I. Pigment Blue 36	A3	Group 2B	Reasonably Anticipated	X
68187-11-1		Group 3		
Quartz	A2	Group 1	Known	х
14808-60-7				
Hematite, chromium	-	Group 3	-	-
green black				
68909-79-5				

### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present	
Reproductive toxicity	Contains a known or suspected reproductive toxin. Classification based on data available for ingredients. May damage fertility or the unborn child.
STOT - single exposure	No information available.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Target organ effects	Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate, Gastrointestinal tract (GI).
Aspiration hazard	No information available.
Other adverse effects	
Interactive effects	

# 12. Ecological information

Ecotoxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1,3,5-Triazine-1,3,5(2H,4 H,6H)-triethanol 4719-04-4	-	LC50: =16.07mg/L (96h, Danio rerio)	-	-

# Persistence and degradability

Bioaccumulation	There is no data for this product.
Other adverse effects	No information available.

13. Disposal considerations		
Disposal methods		
Waste from residues/unused products	Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.	
Contaminated packaging	Do not reuse empty containers.	
California Hazardous Waste Status	This product contains one or more substances that are listed with the State of California as a hazardous waste.	
14. Transport information		

### Revision date 17-Oct-2022

DOT UN number or ID number UN3082 Proper shipping name Environmentally hazardous substance, liquid, n.o.s. Transport hazard class(es) Packing group ш Special Provisions 8, 146, 173, 335, IB3, T4, TP1, TP29 **DOT Marine Pollutant** PΡ Frits, chemicals Marine pollutant UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III, Description Marine pollutant **Emergency Response Guide** 171 Number TDG UN number or ID number UN3082 Environmentally hazardous substance, liquid, n.o.s. UN proper shipping name Transport hazard class(es) 9 Packing group ш **Special Provisions** 16, 99 Marine pollutant name Frits, chemicals. UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III Description MEX UN number or ID number UN3082 UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. Transport hazard class(es) 9 Packing group ш Technical Name Frits, chemicals UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III Description 274, 331, 335 Special Provisions ICAO (air) UN3082 **UN number or ID number** UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. Transport hazard class(es) 9 Packing group ш Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III **Special Provisions** A97, A158, A197, A215 IATA **UN number or ID number** UN3082 UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. Transport hazard class(es) 9 Packing group ш Frits, chemicals **Technical Name** UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III Description **Special Provisions** A97, A158, A197 ERG Code 9L IMDG **UN number or ID number** UN3082 UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. Transport hazard class(es) 9 ш Packing group EmS-No F-A, S-F 274, 335, 969 **Special Provisions** Marine pollutant Marine Pollutant Frits, chemicals Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III, Marine pollutant RID UN number or ID number UN3082 UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. Transport hazard class(es)

Packing group Classification code Special Provisions Description	III M6 274, 335, 375, 601 UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III
ADR UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Classification code Tunnel restriction code Special Provisions Description	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III M6 (-) 274, 335, 601, 375 UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III, (-
ADN UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Classification code Special Provisions Description Equipment Requirements	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III M6 274, 335, 375, 601 UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III PP

# 15. Regulatory information

International Inventories

#### TSCA

Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Water	7732-18-5	Present	Active
Kaolin	1332-58-7	Present	Active
Frits, chemicals	65997-18-4	Present	Active
C.I. Pigment Blue 36	68187-11-1	Present	Active
Feldspar	68476-25-5	Present	Active
Quartz	14808-60-7	Present	Active
Hematite, chromium green black	68909-79-5	Present	Active
Sodium carboxymethyl cellulose	9004-32-4	Present	Active
Smectite-group minerals	12199-37-0	Present	Active
1,3,5-Triazine-1,3,5(2H,4H,6H)-trietha nol	4719-04-4	Present	Active
Ethanolamine	141-43-5	Present	Active

DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
NZIoC	Contact supplier for inventory compliance status.

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances

# Revision date 17-Oct-2022

KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %	
Frits, chemicals - 65997-18-4	0.1	
	1.0	
C.I. Pigment Blue 36 - 68187-11-1	0.1	
	1.0	
Hematite, chromium green black - 68909-79-5	1.0	

SARA 311/312 Hazard Categories Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Frits, chemicals 65997-18-4	-	Х	-	-
C.I. Pigment Blue 36 68187-11-1	-	Х	-	-
Hematite, chromium green black 68909-79-5	-	Х	-	-

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### US State Regulations

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	X
Kaolin 1332-58-7	Х	X	X
Frits, chemicals 65997-18-4	Х	-	X
C.I. Pigment Blue 36 68187-11-1	Х	-	X
Feldspar 68476-25-5	Х	-	X
Quartz 14808-60-7	Х	X	Х
Hematite, chromium green black 68909-79-5	Х	-	Х
Ethanolamine	Х	X	Х

#### FG00082 - V-376 Hunter Green Revision date 17-Oct-2022 141-43-5 **U.S. EPA Label Information** EPA Pesticide Registration Number Not applicable 16. Other information Flammability 0 NFPA Instability 0 Health hazards 2 Special hazards Health hazards 2 \* Flammability 0 Physical hazards 0 Personal protection X HMIS Chronic Hazard Star Legend \* = Chronic Health Hazard Key or legend to abbreviations and acronyms used in the safety data sheet Legend Section 8: Exposure controls/personal protection TŴĀ TWA (time-weighted average) STEL STEL (Short Term Exposure Limit) Ceiling Maximum limit value Skin designation Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization **Revision date** 17-Oct-2022 **Revision Note** Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet