

SAFETY DATA SHEET



Revision date 01-Feb-2024

Revision Number 1

1. Identification

Product identifier

Product Name Semi-Moist Underglaze - Red

Other means of identification

Product Code(s) FG00730

Synonyms 41425J, 01339H

Recommended use of the chemical and restrictions on use

Recommended use

Restrictions on use

Details of the supplier of the safety data sheet

Manufacturer Address

American Art Clay Co Inc
6060 Guion Road
Indianapolis, IN 46254-1222 USA
Toll Free: 1-800-999-5456
CustomerCare@Amaco.com

Emergency telephone number

Emergency Telephone U.S. Poison Control 1-800-222-1222

2. Hazard(s) identification

Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Carcinogenicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

FG00730 - Semi-Moist Underglaze - Red**Revision date** 01-Feb-2024**Hazard statements****Danger**

H302 - Harmful if swallowed
 H332 - Harmful if inhaled
 H350 - May cause cancer
 H373 - May cause damage to organs through prolonged or repeated exposure

**Physical state** Solid**Precautionary Statements - Prevention**

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Wear protective gloves/clothing and eye/face protection
 Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Use only outdoors or in a well-ventilated area
 Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
 IF INHALED: Remove person to fresh air and keep comfortable for breathing
 IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell
 Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Unknown acute toxicity

171.67 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
 177.76 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Other information

May be harmful in contact with skin. Very toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

3. Composition/information on ingredients

Not applicable.

Mixture

Chemical name	CAS No	Weight-%
Zircon, cadmium red	72828-62-7	20 - 40
Quartz	14808-60-7	10 - 20
Kaolin	1332-58-7	5 - <10
Frits, chemicals	65997-18-4	5 - <10
1,2,3-Propanetriol	56-81-5	1 - <3
C.I. Pigment Blue 73	68187-40-6	0.1 - 1

FG00730 - Semi-Moist Underglaze - Red

Revision date 01-Feb-2024

4. First-aid measures**Description of first aid measures**

General advice	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
Inhalation	If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. If symptoms persist, call a physician.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get medical attention.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid breathing dust/fume/gas/mist/vapors/spray. Use personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms Coughing and/ or wheezing. Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	No information available.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid generation of dust. Do not breathe dust.
Other information	Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

FG00730 - Semi-Moist Underglaze - Red**Revision date** 01-Feb-2024**Methods for containment** Prevent further leakage or spillage if safe to do so.**Methods for cleaning up** Pick up and transfer to properly labeled containers.**7. Handling and storage****Precautions for safe handling**

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid generation of dust. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

8. Exposure controls/personal protection**Control parameters****Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Zircon, cadmium red 72828-62-7	STEL: 10 mg/m ³ Zr TWA: 0.01 mg/m ³ Cd TWA: 0.002 mg/m ³ Cd respirable particulate matter TWA: 0.2 mg/m ³ Se TWA: 5 mg/m ³ Zr	TWA: 0.2 mg/m ³ Se TWA: 5 mg/m ³ Zr (vacated) TWA: 0.2 mg/m ³ Se (vacated) TWA: 5 mg/m ³ Zr (vacated) STEL: 10 mg/m ³ Zr	IDLH: 9 mg/m ³ Cd dust and fume IDLH: 1 mg/m ³ Se IDLH: 25 mg/m ³ Zr TWA: 0.2 mg/m ³ except Selenium hexafluoride Se TWA: 5 mg/m ³ except Zirconium tetrachloride Zr STEL: 10 mg/m ³ Zr
Quartz 14808-60-7	TWA: 0.025 mg/m ³ respirable particulate matter	TWA: 50 µg/m ³ (vacated) TWA: 0.1 mg/m ³ respirable dust : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust
Kaolin 1332-58-7	TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Frits, chemicals 65997-18-4	STEL: 10 mg/m ³ Zr TWA: 0.01 mg/m ³ As TWA: 0.05 mg/m ³ Pb TWA: 0.01 mg/m ³ Cd TWA: 0.002 mg/m ³ Cd respirable particulate matter TWA: 0.5 mg/m ³ Sb TWA: 1 mg/m ³ Cu dust and mist TWA: 3 mg/m ³ W respirable	TWA: 10 µg/m ³ As TWA: 50 µg/m ³ Pb TWA: 0.5 mg/m ³ Sb TWA: 5 mg/m ³ Zr (vacated) TWA: 0.5 mg/m ³ Sb (vacated) TWA: 5 mg/m ³ Zr (vacated) STEL: 10 mg/m ³ Zr (vacated) Ceiling: 5 mg/m ³ Ceiling: 5 mg/m ³ Mn	IDLH: 5 mg/m ³ As IDLH: 9 mg/m ³ Cd dust and fume IDLH: 50 mg/m ³ Sb IDLH: 100 mg/m ³ Cu dust and mist IDLH: 500 mg/m ³ Mn IDLH: 25 mg/m ³ Zr IDLH: 100 mg/m ³ Pb

FG00730 - Semi-Moist Underglaze - Red**Revision date** 01-Feb-2024

	particulate matter in the absence of cobalt TWA: 5 mg/m ³ Zr TWA: 0.02 mg/m ³ Mn respirable particulate matter TWA: 0.1 mg/m ³ Mn inhalable particulate matter		IDLH: 10 mg/m ³ Ni Ceiling: 0.002 mg/m ³ As 15 min Ceiling: 0.05 mg/m ³ V dust and fume 15 min TWA: 0.5 mg/m ³ Sb TWA: 1 mg/m ³ Cu dust and mist TWA: 1 mg/m ³ Mn TWA: 5 mg/m ³ except Zirconium tetrachloride Zr TWA: 0.050 mg/m ³ Pb TWA: 0.015 mg/m ³ except Nickel carbonyl Ni STEL: 3 mg/m ³ Mn STEL: 10 mg/m ³ Zr
1,2,3-Propanetriol 56-81-5	-	TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction (vacated) TWA: 10 mg/m ³ mist, total particulate (vacated) TWA: 5 mg/m ³ mist, respirable fraction	-
C.I. Pigment Blue 73 68187-40-6	TWA: 0.02 mg/m ³ Co inhalable particulate matter	-	-

Biological occupational exposure limits

Chemical name	ACGIH
Zircon, cadmium red 72828-62-7	5 µg/g creatinine - urine (Cadmium) - not critical 5 µg/L - blood (Cadmium) - not critical
Frits, chemicals 65997-18-4	200 µg/L - blood (Lead) - not critical 5 µg/g creatinine - urine (Cadmium) - not critical 5 µg/L - blood (Cadmium) - not critical
C.I. Pigment Blue 73 68187-40-6	15 µg/L - urine (Cobalt) - end of shift at end of workweek

Appropriate engineering controls**Engineering controls**

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment**Eye/face protection**

No special protective equipment required.

Hand protection

Wear suitable gloves.

Skin and body protection

Wear suitable protective clothing.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations

Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Avoid breathing dust/fume/gas/mist/vapors/spray.

9. Physical and chemical properties

FG00730 - Semi-Moist Underglaze - Red**Revision date** 01-Feb-2024**Information on basic physical and chemical properties**

Physical state Solid
Appearance
Color
Odor
Odor threshold

Property	Values	Remarks • Method
pH	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
VOC Content (%)	No information available	

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Excessive heat.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

11. Toxicological information**Information on likely routes of exposure****Product Information**

Inhalation	Specific test data for the substance or mixture is not available. Harmful by inhalation. (based on components).
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	May be harmful in contact with skin.

FG00730 - Semi-Moist Underglaze - Red**Revision date** 01-Feb-2024

Ingestion Specific test data for the substance or mixture is not available. Harmful if swallowed. (based on components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Coughing and/ or wheezing.

Acute toxicity**Numerical measures of toxicity**

No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 302.20 mg/kg
ATEmix (dermal) 3,446.60 mg/kg
ATEmix (inhalation-dust/mist) 4.43 mg/l

Unknown acute toxicity

171.67 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

177.76 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
Frits, chemicals 65997-18-4	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
1,2,3-Propanetriol 56-81-5	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 2.75 mg/L (Rat) 4 h
C.I. Pigment Blue 73 68187-40-6	-	-	= 5.3 mg/L (Rat) 4 h > 5.3 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity

Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Zircon, cadmium red 72828-62-7	A2	Group 1 Group 3	Known	X
Quartz 14808-60-7	A2	Group 1	Known	X
Frits, chemicals 65997-18-4	A1 A3 A2	Group 1 Group 2B Group 2A	Known Reasonably Anticipated	X
C.I. Pigment Blue 73 68187-40-6	A3	Group 2B	Reasonably Anticipated	X

Legend**ACGIH (American Conference of Governmental Industrial Hygienists)**

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

FG00730 - Semi-Moist Underglaze - Red

Revision date 01-Feb-2024

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.**STOT - single exposure** No information available.**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.**Target organ effects** Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate, Gastrointestinal tract (GI).**Aspiration hazard** No information available.**Other adverse effects****Interactive effects****12. Ecological information****Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1,2,3-Propanetriol 56-81-5	-	LC50: 51 - 57mL/L (96h, Oncorhynchus mykiss)	-	-

Persistence and degradability**Bioaccumulation****Component Information**

Chemical name	Partition coefficient
1,2,3-Propanetriol 56-81-5	-1.76

Other adverse effects No information available.**13. Disposal considerations****Disposal methods**

FG00730 - Semi-Moist Underglaze - Red**Revision date** 01-Feb-2024**Waste from residues/unused products**

Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.

Contaminated packaging

Do not reuse empty containers.

California Hazardous Waste Status

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport information**DOT**

Not regulated

15. Regulatory information**International Inventories****TSCA**

Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Corn syrup	8029-43-4	Present	Active
Zircon, cadmium red	72828-62-7	Present	Active
Water	7732-18-5	Present	Active
Nepheline syenite	37244-96-5	-	Unknown *
Quartz	14808-60-7	Present	Active
Dextrin	9004-53-9	Present	Active
Kaolin	1332-58-7	Present	Active
Frits, chemicals	65997-18-4	Present	Active
1,2,3-Propanetriol	56-81-5	Present	Active
C.I. Pigment Blue 73	68187-40-6	Present	Active
Benzoic acid, 4-hydroxy-, methyl ester	99-76-3	Present	Active

*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

DSL/NDSL

Contact supplier for inventory compliance status.

EINECS/ELINCS

Contact supplier for inventory compliance status.

ENCS

Contact supplier for inventory compliance status.

IECSC

Contact supplier for inventory compliance status.

KECL

Contact supplier for inventory compliance status.

PICCS

Contact supplier for inventory compliance status.

AIIC

Contact supplier for inventory compliance status.

NZIoC

Contact supplier for inventory compliance status.

Legend:**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances

FG00730 - Semi-Moist Underglaze - Red**Revision date** 01-Feb-2024

KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Zircon, cadmium red - 72828-62-7	0.1 1.0
Frits, chemicals - 65997-18-4	0.1 1.0
C.I. Pigment Blue 73 - 68187-40-6	0.1

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zircon, cadmium red 72828-62-7	-	X	-	-
Frits, chemicals 65997-18-4	-	X	-	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Zircon, cadmium red 72828-62-7	X	-	X
Water 7732-18-5	-	-	X
Quartz 14808-60-7	X	X	X
Kaolin 1332-58-7	X	X	X
Frits, chemicals 65997-18-4	X	-	X
1,2,3-Propanetriol 56-81-5	X	X	X
C.I. Pigment Blue 73 68187-40-6	X	-	X

U.S. EPA Label Information

FG00730 - Semi-Moist Underglaze - Red**Revision date** 01-Feb-2024**EPA Pesticide Registration Number** Not applicable**16. Other information**

NFPA	Health hazards 2	Flammability 0	Instability 0	Special hazards -
HMIS	Health hazards 2 *	Flammability 0	Physical hazards 0	Personal protection X
<i>Chronic Hazard Star Legend</i>	<i>* = Chronic Health Hazard</i>			

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend Section 8: Exposure controls/personal protection**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AEGl(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 National Institute of Technology and Evaluation (NITE)
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program
 Organization for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Revision date 01-Feb-2024**Revision Note****Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

SAFETY DATA SHEET



Revision date 01-Feb-2024

Revision Number 1

1. Identification

Product identifier

Product Name Semi-Moist Underglaze - Bright Yellow

Other means of identification

Product Code(s) FG00713

Synonyms 41415L, 01675C

Recommended use of the chemical and restrictions on use

Recommended use

Restrictions on use

Details of the supplier of the safety data sheet

Manufacturer Address

American Art Clay Co Inc
6060 Guion Road
Indianapolis, IN 46254-1222 USA
Toll Free: 1-800-999-5456
CustomerCare@Amaco.com

Emergency telephone number

Emergency Telephone U.S. Poison Control 1-800-222-1222

2. Hazard(s) identification

Classification

Specific target organ toxicity (repeated exposure)	Category 2
--	------------

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Hazard statements

Warning

H373 - May cause damage to organs through prolonged or repeated exposure

FG00713 - Semi-Moist Underglaze - Bright Yellow**Revision date** 01-Feb-2024**Physical state** Solid**Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Get medical advice/attention if you feel unwell

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful if swallowed. Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on ingredients

Not applicable.

Mixture

Chemical name	CAS No	Weight-%
C.I. Pigment Yellow 159	68187-15-5	40 - 60
Quartz	14808-60-7	3 - <5
Kaolin	1332-58-7	3 - <5
Frits, chemicals	65997-18-4	3 - <5
1,2,3-Propanetriol	56-81-5	1 - <3

4. First-aid measures**Description of first aid measures****General advice**

Show this safety data sheet to the doctor in attendance.

Inhalation

Remove to fresh air.

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact

Wash skin with soap and water.

Ingestion

Rinse mouth.

Most important symptoms and effects, both acute and delayed**Symptoms**

No information available.

Indication of any immediate medical attention and special treatment needed**Note to physicians**

Treat symptomatically.

FG00713 - Semi-Moist Underglaze - Bright Yellow

Revision date 01-Feb-2024

5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	No information available.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas.
Other information	Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. Handling and storage**Precautions for safe handling**

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation.
--------------------------------	---

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed in a dry and well-ventilated place.
---------------------------	---

8. Exposure controls/personal protection**Control parameters****Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
C.I. Pigment Yellow 159 68187-15-5	STEL: 10 mg/m ³ Zr TWA: 5 mg/m ³ Zr	TWA: 5 mg/m ³ Zr (vacated) TWA: 5 mg/m ³ Zr	IDLH: 25 mg/m ³ Zr TWA: 5 mg/m ³ except Zirconium

FG00713 - Semi-Moist Underglaze - Bright Yellow**Revision date** 01-Feb-2024

		(vacated) STEL: 10 mg/m ³ Zr	tetrachloride Zr STEL: 10 mg/m ³ Zr
Quartz 14808-60-7	TWA: 0.025 mg/m ³ respirable particulate matter	TWA: 50 µg/m ³ (vacated) TWA: 0.1 mg/m ³ respirable dust : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust
Kaolin 1332-58-7	TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Frits, chemicals 65997-18-4	STEL: 10 mg/m ³ Zr TWA: 0.01 mg/m ³ As TWA: 0.05 mg/m ³ Pb TWA: 0.01 mg/m ³ Cd TWA: 0.002 mg/m ³ Cd respirable particulate matter TWA: 0.5 mg/m ³ Sb TWA: 1 mg/m ³ Cu dust and mist TWA: 3 mg/m ³ W respirable particulate matter in the absence of cobalt TWA: 5 mg/m ³ Zr TWA: 0.02 mg/m ³ Mn respirable particulate matter TWA: 0.1 mg/m ³ Mn inhalable particulate matter	TWA: 10 µg/m ³ As TWA: 50 µg/m ³ Pb TWA: 0.5 mg/m ³ Sb TWA: 5 mg/m ³ Zr (vacated) TWA: 0.5 mg/m ³ Sb (vacated) TWA: 5 mg/m ³ Zr (vacated) STEL: 10 mg/m ³ Zr (vacated) Ceiling: 5 mg/m ³ Ceiling: 5 mg/m ³ Mn	IDLH: 5 mg/m ³ As IDLH: 9 mg/m ³ Cd dust and fume IDLH: 50 mg/m ³ Sb IDLH: 100 mg/m ³ Cu dust and mist IDLH: 500 mg/m ³ Mn IDLH: 25 mg/m ³ Zr IDLH: 100 mg/m ³ Pb IDLH: 10 mg/m ³ Ni Ceiling: 0.002 mg/m ³ As 15 min Ceiling: 0.05 mg/m ³ V dust and fume 15 min TWA: 0.5 mg/m ³ Sb TWA: 1 mg/m ³ Cu dust and mist TWA: 1 mg/m ³ Mn TWA: 5 mg/m ³ except Zirconium tetrachloride Zr TWA: 0.050 mg/m ³ Pb TWA: 0.015 mg/m ³ except Nickel carbonyl Ni STEL: 3 mg/m ³ Mn STEL: 10 mg/m ³ Zr
1,2,3-Propanetriol 56-81-5	-	TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction (vacated) TWA: 10 mg/m ³ mist, total particulate (vacated) TWA: 5 mg/m ³ mist, respirable fraction	-

Biological occupational exposure limits

Chemical name	ACGIH
Frits, chemicals 65997-18-4	200 µg/L - blood (Lead) - not critical 5 µg/g creatinine - urine (Cadmium) - not critical 5 µg/L - blood (Cadmium) - not critical

Appropriate engineering controls**Engineering controls**

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

FG00713 - Semi-Moist Underglaze - Bright Yellow**Revision date** 01-Feb-2024

Eye/face protection	No special protective equipment required.
Skin and body protection	No special protective equipment required.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties**Information on basic physical and chemical properties****Physical state** Solid**Appearance****Color****Odor****Odor threshold**

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
<u>Other information</u>		
Explosive properties	No information available	
Oxidizing properties	No information available	
VOC Content (%)	No information available	

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

FG00713 - Semi-Moist Underglaze - Bright Yellow

Revision date 01-Feb-2024

11. Toxicological information**Information on likely routes of exposure**

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity
No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	2,174.10 mg/kg
ATEmix (dermal)	29,647.20 mg/kg
ATEmix (inhalation-dust/mist)	28.30 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
C.I. Pigment Yellow 159 68187-15-5	-	-	> 5.5 mg/L (Rat) 4 h
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
Frits, chemicals 65997-18-4	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
1,2,3-Propanetriol 56-81-5	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 2.75 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group 1	Known	X
Frits, chemicals 65997-18-4	A1 A3 A2	Group 1 Group 2B Group 2A	Known Reasonably Anticipated	X

FG00713 - Semi-Moist Underglaze - Bright Yellow

Revision date 01-Feb-2024

Legend**ACGIH (American Conference of Governmental Industrial Hygienists)**

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.**STOT - single exposure** No information available.**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.**Target organ effects** Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate, Gastrointestinal tract (GI).**Aspiration hazard** No information available.**Other adverse effects****Interactive effects****12. Ecological information****Ecotoxicity** Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1,2,3-Propanetriol 56-81-5	-	LC50: 51 - 57mL/L (96h, Oncorhynchus mykiss)	-	-

Persistence and degradability**Bioaccumulation****Component Information**

Chemical name	Partition coefficient
1,2,3-Propanetriol 56-81-5	-1.76

Other adverse effects No information available.

FG00713 - Semi-Moist Underglaze - Bright Yellow**Revision date** 01-Feb-2024**13. Disposal considerations****Disposal methods**

Waste from residues/unused products Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.

Contaminated packaging Do not reuse empty containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport information

DOT Not regulated

15. Regulatory information**International Inventories**

TSCA Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Corn syrup	8029-43-4	Present	Active
C.I. Pigment Yellow 159	68187-15-5	Present	Active
Water	7732-18-5	Present	Active
Dextrin	9004-53-9	Present	Active
Feldspar	68476-25-5	Present	Active
Kaolin	1332-58-7	Present	Active
Quartz	14808-60-7	Present	Active
Frits, chemicals	65997-18-4	Present	Active
1,2,3-Propanetriol	56-81-5	Present	Active
C.I. Pigment Brown 33	68186-88-9	Present	Active
Benzoic acid, 4-hydroxy-, methyl ester	99-76-3	Present	Active

DSL/NDSL Contact supplier for inventory compliance status.
EINECS/ELINCS Contact supplier for inventory compliance status.
ENCS Contact supplier for inventory compliance status.
IECSC Contact supplier for inventory compliance status.
KECL Contact supplier for inventory compliance status.
PICCS Contact supplier for inventory compliance status.
AIIC Contact supplier for inventory compliance status.
NZIoC Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

FG00713 - Semi-Moist Underglaze - Bright Yellow**Revision date** 01-Feb-2024

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Frits, chemicals - 65997-18-4	0.1 1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Frits, chemicals 65997-18-4	-	X	-	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	X
Feldspar 68476-25-5	X	-	X
Kaolin 1332-58-7	X	X	X
Quartz 14808-60-7	X	X	X
Frits, chemicals 65997-18-4	X	-	X
1,2,3-Propanetriol 56-81-5	X	X	X
C.I. Pigment Brown 33 68186-88-9	X	-	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

FG00713 - Semi-Moist Underglaze - Bright Yellow

Revision date 01-Feb-2024

16. Other information

NFPA	Health hazards 1	Flammability 0	Instability 0	Special hazards -
HMIS	Health hazards * 2 1	Flammability 0	Physical hazards 0	Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend Section 8: Exposure controls/personal protection**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AELG(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 National Institute of Technology and Evaluation (NITE)
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program
 Organization for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Revision date 01-Feb-2024

Revision Note**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

SAFETY DATA SHEET



Revision date 01-Feb-2024

Revision Number 1

1. Identification

Product identifier

Product Name Semi-Moist Underglaze - Chartreuse

Other means of identification

Product Code(s) FG00714

Synonyms 41423E, 01678F

Recommended use of the chemical and restrictions on use

Recommended use

Restrictions on use

Details of the supplier of the safety data sheet

Manufacturer Address

American Art Clay Co Inc
6060 Guion Road
Indianapolis, IN 46254-1222 USA
Toll Free: 1-800-999-5456
CustomerCare@Amaco.com

Emergency telephone number

Emergency Telephone U.S. Poison Control 1-800-222-1222

2. Hazard(s) identification

Classification

Acute toxicity - Oral	Category 4
Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Hazard statements

Danger

FG00714 - Semi-Moist Underglaze - Chartreuse**Revision date** 01-Feb-2024

H302 - Harmful if swallowed
 H350 - May cause cancer
 H373 - May cause damage to organs through prolonged or repeated exposure

**Physical state** Solid**Precautionary Statements - Prevention**

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Wear protective gloves/clothing and eye/face protection
 Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
 IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell
 Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Unknown acute toxicity

187.2 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

Other information

Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on ingredients

Not applicable.

Mixture

Chemical name	CAS No	Weight-%
C.I. Pigment Yellow 159	68187-15-5	10 - 20
C.I. Pigment Blue 71	68186-95-8	5 - <10
Quartz	14808-60-7	5 - <10
Kaolin	1332-58-7	5 - <10
Frits, chemicals	65997-18-4	5 - <10
1,2,3-Propanetriol	56-81-5	1 - <3
Spinels, chromium cobalt iron black	68186-97-0	0.1 - 1

4. First-aid measures**Description of first aid measures****General advice**

Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

FG00714 - Semi-Moist Underglaze - Chartreuse**Revision date** 01-Feb-2024

	medical advice/attention.
Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.

Most important symptoms and effects, both acute and delayed**Symptoms** No information available.**Indication of any immediate medical attention and special treatment needed****Note to physicians** Treat symptomatically.**5. Fire-fighting measures**

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	No information available.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas.
Other information	Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. Handling and storage**Precautions for safe handling**

FG00714 - Semi-Moist Underglaze - Chartreuse**Revision date** 01-Feb-2024**Advice on safe handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation.

Conditions for safe storage, including any incompatibilities**Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

8. Exposure controls/personal protection**Control parameters****Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
C.I. Pigment Yellow 159 68187-15-5	STEL: 10 mg/m ³ Zr TWA: 5 mg/m ³ Zr	TWA: 5 mg/m ³ Zr (vacated) TWA: 5 mg/m ³ Zr (vacated) STEL: 10 mg/m ³ Zr	IDLH: 25 mg/m ³ Zr TWA: 5 mg/m ³ except Zirconium tetrachloride Zr STEL: 10 mg/m ³ Zr
C.I. Pigment Blue 71 68186-95-8	STEL: 10 mg/m ³ Zr TWA: 5 mg/m ³ Zr	TWA: 5 mg/m ³ Zr (vacated) TWA: 5 mg/m ³ Zr (vacated) STEL: 10 mg/m ³ Zr	IDLH: 25 mg/m ³ Zr Ceiling: 0.05 mg/m ³ V dust and fume 15 min TWA: 5 mg/m ³ except Zirconium tetrachloride Zr STEL: 10 mg/m ³ Zr
Quartz 14808-60-7	TWA: 0.025 mg/m ³ respirable particulate matter	TWA: 50 µg/m ³ (vacated) TWA: 0.1 mg/m ³ respirable dust : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust
Kaolin 1332-58-7	TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Frits, chemicals 65997-18-4	STEL: 10 mg/m ³ Zr TWA: 0.01 mg/m ³ As TWA: 0.05 mg/m ³ Pb TWA: 0.01 mg/m ³ Cd TWA: 0.002 mg/m ³ Cd respirable particulate matter TWA: 0.5 mg/m ³ Sb TWA: 1 mg/m ³ Cu dust and mist TWA: 3 mg/m ³ W respirable particulate matter in the absence of cobalt TWA: 5 mg/m ³ Zr TWA: 0.02 mg/m ³ Mn respirable particulate matter TWA: 0.1 mg/m ³ Mn inhalable particulate matter	TWA: 10 µg/m ³ As TWA: 50 µg/m ³ Pb TWA: 0.5 mg/m ³ Sb TWA: 5 mg/m ³ Zr (vacated) TWA: 0.5 mg/m ³ Sb (vacated) TWA: 5 mg/m ³ Zr (vacated) STEL: 10 mg/m ³ Zr (vacated) Ceiling: 5 mg/m ³ Ceiling: 5 mg/m ³ Mn	IDLH: 5 mg/m ³ As IDLH: 9 mg/m ³ Cd dust and fume IDLH: 50 mg/m ³ Sb IDLH: 100 mg/m ³ Cu dust and mist IDLH: 500 mg/m ³ Mn IDLH: 25 mg/m ³ Zr IDLH: 100 mg/m ³ Pb IDLH: 10 mg/m ³ Ni Ceiling: 0.002 mg/m ³ As 15 min Ceiling: 0.05 mg/m ³ V dust and fume 15 min TWA: 0.5 mg/m ³ Sb TWA: 1 mg/m ³ Cu dust and mist TWA: 1 mg/m ³ Mn TWA: 5 mg/m ³ except Zirconium tetrachloride Zr TWA: 0.050 mg/m ³ Pb TWA: 0.015 mg/m ³ except

FG00714 - Semi-Moist Underglaze - Chartreuse**Revision date** 01-Feb-2024

			Nickel carbonyl Ni STEL: 3 mg/m ³ Mn STEL: 10 mg/m ³ Zr
1,2,3-Propanetriol 56-81-5	-	TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction (vacated) TWA: 10 mg/m ³ mist, total particulate (vacated) TWA: 5 mg/m ³ mist, respirable fraction	-
Spinels, chromium cobalt iron black 68186-97-0	TWA: 0.02 mg/m ³ Co inhalable particulate matter	TWA: 0.5 mg/m ³ Cr (vacated) TWA: 0.5 mg/m ³ Cr	IDLH: 25 mg/m ³ Cr(III) TWA: 0.5 mg/m ³ Cr

Biological occupational exposure limits

Chemical name	ACGIH
Frits, chemicals 65997-18-4	200 µg/L - blood (Lead) - not critical 5 µg/g creatinine - urine (Cadmium) - not critical 5 µg/L - blood (Cadmium) - not critical
Spinels, chromium cobalt iron black 68186-97-0	15 µg/L - urine (Cobalt) - end of shift at end of workweek

Appropriate engineering controls**Engineering controls**

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment**Eye/face protection**

No special protective equipment required.

Hand protection

Wear suitable gloves.

Skin and body protection

Wear suitable protective clothing.

Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations

Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties**Information on basic physical and chemical properties**

Physical state Solid
Appearance
Color
Odor
Odor threshold

Property**Values****Remarks - Method**

pH No data available
Melting point / freezing point No data available
Initial boiling point and boiling range No data available
Flash point No data available
Evaporation rate No data available

None known
None known
None known
None known
None known

FG00714 - Semi-Moist Underglaze - Chartreuse**Revision date** 01-Feb-2024

Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
<u>Other information</u>		
Explosive properties	No information available	
Oxidizing properties	No information available	
VOC Content (%)	No information available	

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

11. Toxicological information**Information on likely routes of exposure****Product Information**

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available. Harmful if swallowed. (based on components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	No information available.
-----------------	---------------------------

Acute toxicity

Numerical measures of toxicity
No information available

The following values are calculated based on chapter 3.1 of the GHS document
ATEmix (oral) 1,211.60 mg/kg

FG00714 - Semi-Moist Underglaze - Chartreuse**Revision date** 01-Feb-2024

ATEmix (dermal) 17,223.60 mg/kg
ATEmix (inhalation-dust/mist) 16.90 mg/l

Unknown acute toxicity

187.2 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
C.I. Pigment Yellow 159 68187-15-5	-	-	> 5.5 mg/L (Rat) 4 h
C.I. Pigment Blue 71 68186-95-8	-	-	> 5.1 mg/L (Rat) 4 h
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
Frits, chemicals 65997-18-4	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
1,2,3-Propanetriol 56-81-5	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 2.75 mg/L (Rat) 4 h
Spinels, chromium cobalt iron black 68186-97-0	-	-	> 5.09 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Skin corrosion/irritation** No information available.**Serious eye damage/eye irritation** No information available.**Respiratory or skin sensitization** No information available.**Germ cell mutagenicity** No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group 1	Known	X
Frits, chemicals 65997-18-4	A1 A3 A2	Group 1 Group 2B Group 2A	Known Reasonably Anticipated	X
Spinels, chromium cobalt iron black 68186-97-0	A3	Group 2B Group 3	Reasonably Anticipated	X

Legend**ACGIH (American Conference of Governmental Industrial Hygienists)**

A1 - Known Human Carcinogen
A2 - Suspected Human Carcinogen
A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans
Group 2A - Probably Carcinogenic to Humans
Group 2B - Possibly Carcinogenic to Humans
Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen
Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

FG00714 - Semi-Moist Underglaze - Chartreuse

Revision date 01-Feb-2024

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Target organ effects	Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate, Gastrointestinal tract (GI).
Aspiration hazard	No information available.
Other adverse effects	
Interactive effects	

12. Ecological information

Ecotoxicity Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1,2,3-Propanetriol 56-81-5	-	LC50: 51 - 57mL/L (96h, Oncorhynchus mykiss)	-	-

Persistence and degradability**Bioaccumulation****Component Information**

Chemical name	Partition coefficient
1,2,3-Propanetriol 56-81-5	-1.76

Other adverse effects No information available.

13. Disposal considerations**Disposal methods**

Waste from residues/unused products Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.

Contaminated packaging Do not reuse empty containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport information

FG00714 - Semi-Moist Underglaze - Chartreuse**Revision date** 01-Feb-2024**DOT**

Not regulated

15. Regulatory information**International Inventories****TSCA**

Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Corn syrup	8029-43-4	Present	Active
C.I. Pigment Yellow 159	68187-15-5	Present	Active
Water	7732-18-5	Present	Active
Dextrin	9004-53-9	Present	Active
C.I. Pigment Blue 71	68186-95-8	Present	Active
Kaolin	1332-58-7	Present	Active
Quartz	14808-60-7	Present	Active
Frits, chemicals	65997-18-4	Present	Active
Feldspar	68476-25-5	Present	Active
1,2,3-Propanetriol	56-81-5	Present	Active
Spinel, chromium cobalt iron black	68186-97-0	Present	Active
Benzoic acid, 4-hydroxy-, methyl ester	99-76-3	Present	Active

DSL/NDSL**EINECS/ELINCS****ENCS****IECSC****KECL****PICCS****AIIC****NZIoC**

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Legend:**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AIIC** - Australian Inventory of Industrial Chemicals**NZIoC** - New Zealand Inventory of Chemicals**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
---------------	-------------------------------

FG00714 - Semi-Moist Underglaze - Chartreuse**Revision date** 01-Feb-2024

C.I. Pigment Blue 71 - 68186-95-8	1.0
Frits, chemicals - 65997-18-4	0.1
	1.0
Spinels, chromium cobalt iron black - 68186-97-0	0.1
	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Frits, chemicals 65997-18-4	-	X	-	-
Spinels, chromium cobalt iron black 68186-97-0	-	X	-	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	X
C.I. Pigment Blue 71 68186-95-8	X	-	-
Kaolin 1332-58-7	X	X	X
Quartz 14808-60-7	X	X	X
Frits, chemicals 65997-18-4	X	-	X
Feldspar 68476-25-5	X	-	X
1,2,3-Propanetriol 56-81-5	X	X	X
Spinels, chromium cobalt iron black 68186-97-0	X	-	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA	Health hazards 1	Flammability 0	Instability 0	Special hazards -
HMIS	Health hazards * 2	Flammability 0	Physical hazards 0	Personal protection X

FG00714 - Semi-Moist Underglaze - Chartreuse**Revision date** 01-Feb-2024*Chronic Hazard Star Legend*** = Chronic Health Hazard***Key or legend to abbreviations and acronyms used in the safety data sheet****Legend Section 8: Exposure controls/personal protection**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AELG(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Revision date 01-Feb-2024**Revision Note****Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

SAFETY DATA SHEET



Revision date 01-Feb-2024

Revision Number 1

1. Identification

Product identifier

Product Name Semi-Moist Underglaze - Warm Green

Other means of identification

Product Code(s) FG00737

Synonyms 41416M, 01683A

Recommended use of the chemical and restrictions on use

Recommended use

Restrictions on use

Details of the supplier of the safety data sheet

Manufacturer Address

American Art Clay Co Inc
6060 Guion Road
Indianapolis, IN 46254-1222 USA
Toll Free: 1-800-999-5456
CustomerCare@Amaco.com

Emergency telephone number

Emergency Telephone U.S. Poison Control 1-800-222-1222

2. Hazard(s) identification

Classification

Specific target organ toxicity (repeated exposure)	Category 2
--	------------

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Hazard statements

Warning

H373 - May cause damage to organs through prolonged or repeated exposure

FG00737 - Semi-Moist Underglaze - Warm Green**Revision date** 01-Feb-2024**Physical state** Solid**Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Get medical advice/attention if you feel unwell

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful if swallowed. Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on ingredients

Not applicable.

Mixture

Chemical name	CAS No	Weight-%
C.I. Pigment Green 51	68553-01-5	40 - 60
Quartz	14808-60-7	3 - <5
Kaolin	1332-58-7	3 - <5
Frits, chemicals	65997-18-4	3 - <5
1,2,3-Propanetriol	56-81-5	1 - <3

4. First-aid measures**Description of first aid measures****General advice**

Show this safety data sheet to the doctor in attendance.

Inhalation

Remove to fresh air.

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact

Wash skin with soap and water.

Ingestion

Rinse mouth.

Most important symptoms and effects, both acute and delayed**Symptoms**

No information available.

Indication of any immediate medical attention and special treatment needed**Note to physicians**

Treat symptomatically.

FG00737 - Semi-Moist Underglaze - Warm Green

Revision date 01-Feb-2024

5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	No information available.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas.
Other information	Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. Handling and storage**Precautions for safe handling**

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation.
--------------------------------	---

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed in a dry and well-ventilated place.
---------------------------	---

8. Exposure controls/personal protection**Control parameters****Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
C.I. Pigment Green 51 68553-01-5	-	TWA: 0.5 mg/m ³ Cr (vacated) TWA: 0.5 mg/m ³ Cr	IDLH: 25 mg/m ³ Cr(III) TWA: 0.5 mg/m ³ Cr

FG00737 - Semi-Moist Underglaze - Warm Green**Revision date** 01-Feb-2024

Quartz 14808-60-7	TWA: 0.025 mg/m ³ respirable particulate matter	TWA: 50 µg/m ³ (vacated) TWA: 0.1 mg/m ³ respirable dust : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust
Kaolin 1332-58-7	TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Frits, chemicals 65997-18-4	STEL: 10 mg/m ³ Zr TWA: 0.01 mg/m ³ As TWA: 0.05 mg/m ³ Pb TWA: 0.01 mg/m ³ Cd TWA: 0.002 mg/m ³ Cd respirable particulate matter TWA: 0.5 mg/m ³ Sb TWA: 1 mg/m ³ Cu dust and mist TWA: 3 mg/m ³ W respirable particulate matter in the absence of cobalt TWA: 5 mg/m ³ Zr TWA: 0.02 mg/m ³ Mn respirable particulate matter TWA: 0.1 mg/m ³ Mn inhalable particulate matter	TWA: 10 µg/m ³ As TWA: 50 µg/m ³ Pb TWA: 0.5 mg/m ³ Sb TWA: 5 mg/m ³ Zr (vacated) TWA: 0.5 mg/m ³ Sb (vacated) TWA: 5 mg/m ³ Zr (vacated) STEL: 10 mg/m ³ Zr (vacated) Ceiling: 5 mg/m ³ Ceiling: 5 mg/m ³ Mn	IDLH: 5 mg/m ³ As IDLH: 9 mg/m ³ Cd dust and fume IDLH: 50 mg/m ³ Sb IDLH: 100 mg/m ³ Cu dust and mist IDLH: 500 mg/m ³ Mn IDLH: 25 mg/m ³ Zr IDLH: 100 mg/m ³ Pb IDLH: 10 mg/m ³ Ni Ceiling: 0.002 mg/m ³ As 15 min Ceiling: 0.05 mg/m ³ V dust and fume 15 min TWA: 0.5 mg/m ³ Sb TWA: 1 mg/m ³ Cu dust and mist TWA: 1 mg/m ³ Mn TWA: 5 mg/m ³ except Zirconium tetrachloride Zr TWA: 0.050 mg/m ³ Pb TWA: 0.015 mg/m ³ except Nickel carbonyl Ni STEL: 3 mg/m ³ Mn STEL: 10 mg/m ³ Zr
1,2,3-Propanetriol 56-81-5	-	TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction (vacated) TWA: 10 mg/m ³ mist, total particulate (vacated) TWA: 5 mg/m ³ mist, respirable fraction	-

Biological occupational exposure limits

Chemical name	ACGIH
Frits, chemicals 65997-18-4	200 µg/L - blood (Lead) - not critical 5 µg/g creatinine - urine (Cadmium) - not critical 5 µg/L - blood (Cadmium) - not critical

Appropriate engineering controls**Engineering controls**

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment**Eye/face protection**

No special protective equipment required.

FG00737 - Semi-Moist Underglaze - Warm Green**Revision date** 01-Feb-2024

Skin and body protection	No special protective equipment required.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties**Information on basic physical and chemical properties**

Physical state	Solid
Appearance	
Color	
Odor	
Odor threshold	

Property	Values	Remarks • Method
pH	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
VOC Content (%)	No information available	

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

FG00737 - Semi-Moist Underglaze - Warm Green

Revision date 01-Feb-2024

11. Toxicological information**Information on likely routes of exposure**

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity
No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	2,323.00 mg/kg
ATEmix (dermal)	31,446.50 mg/kg
ATEmix (inhalation-dust/mist)	29.60 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
Frits, chemicals 65997-18-4	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
1,2,3-Propanetriol 56-81-5	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 2.75 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
C.I. Pigment Green 51 68553-01-5	-	Group 3	-	-
Quartz 14808-60-7	A2	Group 1	Known	X
Frits, chemicals 65997-18-4	A1 A3 A2	Group 1 Group 2B Group 2A	Known Reasonably Anticipated	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

FG00737 - Semi-Moist Underglaze - Warm Green**Revision date** 01-Feb-2024

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.**STOT - single exposure** No information available.**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.**Target organ effects** Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate, Gastrointestinal tract (GI).**Aspiration hazard** No information available.**Other adverse effects****Interactive effects****12. Ecological information****Ecotoxicity** Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1,2,3-Propanetriol 56-81-5	-	LC50: 51 - 57mL/L (96h, Oncorhynchus mykiss)	-	-

Persistence and degradability**Bioaccumulation****Component Information**

Chemical name	Partition coefficient
1,2,3-Propanetriol 56-81-5	-1.76

Other adverse effects No information available.**13. Disposal considerations**

FG00737 - Semi-Moist Underglaze - Warm Green**Revision date** 01-Feb-2024**Disposal methods****Waste from residues/unused products**

Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.

Contaminated packaging

Do not reuse empty containers.

California Hazardous Waste Status

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport information**DOT**

Not regulated

15. Regulatory information**International Inventories****TSCA**

Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Corn syrup	8029-43-4	Present	Active
C.I. Pigment Green 51	68553-01-5	Present	Inactive
Water	7732-18-5	Present	Active
Dextrin	9004-53-9	Present	Active
Kaolin	1332-58-7	Present	Active
Quartz	14808-60-7	Present	Active
Feldspar	68476-25-5	Present	Active
Frits, chemicals	65997-18-4	Present	Active
1,2,3-Propanetriol	56-81-5	Present	Active
Benzoic acid, 4-hydroxy-, methyl ester	99-76-3	Present	Active

DSL/NDSL

Contact supplier for inventory compliance status.

EINECS/ELINCS

Contact supplier for inventory compliance status.

ENCS

Contact supplier for inventory compliance status.

IECSC

Contact supplier for inventory compliance status.

KECL

Contact supplier for inventory compliance status.

PICCS

Contact supplier for inventory compliance status.

AIIC

Contact supplier for inventory compliance status.

NZIoC

Contact supplier for inventory compliance status.

Legend:**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances

FG00737 - Semi-Moist Underglaze - Warm Green**Revision date** 01-Feb-2024**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AIIC** - Australian Inventory of Industrial Chemicals**NZIoC** - New Zealand Inventory of Chemicals**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
C.I. Pigment Green 51 - 68553-01-5	1.0
Frits, chemicals - 65997-18-4	0.1
	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
C.I. Pigment Green 51 68553-01-5	-	X	-	-
Frits, chemicals 65997-18-4	-	X	-	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
C.I. Pigment Green 51 68553-01-5	X	-	X
Water 7732-18-5	-	-	X
Kaolin 1332-58-7	X	X	X
Quartz 14808-60-7	X	X	X
Feldspar 68476-25-5	X	-	X
Frits, chemicals 65997-18-4	X	-	X
1,2,3-Propanetriol 56-81-5	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

FG00737 - Semi-Moist Underglaze - Warm Green

Revision date 01-Feb-2024

16. Other information

NFPA	Health hazards 1	Flammability 0	Instability 0	Special hazards -
HMIS	Health hazards * 2 1	Flammability 0	Physical hazards 0	Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend Section 8: Exposure controls/personal protection**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AELG(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 National Institute of Technology and Evaluation (NITE)
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program
 Organization for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Revision date 01-Feb-2024

Revision Note**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

SAFETY DATA SHEET



Revision date 01-Feb-2024

Revision Number 1

1. Identification

Product identifier

Product Name Semi-Moist Underglaze - Aqua

Other means of identification

Product Code(s) FG00739

Synonyms 41419B, 01674B

Recommended use of the chemical and restrictions on use

Recommended use

Restrictions on use

Details of the supplier of the safety data sheet

Manufacturer Address

American Art Clay Co Inc
6060 Guion Road
Indianapolis, IN 46254-1222 USA
Toll Free: 1-800-999-5456
CustomerCare@Amaco.com

Emergency telephone number

Emergency Telephone U.S. Poison Control 1-800-222-1222

2. Hazard(s) identification

Classification

Acute toxicity - Oral	Category 4
Specific target organ toxicity (repeated exposure)	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Hazard statements

Warning

FG00739 - Semi-Moist Underglaze - Aqua**Revision date** 01-Feb-2024

H302 - Harmful if swallowed
 H373 - May cause damage to organs through prolonged or repeated exposure

**Physical state** Solid**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Get medical advice/attention if you feel unwell
 IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell
 Rinse mouth

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Unknown acute toxicity

170.6 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

Other information

Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on ingredients

Not applicable.

Mixture

Chemical name	CAS No	Weight-%
C.I. Pigment Green 51	68553-01-5	10 - 20
Frits, chemicals	65997-18-4	5 - <10
Quartz	14808-60-7	5 - <10
Kaolin	1332-58-7	5 - <10
1,2,3-Propanetriol	56-81-5	1 - <3

4. First-aid measures**Description of first aid measures**

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

FG00739 - Semi-Moist Underglaze - Aqua**Revision date** 01-Feb-2024

person. Call a physician.

Most important symptoms and effects, both acute and delayed**Symptoms** No information available.**Indication of any immediate medical attention and special treatment needed****Note to physicians** Treat symptomatically.**5. Fire-fighting measures****Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.**Large Fire** CAUTION: Use of water spray when fighting fire may be inefficient.**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.**Specific hazards arising from the chemical** No information available.**Explosion data****Sensitivity to mechanical impact** None.**Sensitivity to static discharge** None.**Special protective equipment and precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.**6. Accidental release measures****Personal precautions, protective equipment and emergency procedures****Personal precautions** Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas.**Other information** Refer to protective measures listed in Sections 7 and 8.**Methods and material for containment and cleaning up****Methods for containment** Prevent further leakage or spillage if safe to do so.**Methods for cleaning up** Pick up and transfer to properly labeled containers.**7. Handling and storage****Precautions for safe handling****Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation.**Conditions for safe storage, including any incompatibilities****Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

FG00739 - Semi-Moist Underglaze - Aqua

Revision date 01-Feb-2024

8. Exposure controls/personal protection**Control parameters****Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
C.I. Pigment Green 51 68553-01-5	-	TWA: 0.5 mg/m ³ Cr (vacated) TWA: 0.5 mg/m ³ Cr	IDLH: 25 mg/m ³ Cr(III) TWA: 0.5 mg/m ³ Cr
Frits, chemicals 65997-18-4	STEL: 10 mg/m ³ Zr TWA: 0.01 mg/m ³ As TWA: 0.05 mg/m ³ Pb TWA: 0.01 mg/m ³ Cd TWA: 0.002 mg/m ³ Cd respirable particulate matter TWA: 0.5 mg/m ³ Sb TWA: 1 mg/m ³ Cu dust and mist TWA: 3 mg/m ³ W respirable particulate matter in the absence of cobalt TWA: 5 mg/m ³ Zr TWA: 0.02 mg/m ³ Mn respirable particulate matter TWA: 0.1 mg/m ³ Mn inhalable particulate matter	TWA: 10 µg/m ³ As TWA: 50 µg/m ³ Pb TWA: 0.5 mg/m ³ Sb TWA: 5 mg/m ³ Zr (vacated) TWA: 0.5 mg/m ³ Sb (vacated) TWA: 5 mg/m ³ Zr (vacated) STEL: 10 mg/m ³ Zr (vacated) Ceiling: 5 mg/m ³ Ceiling: 5 mg/m ³ Mn	IDLH: 5 mg/m ³ As IDLH: 9 mg/m ³ Cd dust and fume IDLH: 50 mg/m ³ Sb IDLH: 100 mg/m ³ Cu dust and mist IDLH: 500 mg/m ³ Mn IDLH: 25 mg/m ³ Zr IDLH: 100 mg/m ³ Pb IDLH: 10 mg/m ³ Ni Ceiling: 0.002 mg/m ³ As 15 min Ceiling: 0.05 mg/m ³ V dust and fume 15 min TWA: 0.5 mg/m ³ Sb TWA: 1 mg/m ³ Cu dust and mist TWA: 1 mg/m ³ Mn TWA: 5 mg/m ³ except Zirconium tetrachloride Zr TWA: 0.050 mg/m ³ Pb TWA: 0.015 mg/m ³ except Nickel carbonyl Ni STEL: 3 mg/m ³ Mn STEL: 10 mg/m ³ Zr
Quartz 14808-60-7	TWA: 0.025 mg/m ³ respirable particulate matter	TWA: 50 µg/m ³ (vacated) TWA: 0.1 mg/m ³ respirable dust : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust
Kaolin 1332-58-7	TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
1,2,3-Propanetriol 56-81-5	-	TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction (vacated) TWA: 10 mg/m ³ mist, total particulate (vacated) TWA: 5 mg/m ³ mist, respirable fraction	-

Biological occupational exposure limits

Chemical name	ACGIH
Frits, chemicals 65997-18-4	200 µg/L - blood (Lead) - not critical 5 µg/g creatinine - urine (Cadmium) - not critical

FG00739 - Semi-Moist Underglaze - Aqua**Revision date** 01-Feb-2024

	5 µg/L - blood (Cadmium) - not critical
--	---

Appropriate engineering controls

Engineering controls Showers
 Eyewash stations
 Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protection No special protective equipment required.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties**Information on basic physical and chemical properties**

Physical state Solid

Appearance**Color****Odor****Odor threshold**

<u>Property</u>	<u>Values</u>	<u>Remarks - Method</u>
pH	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
<u>Other information</u>		
Explosive properties	No information available	
Oxidizing properties	No information available	
VOC Content (%)	No information available	

10. Stability and reactivity

Reactivity No information available.

FG00739 - Semi-Moist Underglaze - Aqua**Revision date** 01-Feb-2024

Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

11. Toxicological information**Information on likely routes of exposure****Product Information**

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available. Harmful if swallowed. (based on components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	No information available.
-----------------	---------------------------

Acute toxicity**Numerical measures of toxicity**

No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	1,048.70 mg/kg
ATEmix (dermal)	16,420.40 mg/kg
ATEmix (inhalation-dust/mist)	14.70 mg/l

Unknown acute toxicity

170.6 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Frits, chemicals 65997-18-4	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
1,2,3-Propanetriol 56-81-5	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 2.75 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.

FG00739 - Semi-Moist Underglaze - Aqua**Revision date** 01-Feb-2024**Germ cell mutagenicity** No information available.**Carcinogenicity** No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
C.I. Pigment Green 51 68553-01-5	-	Group 3	-	-
Frits, chemicals 65997-18-4	A1 A3 A2	Group 1 Group 2B Group 2A	Known Reasonably Anticipated	X
Quartz 14808-60-7	A2	Group 1	Known	X

Legend**ACGIH (American Conference of Governmental Industrial Hygienists)**

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.**STOT - single exposure** No information available.**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.**Target organ effects** Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate, Gastrointestinal tract (GI).**Aspiration hazard** No information available.**Other adverse effects****Interactive effects****12. Ecological information****Ecotoxicity** Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1,2,3-Propanetriol 56-81-5	-	LC50: 51 - 57mL/L (96h, Oncorhynchus mykiss)	-	-

FG00739 - Semi-Moist Underglaze - Aqua**Revision date** 01-Feb-2024**Persistence and degradability****Bioaccumulation****Component Information**

Chemical name	Partition coefficient
1,2,3-Propanetriol 56-81-5	-1.76

Other adverse effects No information available.**13. Disposal considerations****Disposal methods****Waste from residues/unused products** Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.**Contaminated packaging** Do not reuse empty containers.**California Hazardous Waste Status** This product contains one or more substances that are listed with the State of California as a hazardous waste.**14. Transport information****DOT** Not regulated**15. Regulatory information****International Inventories****TSCA** Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Corn syrup	8029-43-4	Present	Active
Water	7732-18-5	Present	Active
C.I. Pigment Green 51	68553-01-5	Present	Inactive
Dextrin	9004-53-9	Present	Active
Frits, chemicals	65997-18-4	Present	Active
Feldspar	68476-25-5	Present	Active
Kaolin	1332-58-7	Present	Active
Quartz	14808-60-7	Present	Active
1,2,3-Propanetriol	56-81-5	Present	Active
Benzoic acid, 4-hydroxy-, methyl ester	99-76-3	Present	Active

FG00739 - Semi-Moist Underglaze - Aqua**Revision date** 01-Feb-2024

DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
NZIoC	Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
C.I. Pigment Green 51 - 68553-01-5	1.0
Frits, chemicals - 65997-18-4	0.1
	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
C.I. Pigment Green 51 68553-01-5	-	X	-	-
Frits, chemicals 65997-18-4	-	X	-	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	X
C.I. Pigment Green 51	X	-	X

FG00739 - Semi-Moist Underglaze - Aqua**Revision date** 01-Feb-2024

68553-01-5			
Frits, chemicals 65997-18-4	X	-	X
Feldspar 68476-25-5	X	-	X
Kaolin 1332-58-7	X	X	X
Quartz 14808-60-7	X	X	X
1,2,3-Propanetriol 56-81-5	X	X	X

U.S. EPA Label Information**EPA Pesticide Registration Number** Not applicable**16. Other information**

NFPA	Health hazards 1	Flammability 0	Instability 0	Special hazards -
HMIS	Health hazards * 2	Flammability 0	Physical hazards 0	Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend Section 8: Exposure controls/personal protection**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGl(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Revision date 01-Feb-2024**Revision Note****Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

SAFETY DATA SHEET



Revision date 01-Feb-2024

Revision Number 1

1. Identification

Product identifier

Product Name Semi-Moist Underglaze - Medium Blue

Other means of identification

Product Code(s) FG00725

Synonyms 41411G, 01690H

Recommended use of the chemical and restrictions on use

Recommended use

Restrictions on use

Details of the supplier of the safety data sheet

Manufacturer Address

American Art Clay Co Inc
6060 Guion Road
Indianapolis, IN 46254-1222 USA
Toll Free: 1-800-999-5456
CustomerCare@Amaco.com

Emergency telephone number

Emergency Telephone U.S. Poison Control 1-800-222-1222

2. Hazard(s) identification

Classification

Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Hazard statements

Danger

FG00725 - Semi-Moist Underglaze - Medium Blue**Revision date** 01-Feb-2024

H350 - May cause cancer
 H373 - May cause damage to organs through prolonged or repeated exposure

**Physical state** Solid**Precautionary Statements - Prevention**

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Wear protective gloves/clothing and eye/face protection
 Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful if swallowed. Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on ingredients

Not applicable.

Mixture

Chemical name	CAS No	Weight-%
C.I. Pigment Blue 72	68186-87-8	40 - 60
Quartz	14808-60-7	3 - <5
Kaolin	1332-58-7	3 - <5
Frits, chemicals	65997-18-4	3 - <5
1,2,3-Propanetriol	56-81-5	1 - <3

4. First-aid measures**Description of first aid measures****General advice**

IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.

Inhalation

Remove to fresh air.

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact

Wash skin with soap and water.

Ingestion

Rinse mouth.

FG00725 - Semi-Moist Underglaze - Medium Blue**Revision date** 01-Feb-2024**Most important symptoms and effects, both acute and delayed****Symptoms** No information available.**Indication of any immediate medical attention and special treatment needed****Note to physicians** Treat symptomatically.**5. Fire-fighting measures****Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.**Large Fire** CAUTION: Use of water spray when fighting fire may be inefficient.**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.**Specific hazards arising from the chemical** No information available.**Explosion data****Sensitivity to mechanical impact** None.**Sensitivity to static discharge** None.**Special protective equipment and precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.**6. Accidental release measures****Personal precautions, protective equipment and emergency procedures****Personal precautions** Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas.**Other information** Refer to protective measures listed in Sections 7 and 8.**Methods and material for containment and cleaning up****Methods for containment** Prevent further leakage or spillage if safe to do so.**Methods for cleaning up** Pick up and transfer to properly labeled containers.**7. Handling and storage****Precautions for safe handling****Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation.**Conditions for safe storage, including any incompatibilities****Storage Conditions** Keep container tightly closed in a dry and well-ventilated place.**8. Exposure controls/personal protection**

FG00725 - Semi-Moist Underglaze - Medium Blue

Revision date 01-Feb-2024

Control parameters**Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
C.I. Pigment Blue 72 68186-87-8	TWA: 0.02 mg/m ³ Co inhalable particulate matter	-	-
Quartz 14808-60-7	TWA: 0.025 mg/m ³ respirable particulate matter	TWA: 50 µg/m ³ (vacated) TWA: 0.1 mg/m ³ respirable dust : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust
Kaolin 1332-58-7	TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Frits, chemicals 65997-18-4	STEL: 10 mg/m ³ Zr TWA: 0.01 mg/m ³ As TWA: 0.05 mg/m ³ Pb TWA: 0.01 mg/m ³ Cd TWA: 0.002 mg/m ³ Cd respirable particulate matter TWA: 0.5 mg/m ³ Sb TWA: 1 mg/m ³ Cu dust and mist TWA: 3 mg/m ³ W respirable particulate matter in the absence of cobalt TWA: 5 mg/m ³ Zr TWA: 0.02 mg/m ³ Mn respirable particulate matter TWA: 0.1 mg/m ³ Mn inhalable particulate matter	TWA: 10 µg/m ³ As TWA: 50 µg/m ³ Pb TWA: 0.5 mg/m ³ Sb TWA: 5 mg/m ³ Zr (vacated) TWA: 0.5 mg/m ³ Sb (vacated) TWA: 5 mg/m ³ Zr (vacated) STEL: 10 mg/m ³ Zr (vacated) Ceiling: 5 mg/m ³ Ceiling: 5 mg/m ³ Mn	IDLH: 5 mg/m ³ As IDLH: 9 mg/m ³ Cd dust and fume IDLH: 50 mg/m ³ Sb IDLH: 100 mg/m ³ Cu dust and mist IDLH: 500 mg/m ³ Mn IDLH: 25 mg/m ³ Zr IDLH: 100 mg/m ³ Pb IDLH: 10 mg/m ³ Ni Ceiling: 0.002 mg/m ³ As 15 min Ceiling: 0.05 mg/m ³ V dust and fume 15 min TWA: 0.5 mg/m ³ Sb TWA: 1 mg/m ³ Cu dust and mist TWA: 1 mg/m ³ Mn TWA: 5 mg/m ³ except Zirconium tetrachloride Zr TWA: 0.050 mg/m ³ Pb TWA: 0.015 mg/m ³ except Nickel carbonyl Ni STEL: 3 mg/m ³ Mn STEL: 10 mg/m ³ Zr
1,2,3-Propanetriol 56-81-5	-	TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction (vacated) TWA: 10 mg/m ³ mist, total particulate (vacated) TWA: 5 mg/m ³ mist, respirable fraction	-

Biological occupational exposure limits

Chemical name	ACGIH
C.I. Pigment Blue 72 68186-87-8	15 µg/L - urine (Cobalt) - end of shift at end of workweek
Frits, chemicals 65997-18-4	200 µg/L - blood (Lead) - not critical 5 µg/g creatinine - urine (Cadmium) - not critical

FG00725 - Semi-Moist Underglaze - Medium Blue**Revision date** 01-Feb-2024

	5 µg/L - blood (Cadmium) - not critical
--	---

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
-----------------------------	---

Individual protection measures, such as personal protective equipment

Eye/face protection	No special protective equipment required.
Hand protection	Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties**Information on basic physical and chemical properties**

Physical state	Solid
Appearance	
Color	
Odor	
Odor threshold	

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
VOC Content (%)	No information available	

10. Stability and reactivity

FG00725 - Semi-Moist Underglaze - Medium Blue**Revision date** 01-Feb-2024

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

11. Toxicological information**Information on likely routes of exposure****Product Information**

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	No information available.
-----------------	---------------------------

Acute toxicity**Numerical measures of toxicity**

No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	2,220.30 mg/kg
ATEmix (dermal)	30,581.00 mg/kg
ATEmix (inhalation-dust/mist)	28.70 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
C.I. Pigment Blue 72 68186-87-8	-	-	> 5.06 mg/L (Rat) 4 h
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
Frits, chemicals 65997-18-4	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
1,2,3-Propanetriol 56-81-5	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 2.75 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.

FG00725 - Semi-Moist Underglaze - Medium Blue**Revision date** 01-Feb-2024**Germ cell mutagenicity** No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.
The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
C.I. Pigment Blue 72 68186-87-8	A3	Group 2B	Reasonably Anticipated	X
Quartz 14808-60-7	A2	Group 1	Known	X
Frits, chemicals 65997-18-4	A1 A3 A2	Group 1 Group 2B Group 2A	Known Reasonably Anticipated	X

Legend**ACGIH (American Conference of Governmental Industrial Hygienists)**

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.**STOT - single exposure** No information available.**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.

Target organ effects Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate, Gastrointestinal tract (GI).

Aspiration hazard No information available.**Other adverse effects****Interactive effects****12. Ecological information****Ecotoxicity** Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1,2,3-Propanetriol 56-81-5	-	LC50: 51 - 57mL/L (96h, Oncorhynchus mykiss)	-	-

FG00725 - Semi-Moist Underglaze - Medium Blue**Revision date** 01-Feb-2024**Persistence and degradability****Bioaccumulation****Component Information**

Chemical name	Partition coefficient
1,2,3-Propanetriol 56-81-5	-1.76

Other adverse effects No information available.**13. Disposal considerations****Disposal methods****Waste from residues/unused products** Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.**Contaminated packaging** Do not reuse empty containers.**California Hazardous Waste Status** This product contains one or more substances that are listed with the State of California as a hazardous waste.**14. Transport information****DOT** Not regulated**15. Regulatory information****International Inventories****TSCA** Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Corn syrup	8029-43-4	Present	Active
C.I. Pigment Blue 72	68186-87-8	Present	Active
Water	7732-18-5	Present	Active
Dextrin	9004-53-9	Present	Active
Feldspar	68476-25-5	Present	Active
Kaolin	1332-58-7	Present	Active
Quartz	14808-60-7	Present	Active
Frits, chemicals	65997-18-4	Present	Active
1,2,3-Propanetriol	56-81-5	Present	Active
Benzoic acid, 4-hydroxy-, methyl ester	99-76-3	Present	Active

FG00725 - Semi-Moist Underglaze - Medium Blue**Revision date** 01-Feb-2024

DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
NZIoC	Contact supplier for inventory compliance status.

Legend:**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AIIC** - Australian Inventory of Industrial Chemicals**NZIoC** - New Zealand Inventory of Chemicals**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
C.I. Pigment Blue 72 - 68186-87-8	1.0 0.1
Frits, chemicals - 65997-18-4	0.1 1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
C.I. Pigment Blue 72 68186-87-8	-	X	-	-
Frits, chemicals 65997-18-4	-	X	-	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
C.I. Pigment Blue 72	X	-	X

FG00725 - Semi-Moist Underglaze - Medium Blue

Revision date 01-Feb-2024

68186-87-8			
Water	-	-	X
7732-18-5			
Feldspar	X	-	X
68476-25-5			
Kaolin	X	X	X
1332-58-7			
Quartz	X	X	X
14808-60-7			
Frits, chemicals	X	-	X
65997-18-4			
1,2,3-Propanetriol	X	X	X
56-81-5			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 1 Flammability 0 Instability 0 Special hazards -
HMIS Health hazards * 2 1 Flammability 0 Physical hazards 0 Personal protection X
Chronic Hazard Star Legend * = Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend Section 8: Exposure controls/personal protection**

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)
 Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AELG(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 National Institute of Technology and Evaluation (NITE)
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program
 Organization for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Revision date 01-Feb-2024

Revision Note**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

SAFETY DATA SHEET



Revision date 01-Feb-2024

Revision Number 1

1. Identification

Product identifier

Product Name Semi-Moist Underglaze - White

Other means of identification

Product Code(s) FG00743

Synonyms 41408D, 01699T

Recommended use of the chemical and restrictions on use

Recommended use

Restrictions on use

Details of the supplier of the safety data sheet

Manufacturer Address

American Art Clay Co Inc
6060 Guion Road
Indianapolis, IN 46254-1222 USA
Toll Free: 1-800-999-5456
CustomerCare@Amaco.com

Emergency telephone number

Emergency Telephone U.S. Poison Control 1-800-222-1222

2. Hazard(s) identification

Classification

Specific target organ toxicity (repeated exposure)	Category 2
--	------------

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Hazard statements

Warning

H373 - May cause damage to organs through prolonged or repeated exposure

FG00743 - Semi-Moist Underglaze - White**Revision date** 01-Feb-2024**Physical state** Solid**Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Get medical advice/attention if you feel unwell

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful if swallowed. Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on ingredients

Not applicable.

Mixture

Chemical name	CAS No	Weight-%
Silicic acid (H ₄ SiO ₄), zirconium(4+) salt (1:1)	10101-52-7	40 - 60
Quartz	14808-60-7	3 - <5
Kaolin	1332-58-7	3 - <5
Frits, chemicals	65997-18-4	3 - <5
1,2,3-Propanetriol	56-81-5	1 - <3

4. First-aid measures**Description of first aid measures****General advice**

Show this safety data sheet to the doctor in attendance.

Inhalation

Remove to fresh air.

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact

Wash skin with soap and water.

Ingestion

Rinse mouth.

Most important symptoms and effects, both acute and delayed**Symptoms**

No information available.

Indication of any immediate medical attention and special treatment needed**Note to physicians**

Treat symptomatically.

FG00743 - Semi-Moist Underglaze - White

Revision date 01-Feb-2024

5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	No information available.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas.
Other information	Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. Handling and storage**Precautions for safe handling**

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation.
--------------------------------	---

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed in a dry and well-ventilated place.
---------------------------	---

8. Exposure controls/personal protection**Control parameters****Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Silicic acid (H ₄ SiO ₄), zirconium(4+) salt (1:1)	STEL: 10 mg/m ³ Zr TWA: 5 mg/m ³ Zr	TWA: 5 mg/m ³ Zr (vacated) TWA: 5 mg/m ³ Zr	IDLH: 25 mg/m ³ Zr TWA: 5 mg/m ³ except Zirconium

FG00743 - Semi-Moist Underglaze - White**Revision date** 01-Feb-2024

10101-52-7		(vacated) STEL: 10 mg/m ³ Zr	tetrachloride Zr STEL: 10 mg/m ³ Zr
Quartz 14808-60-7	TWA: 0.025 mg/m ³ respirable particulate matter	TWA: 50 µg/m ³ (vacated) TWA: 0.1 mg/m ³ respirable dust : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust
Kaolin 1332-58-7	TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Frits, chemicals 65997-18-4	STEL: 10 mg/m ³ Zr TWA: 0.01 mg/m ³ As TWA: 0.05 mg/m ³ Pb TWA: 0.01 mg/m ³ Cd TWA: 0.002 mg/m ³ Cd respirable particulate matter TWA: 0.5 mg/m ³ Sb TWA: 1 mg/m ³ Cu dust and mist TWA: 3 mg/m ³ W respirable particulate matter in the absence of cobalt TWA: 5 mg/m ³ Zr TWA: 0.02 mg/m ³ Mn respirable particulate matter TWA: 0.1 mg/m ³ Mn inhalable particulate matter	TWA: 10 µg/m ³ As TWA: 50 µg/m ³ Pb TWA: 0.5 mg/m ³ Sb TWA: 5 mg/m ³ Zr (vacated) TWA: 0.5 mg/m ³ Sb (vacated) TWA: 5 mg/m ³ Zr (vacated) STEL: 10 mg/m ³ Zr (vacated) Ceiling: 5 mg/m ³ Ceiling: 5 mg/m ³ Mn	IDLH: 5 mg/m ³ As IDLH: 9 mg/m ³ Cd dust and fume IDLH: 50 mg/m ³ Sb IDLH: 100 mg/m ³ Cu dust and mist IDLH: 500 mg/m ³ Mn IDLH: 25 mg/m ³ Zr IDLH: 100 mg/m ³ Pb IDLH: 10 mg/m ³ Ni Ceiling: 0.002 mg/m ³ As 15 min Ceiling: 0.05 mg/m ³ V dust and fume 15 min TWA: 0.5 mg/m ³ Sb TWA: 1 mg/m ³ Cu dust and mist TWA: 1 mg/m ³ Mn TWA: 5 mg/m ³ except Zirconium tetrachloride Zr TWA: 0.050 mg/m ³ Pb TWA: 0.015 mg/m ³ except Nickel carbonyl Ni STEL: 3 mg/m ³ Mn STEL: 10 mg/m ³ Zr
1,2,3-Propanetriol 56-81-5	-	TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction (vacated) TWA: 10 mg/m ³ mist, total particulate (vacated) TWA: 5 mg/m ³ mist, respirable fraction	-

Biological occupational exposure limits

Chemical name	ACGIH
Frits, chemicals 65997-18-4	200 µg/L - blood (Lead) - not critical 5 µg/g creatinine - urine (Cadmium) - not critical 5 µg/L - blood (Cadmium) - not critical

Appropriate engineering controls**Engineering controls**

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

FG00743 - Semi-Moist Underglaze - White**Revision date** 01-Feb-2024

Eye/face protection	No special protective equipment required.
Skin and body protection	No special protective equipment required.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties**Information on basic physical and chemical properties****Physical state** Solid**Appearance****Color****Odor****Odor threshold**

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
<u>Other information</u>		
Explosive properties	No information available	
Oxidizing properties	No information available	
VOC Content (%)	No information available	

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

FG00743 - Semi-Moist Underglaze - White

Revision date 01-Feb-2024

11. Toxicological information**Information on likely routes of exposure**

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity
No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	2,271.70 mg/kg
ATEmix (dermal)	31,250.00 mg/kg
ATEmix (inhalation-dust/mist)	29.30 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
Frits, chemicals 65997-18-4	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
1,2,3-Propanetriol 56-81-5	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 2.75 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.

Carcinogenicity No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group 1	Known	X
Frits, chemicals 65997-18-4	A1 A3 A2	Group 1 Group 2B Group 2A	Known Reasonably Anticipated	X

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

FG00743 - Semi-Moist Underglaze - White

Revision date 01-Feb-2024

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.**STOT - single exposure** No information available.**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.**Target organ effects** Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate, Gastrointestinal tract (GI).**Aspiration hazard** No information available.**Other adverse effects****Interactive effects****12. Ecological information****Ecotoxicity** Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1,2,3-Propanetriol 56-81-5	-	LC50: 51 - 57mL/L (96h, Oncorhynchus mykiss)	-	-

Persistence and degradability**Bioaccumulation****Component Information**

Chemical name	Partition coefficient
1,2,3-Propanetriol 56-81-5	-1.76

Other adverse effects No information available.**13. Disposal considerations**

FG00743 - Semi-Moist Underglaze - White**Revision date** 01-Feb-2024**Disposal methods****Waste from residues/unused products**

Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.

Contaminated packaging

Do not reuse empty containers.

California Hazardous Waste Status

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport information**DOT**

Not regulated

15. Regulatory information**International Inventories****TSCA**

Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Corn syrup	8029-43-4	Present	Active
Silicic acid (H ₄ SiO ₄), zirconium(4+) salt (1:1)	10101-52-7	Present	Active
Water	7732-18-5	Present	Active
Dextrin	9004-53-9	Present	Active
Feldspar	68476-25-5	Present	Active
Kaolin	1332-58-7	Present	Active
Quartz	14808-60-7	Present	Active
Frits, chemicals	65997-18-4	Present	Active
1,2,3-Propanetriol	56-81-5	Present	Active
Benzoic acid, 4-hydroxy-, methyl ester	99-76-3	Present	Active

DSL/NDSL**EINECS/ELINCS****ENCS****IECSC****KECL****PICCS****AIIC****NZIoC**

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Legend:**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances

FG00743 - Semi-Moist Underglaze - White**Revision date** 01-Feb-2024

KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Frits, chemicals - 65997-18-4	0.1 1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Frits, chemicals 65997-18-4	-	X	-	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	X
Feldspar 68476-25-5	X	-	X
Kaolin 1332-58-7	X	X	X
Quartz 14808-60-7	X	X	X
Frits, chemicals 65997-18-4	X	-	X
1,2,3-Propanetriol 56-81-5	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

FG00743 - Semi-Moist Underglaze - White**Revision date** 01-Feb-2024

NFPA	Health hazards 1	Flammability 0	Instability 0	Special hazards -
HMIS	Health hazards * 2 1	Flammability 0	Physical hazards 0	Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend Section 8: Exposure controls/personal protection**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 National Institute of Technology and Evaluation (NITE)
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program
 Organization for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Revision date 01-Feb-2024**Revision Note****Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

SAFETY DATA SHEET



Revision date 31-Jan-2024

Revision Number 1

1. Identification

Product identifier

Product Name Semi-Moist Underglaze - Black

Other means of identification

Product Code(s) FG00711

Synonyms 41406B, 01676D

Recommended use of the chemical and restrictions on use

Recommended use

Restrictions on use

Details of the supplier of the safety data sheet

Manufacturer Address

American Art Clay Co Inc
6060 Guion Road
Indianapolis, IN 46254-1222 USA
Toll Free: 1-800-999-5456
CustomerCare@Amaco.com

Emergency telephone number

Emergency Telephone U.S. Poison Control 1-800-222-1222

2. Hazard(s) identification

Classification

Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Hazard statements

Danger

FG00711 - Semi-Moist Underglaze - Black**Revision date** 31-Jan-2024

H350 - May cause cancer
H373 - May cause damage to organs through prolonged or repeated exposure

**Physical state** Solid**Precautionary Statements - Prevention**

Obtain special instructions before use
Do not handle until all safety precautions have been read and understood
Wear protective gloves/clothing and eye/face protection
Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May be harmful if swallowed. Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on ingredients

Not applicable.

Mixture

Chemical name	CAS No	Weight-%
Spinels, chromium cobalt iron black	68186-97-0	40 - 60
Quartz	14808-60-7	3 - <5
Kaolin	1332-58-7	3 - <5
Frits, chemicals	65997-18-4	3 - <5
1,2,3-Propanetriol	56-81-5	1 - <3

4. First-aid measures**Description of first aid measures****General advice**

IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.

Inhalation

Remove to fresh air.

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact

Wash skin with soap and water.

Ingestion

Rinse mouth.

FG00711 - Semi-Moist Underglaze - Black**Revision date** 31-Jan-2024**Most important symptoms and effects, both acute and delayed****Symptoms** No information available.**Indication of any immediate medical attention and special treatment needed****Note to physicians** Treat symptomatically.**5. Fire-fighting measures****Suitable Extinguishing Media** Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.**Large Fire** CAUTION: Use of water spray when fighting fire may be inefficient.**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.**Specific hazards arising from the chemical** No information available.**Explosion data****Sensitivity to mechanical impact** None.**Sensitivity to static discharge** None.**Special protective equipment and precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.**6. Accidental release measures****Personal precautions, protective equipment and emergency procedures****Personal precautions** Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas.**Other information** Refer to protective measures listed in Sections 7 and 8.**Methods and material for containment and cleaning up****Methods for containment** Prevent further leakage or spillage if safe to do so.**Methods for cleaning up** Pick up and transfer to properly labeled containers.**7. Handling and storage****Precautions for safe handling****Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation.**Conditions for safe storage, including any incompatibilities****Storage Conditions** Keep container tightly closed in a dry and well-ventilated place.**8. Exposure controls/personal protection**

FG00711 - Semi-Moist Underglaze - Black**Revision date** 31-Jan-2024**Control parameters****Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Spinels, chromium cobalt iron black 68186-97-0	TWA: 0.02 mg/m ³ Co inhalable particulate matter	TWA: 0.5 mg/m ³ Cr (vacated) TWA: 0.5 mg/m ³ Cr	IDLH: 25 mg/m ³ Cr(III) TWA: 0.5 mg/m ³ Cr
Quartz 14808-60-7	TWA: 0.025 mg/m ³ respirable particulate matter	TWA: 50 µg/m ³ (vacated) TWA: 0.1 mg/m ³ respirable dust : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust
Kaolin 1332-58-7	TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Frits, chemicals 65997-18-4	STEL: 10 mg/m ³ Zr TWA: 0.01 mg/m ³ As TWA: 0.05 mg/m ³ Pb TWA: 0.01 mg/m ³ Cd TWA: 0.002 mg/m ³ Cd respirable particulate matter TWA: 0.5 mg/m ³ Sb TWA: 1 mg/m ³ Cu dust and mist TWA: 3 mg/m ³ W respirable particulate matter in the absence of cobalt TWA: 5 mg/m ³ Zr TWA: 0.02 mg/m ³ Mn respirable particulate matter TWA: 0.1 mg/m ³ Mn inhalable particulate matter	TWA: 10 µg/m ³ As TWA: 50 µg/m ³ Pb TWA: 0.5 mg/m ³ Sb TWA: 5 mg/m ³ Zr (vacated) TWA: 0.5 mg/m ³ Sb (vacated) TWA: 5 mg/m ³ Zr (vacated) STEL: 10 mg/m ³ Zr (vacated) Ceiling: 5 mg/m ³ Ceiling: 5 mg/m ³ Mn	IDLH: 5 mg/m ³ As IDLH: 9 mg/m ³ Cd dust and fume IDLH: 50 mg/m ³ Sb IDLH: 100 mg/m ³ Cu dust and mist IDLH: 500 mg/m ³ Mn IDLH: 25 mg/m ³ Zr IDLH: 100 mg/m ³ Pb IDLH: 10 mg/m ³ Ni Ceiling: 0.002 mg/m ³ As 15 min Ceiling: 0.05 mg/m ³ V dust and fume 15 min TWA: 0.5 mg/m ³ Sb TWA: 1 mg/m ³ Cu dust and mist TWA: 1 mg/m ³ Mn TWA: 5 mg/m ³ except Zirconium tetrachloride Zr TWA: 0.050 mg/m ³ Pb TWA: 0.015 mg/m ³ except Nickel carbonyl Ni STEL: 3 mg/m ³ Mn STEL: 10 mg/m ³ Zr
1,2,3-Propanetriol 56-81-5	-	TWA: 15 mg/m ³ mist, total particulate TWA: 5 mg/m ³ mist, respirable fraction (vacated) TWA: 10 mg/m ³ mist, total particulate (vacated) TWA: 5 mg/m ³ mist, respirable fraction	-

Biological occupational exposure limits

Chemical name	ACGIH
Spinels, chromium cobalt iron black 68186-97-0	15 µg/L - urine (Cobalt) - end of shift at end of workweek
Frits, chemicals	200 µg/L - blood (Lead) - not critical

FG00711 - Semi-Moist Underglaze - Black**Revision date** 31-Jan-2024

65997-18-4	5 µg/g creatinine - urine (Cadmium) - not critical 5 µg/L - blood (Cadmium) - not critical
------------	---

Appropriate engineering controls

Engineering controls Showers
 Eyewash stations
 Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties**Information on basic physical and chemical properties**

Physical state Solid

Appearance

Color

Odor

Odor threshold

<u>Property</u>	<u>Values</u>	<u>Remarks - Method</u>
pH	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
<u>Other information</u>		
Explosive properties	No information available	
Oxidizing properties	No information available	
VOC Content (%)	No information available	

FG00711 - Semi-Moist Underglaze - Black

Revision date 31-Jan-2024

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

11. Toxicological informationInformation on likely routes of exposure**Product Information**

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	No information available.
-----------------	---------------------------

Acute toxicity**Numerical measures of toxicity**
No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	2,277.00 mg/kg
ATEmix (dermal)	31,318.50 mg/kg
ATEmix (inhalation-dust/mist)	29.40 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Spinels, chromium cobalt iron black 68186-97-0	-	-	> 5.09 mg/L (Rat) 4 h
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
Frits, chemicals 65997-18-4	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
1,2,3-Propanetriol 56-81-5	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 2.75 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.

FG00711 - Semi-Moist Underglaze - Black

Revision date 31-Jan-2024

Respiratory or skin sensitization No information available.**Germ cell mutagenicity** No information available.**Carcinogenicity** Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Spinels, chromium cobalt iron black 68186-97-0	A3	Group 2B Group 3	Reasonably Anticipated	X
Quartz 14808-60-7	A2	Group 1	Known	X
Frits, chemicals 65997-18-4	A1 A3 A2	Group 1 Group 2B Group 2A	Known Reasonably Anticipated	X

Legend**ACGIH (American Conference of Governmental Industrial Hygienists)**

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.**STOT - single exposure** No information available.**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.**Target organ effects** Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate, Gastrointestinal tract (GI).**Aspiration hazard** No information available.**Other adverse effects****Interactive effects****12. Ecological information****Ecotoxicity** Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

FG00711 - Semi-Moist Underglaze - Black**Revision date** 31-Jan-2024

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1,2,3-Propanetriol 56-81-5	-	LC50: 51 - 57mL/L (96h, Oncorhynchus mykiss)	-	-

Persistence and degradability**Bioaccumulation****Component Information**

Chemical name	Partition coefficient
1,2,3-Propanetriol 56-81-5	-1.76

Other adverse effects No information available.**13. Disposal considerations****Disposal methods****Waste from residues/unused products** Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.**Contaminated packaging** Do not reuse empty containers.**California Hazardous Waste Status** This product contains one or more substances that are listed with the State of California as a hazardous waste.**14. Transport information****DOT** Not regulated**15. Regulatory information****International Inventories****TSCA** Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Corn syrup	8029-43-4	Present	Active
Spinels, chromium cobalt iron black	68186-97-0	Present	Active
Water	7732-18-5	Present	Active
Dextrin	9004-53-9	Present	Active
Feldspar	68476-25-5	Present	Active
Kaolin	1332-58-7	Present	Active
Quartz	14808-60-7	Present	Active

FG00711 - Semi-Moist Underglaze - Black**Revision date** 31-Jan-2024

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Frits, chemicals	65997-18-4	Present	Active
1,2,3-Propanetriol	56-81-5	Present	Active
Benzoic acid, 4-hydroxy-, methyl ester	99-76-3	Present	Active

DSL/NDSL Contact supplier for inventory compliance status.
EINECS/ELINCS Contact supplier for inventory compliance status.
ENCS Contact supplier for inventory compliance status.
IECSC Contact supplier for inventory compliance status.
KECL Contact supplier for inventory compliance status.
PICCS Contact supplier for inventory compliance status.
AIIC Contact supplier for inventory compliance status.
NZIoC Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Spinels, chromium cobalt iron black - 68186-97-0	0.1 1.0
Frits, chemicals - 65997-18-4	0.1 1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Spinels, chromium cobalt iron black 68186-97-0	-	X	-	-
Frits, chemicals 65997-18-4	-	X	-	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

FG00711 - Semi-Moist Underglaze - Black

Revision date 31-Jan-2024

US State Regulations**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Spinels, chromium cobalt iron black 68186-97-0	X	-	X
Water 7732-18-5	-	-	X
Feldspar 68476-25-5	X	-	X
Kaolin 1332-58-7	X	X	X
Quartz 14808-60-7	X	X	X
Frits, chemicals 65997-18-4	X	-	X
1,2,3-Propanetriol 56-81-5	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 1 Flammability 0 Instability 0 Special hazards -
HMIS Health hazards * 2 1 Flammability 0 Physical hazards 0 Personal protection X
Chronic Hazard Star Legend * = Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend Section 8: Exposure controls/personal protection**

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)
 Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 National Institute of Technology and Evaluation (NITE)
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program
 Organization for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Revision date 31-Jan-2024

FG00711 - Semi-Moist Underglaze - Black**Revision date** 31-Jan-2024**Revision Note****Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet