## 30428-8576

# SAFETY DATA SHEET



**Revision Number** 1

Revision date 09-Nov-2022

1. Identification		
Product identifier		
Product Name	O-30 Autumn Leaf	
Other means of identification		
Product Code(s)	FG00355	
UN number or ID number	UN3082	
Synonyms	38664Y	
Recommended use of the chemica	al and restrictions on use	
Recommended use		
Restrictions on use		
Details of the supplier of the safety	y data sheet	
Manufacturer Address American Art Clay Co Inc 6060 Guion Road Indianapolis, IN 46254-1222 USA Toll Free: 1-800-999-5456 CustomerCare@Amaco.com		

## Emergency telephone number

**Emergency Telephone** 

U.S. Poison Control 1-800-222-1222

## 2. Hazard(s) identification

## **Classification**

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

Hazards not otherwise classified (HNOC) Not applicable

#### Label elements

## Revision date 09-Nov-2022

## Hazard statements

Warning H302 - Harmful if swallowed H317 - May cause an allergic skin reaction H332 - Harmful if inhaled H373 - May cause damage to organs through prolonged or repeated exposure

#### Physical state Liquid

Precautionary Statements - Prevention Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Contaminated work clothing must not be allowed out of the workplace Wear protective gloves Do not breathe dust/fume/gas/mist/vapors/spray

## **Precautionary Statements - Response**

Specific treatment (see .? on this label) Get medical advice/attention if you feel unwell IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a doctor if you feel unwell IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell Rinse mouth

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Unknown acute toxicity

4.707 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

15.807 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

#### Other information

Toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

## 3. Composition/information on ingredients

#### Not applicable.

#### Mixture

Chemical name	CAS No	Weight-%
Frits, chemicals	65997-18-4	20 - 40
Kaolin	1332-58-7	5 - <10
Quartz	14808-60-7	3 - <5
Zinc oxide (ZnO)	1314-13-2	1 - <3
Calcium fluoride (CaF2)	7789-75-5	1 - <3
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol	4719-04-4	0.1 - 1

#### Revision date 09-Nov-2022

4. First-aid measures		
Description of first aid measures		
General advice	Show this safety data sheet to the doctor in attendance.	
Inhalation	Remove to fresh air. If symptoms persist, call a physician. If breathing has stopped, give artificial respiration. Get medical attention immediately.	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.	
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get medical attention.	
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid breathing vapors or mists. Use personal protective equipment as required. See section 8 for more information.	
Most important symptoms and effe	ects, both acute and delayed	
Symptoms	Itching. Rashes. Hives. Coughing and/ or wheezing. Difficulty in breathing.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.	
5. Fire-fighting measures		
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.	
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.	
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.	
Explosion data Sensitivity to mechanical impac	ct None.	
Sensitivity to static discharge	None.	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	
6. Accidental release meas	sures	
Personal precautions, protective e	quipment and emergency procedures	
Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Avoid breathing vapors or mists.	
Other information	Refer to protective measures listed in Sections 7 and 8.	
	Page 3 / 13	

Item Numbers: 30428-8576

#### Revision date 09-Nov-2022

Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Pick up and transfer to properly labeled containers.	

of children.

## 7. Handling and storage

#### Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with Advice on safe handling skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid breathing vapors or mists. Conditions for safe storage, including any incompatibilities **Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

## 8. Exposure controls/personal protection

#### Control parameters

**Exposure Limits** 

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Frits, chemicals	STEL: 10 mg/m <sup>3</sup> Zr	TWA: 10 µg/m³ As	IDLH: 5 mg/m <sup>3</sup> As
65997-18-4	TWA: 0.01 mg/m <sup>3</sup> As	TWA: 50 µg/m <sup>3</sup> Pb	IDLH: 9 mg/m <sup>3</sup> Cd dust and
	TWA: 0.05 mg/m <sup>3</sup> Pb	TWA: 0.5 mg/m <sup>3</sup> Sb	fume
	TWA: 0.01 mg/m <sup>3</sup> Cd	TWA: 5 mg/m <sup>3</sup> Zr	IDLH: 50 mg/m <sup>3</sup> Sb
	TWA: 0.002 mg/m <sup>3</sup> Cd	(vacated) TWA: 0.5 mg/m <sup>3</sup> Sb	IDLH: 100 mg/m <sup>3</sup> Cu dust and
	respirable particulate matter	(vacated) TWA: 5 mg/m <sup>3</sup> Zr	mist
	TWA: 0.5 mg/m <sup>3</sup> Sb	(vacated) STEL: 10 mg/m <sup>3</sup> Zr	IDLH: 500 mg/m <sup>3</sup> Mn
	TWA: 1 mg/m <sup>3</sup> Cu dust and mist	(vacated) Ceiling: 5 mg/m <sup>3</sup>	IDLH: 25 mg/m <sup>3</sup> Zr
	TWA: 3 mg/m <sup>3</sup> W respirable	Ceiling: 5 mg/m <sup>3</sup> Mn	IDLH: 100 mg/m <sup>3</sup> Pb
	particulate matter in the absence		IDLH: 10 mg/m <sup>3</sup> Ni
	of cobalt		Ceiling: 0.002 mg/m <sup>3</sup> As 15 min
	TWA: 5 mg/m <sup>3</sup> Zr		Ceiling: 0.05 mg/m <sup>3</sup> V dust and
	TWA: 0.02 mg/m <sup>3</sup> Mn respirable		fume 15 min
	particulate matter		TWA: 0.5 mg/m <sup>3</sup> Sb
	TWA: 0.1 mg/m <sup>3</sup> Mn inhalable		TWA: 1 mg/m <sup>3</sup> Cu dust and
	particulate matter		mist
			TWA: 1 mg/m <sup>3</sup> Mn
			TWA: 5 mg/m <sup>3</sup> except Zirconium
			tetrachloride Zr
			TWA: 0.050 mg/m <sup>3</sup> Pb
			TWA: 0.015 mg/m <sup>3</sup> except
			Nickel carbonyl Ni
			STEL: 3 mg/m <sup>3</sup> Mn
			STEL: 10 mg/m <sup>3</sup> Zr
Kaolin	TWA: 2 mg/m <sup>3</sup> particulate	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> total dust

### Revision date 09-Nov-2022

1332-58-7	matter containing no asbestos	TWA: 5 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> respirable dust
	and <1% crystalline silica,	fraction	
	respirable particulate matter	(vacated) TWA: 10 mg/m <sup>3</sup> total	
		dust	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction	
Quartz	TWA: 0.025 mg/m <sup>3</sup> respirable	TWA: 50 μg/m³	IDLH: 50 mg/m <sup>3</sup> respirable dust
14808-60-7	particulate matter	(vacated) TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> respirable
		respirable dust	dust
		: (250)/(%SiO2 + 5) mppcf	
		TWA respirable fraction	
		: (10)/(%SiO2 + 2) mg/m <sup>3</sup>	
		TWA respirable fraction	
Zinc oxide (ZnO)	STEL: 10 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> fume	IDLH: 500 mg/m <sup>3</sup>
1314-13-2	particulate matter	TWA: 15 mg/m <sup>3</sup> total dust	Ceiling: 15 mg/m <sup>3</sup> dust
	TWA: 2 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> dust and fume
	particulate matter	fraction	STEL: 10 mg/m <sup>3</sup> fume
		(vacated) TWA: 5 mg/m <sup>3</sup> fume	
		(vacated) TWA: 10 mg/m <sup>3</sup> total	
		dust	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction	
		(vacated) STEL: 10 mg/m <sup>3</sup>	
		fume	
Calcium fluoride (CaF2)	TWA: 2.5 mg/m <sup>3</sup> F	TWA: 2.5 mg/m <sup>3</sup> F	IDLH: 250 mg/m <sup>3</sup> F
7789-75-5		(vacated) TWA: 2.5 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup> F

#### **Biological occupational exposure limits**

Chemical name	ACGIH	
Frits, chemicals	200 μg/L - blood (Lead) - not critical	
65997-18-4	5 μg/g creatinine - urine (Cadmium) - not critical	
	5 µg/L - blood (Cadmium) - not critical	
Calcium fluoride (CaF2)	2 mg/L - urine (Fluoride) - prior to shift	
7789-75-5	3 mg/L - urine (Fluoride) - end of shift	

## Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems. ch as personal protective equipment
individual protection measures, su	
Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product.

## 9. Physical and chemical properties

## Information on basic physical and chemical properties Physical state Liquid

Appearance		
Color		
Odor		
Odor threshold		
Property_	Values	Remarks • Method
рН	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling rang	eNo data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
VOC Content (%)	No information available	
10. Stability and reactivity		
Reactivity	No information available.	
Chemical stability	Stable under normal conditions.	
Possibility of hazardous reactions	None under normal processing.	
Conditions to avoid	Excessive heat.	

Incompatible materials None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

## 11. Toxicological information

Information on likely routes of exposure

Product Information	
Inhalation	Specific test data for the substance or mixture is not available. Harmful by inhalation. (based on components).
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).

Page 6/13

Ρ

### Revision date 09-Nov-2022

## FG00355 - O-30 Autumn LeafRevision date09-Nov-2022

Ingestion Specific test data for the substance or mixture is not available. Harmful if swallowed. (based on components).

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Itching. Rashes. Hives. Coughing and/ or wheezing.

Acute toxicity

Numerical measures of toxicity No information available

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	327.00 mg/kg
ATEmix (dermal)	5,660.90 mg/kg
ATEmix (inhalation-dust/mist)	4.09 mg/l

#### Unknown acute toxicity

4.707 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

15.807 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Frits, chemicals 65997-18-4	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
Zinc oxide (ZnO) 1314-13-2	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 5700 mg/m³(Rat)4 h
Calcium fluoride (CaF2) 7789-75-5	= 4250 mg/kg (Rat)	-	> 5070 mg/m³(Rat)4 h
1,3,5-Triazine-1,3,5(2H,4H,6H)-t riethanol 4719-04-4	= 763 mg/kg (Rat)	> 4000 mg/kg (Rat)	= 0.4 mg/L (Rat)4 h = 0.338 mg/L (Rat)4 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure\_\_\_\_

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	May cause sensitization by skin contact.
Germ cell mutagenicity	No information available.

**Carcinogenicity** No information available. The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Frits, chemicals	A1	Group 1	Known	Х
65997-18-4	A3	Group 2B	Reasonably Anticipated	
	A2	Group 2A		
Quartz	A2	Group 1	Known	Х
14808-60-7		-		
Calcium fluoride (CaF2)	-	Group 3	-	-
7789-75-5		-		

#### Legend

#### ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

#### Revision date 09-Nov-2022

Group 1 - Carcinogenic to Huma Group 2A - Probably Carcinoger Group 2B - Possibly Carcinogen	IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans		
	gram) nably Anticipated to be a Human Carcinogen nd Health Administration of the US Department of Labor)		
Reproductive toxicity	No information available.		
STOT - single exposure	No information available.		
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.		
Target organ effects	Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate, Gastrointestinal tract (GI).		
Aspiration hazard	No information available.		
Other adverse effects			
Interactive effects			

## 12. Ecological information

### Ecotoxicity

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Zinc oxide (ZnO)	-	LC50: =1.55mg/L (96h,	-	-
1314-13-2		Danio rerio)		
1,3,5-Triazine-1,3,5(2H,4	-	LC50: =16.07mg/L (96h,	-	-
H,6H)-triethanol		Danio rerio)		
4719-04-4				

## Persistence and degradability

Bioaccumulation	There is no data for this product.
Other adverse effects	No information available.

13. Disposal considerations		
Disposal methods		
Waste from residues/unused	Dispose of waste in accordance with environmental legislation. Dispose of in accordance	

Page 8/13

Revision date 09-Nov-2022

products	with local regulations.
Contaminated packaging	Do not reuse empty containers.
California Hazardous Waste Status	This product contains one or more substances that are listed with the State of California as a hazardous waste.

## 14. Transport information

## DOT

DOT	
UN number or ID number Proper shipping name	UN3082 Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es) Packing group	9 
Special Provisions	8, 146, 173, 335, IB3, T4, TP1, TP29
DOT Marine Pollutant Marine pollutant	PP Frits, chemicals
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III, Marine pollutant
Emergency Response Guide Number	171
TDG	
UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Special Provisions	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III 16, 99
Marine pollutant name Description	Frits, chemicals, Zinc oxide (ZnO). UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals, Zinc oxide (ZnO)), 9, III
MEX	
UN number or ID number UN proper shipping name Transport hazard class(es) Packing group	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III
Technical Name Description	Frits, chemicals, Zinc oxide (ZnO) UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals, Zinc oxide (ZnO)), 9, III
Special Provisions	274, 331, 335
ICAO (air)	
UN number or ID number	UN3082 Environmentally hazardous substance, liquid, n.o.s.
UN proper shipping name Transport hazard class(es)	9
Packing group	
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals, Zinc oxide (ZnO)), 9, III
Special Provisions	A97, A158, A197, A215
IATA	
UN number or ID number UN proper shipping name Transport hazard class(es) Packing group	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III
Technical Name Description	Frits, chemicals, Zinc oxide (ZnO) UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals, Zinc oxide (ZnO)), 9, III
Special Provisions ERG Code	A97, A158, A197 9L
IMDG	

## Revision date 09-Nov-2022

UN number or ID number UN proper shipping name Transport hazard class(es) Packing group EmS-No Special Provisions Marine pollutant Marine Pollutant Description	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III F-A, S-F 274, 335, 969 P Frits, chemicals, Zinc oxide (ZnO) UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals, Zinc oxide (ZnO)), 9, III, Marine pollutant
<u>RID</u>	UN3082
UN number or ID number	Environmentally hazardous substance, liquid, n.o.s.
UN proper shipping name	9
Transport hazard class(es)	III
Packing group	M6
Classification code	274, 335, 375, 601
Special Provisions	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals, Zinc oxide
Description	(ZnO)), 9, III
ADR	UN3082
UN number or ID number	Environmentally hazardous substance, liquid, n.o.s.
UN proper shipping name	9
Transport hazard class(es)	III
Packing group	M6
Classification code	(-)
Tunnel restriction code	274, 335, 601, 375
Special Provisions	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals, Zinc oxide
Description	(ZnO)), 9, III, (-)
ADN	UN3082
UN number or ID number	Environmentally hazardous substance, liquid, n.o.s.
UN proper shipping name	9
Transport hazard class(es)	III
Packing group	M6
Classification code	274, 335, 375, 601
Special Provisions	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals, Zinc oxide
Description	(ZnO)), 9, III
Equipment Requirements	PP

## 15. Regulatory information

#### International Inventories

TSCA

Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Water	7732-18-5	Present	Active
Frits, chemicals	65997-18-4	Present	Active
Kaolin	1332-58-7	Present	Active
Quartz	14808-60-7	Present	Active
Zinc oxide (ZnO)	1314-13-2	Present	Active
Calcium fluoride (CaF2)	7789-75-5	Present	Active
Iron oxide (Fe3O4)	1317-61-9	Present	Active
Smectite-group minerals	12199-37-0	Present	Active
Sodium carboxymethyl cellulose	9004-32-4	Present	Active
Limestone	1317-65-3	Present	Active
1,3,5-Triazine-1,3,5(2H,4H,6H)-trietha	4719-04-4	Present	Active

#### Revision date 09-Nov-2022

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
nol			
Ethanolamine	141-43-5	Present	Active

DSL/NDSL EINECS/ELINCS ENCS	Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
NZIoC	Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances **PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %	
Frits, chemicals - 65997-18-4	0.1	
	1.0	
Zinc oxide (ZnO) - 1314-13-2	1.0	

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Frits, chemicals 65997-18-4	-	Х	-	-
Zinc oxide (ZnO) 1314-13-2	-	X	-	-

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### US State Regulations

#### U.S. State Right-to-Know Regulations

#### Revision date 09-Nov-2022

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	X
Frits, chemicals 65997-18-4	Х	-	Х
Kaolin 1332-58-7	Х	X	Х
Quartz 14808-60-7	Х	X	Х
Zinc oxide (ZnO) 1314-13-2	Х	X	Х
Calcium fluoride (CaF2) 7789-75-5	Х	-	-
Limestone 1317-65-3	Х	X	Х
Ethanolamine 141-43-5	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information					
NFPA HMIS	Health hazards 2 Health hazards 2 *	Flammability 0 Flammability 0	Instability 0 Physical hazards 0	Special hazards  - Personal protection   X	
Legend Section 8 TWA	bbreviations and acronyms : Exposure controls/persona TWA (time-weighted average) Maximum limit value	al protection	<u>sheet</u> STEL (Short Tern Skin designation	n Exposure Limit)	
Revision date Revision Note <u>Disclaimer</u> The information p	09-Nov-20 rovided in this Safety Data S		est of our knowledge, infor	mation and belief at the	

Revision date 09-Nov-2022

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet