

30458-5116

# SAFETY DATA SHEET



Revision date 09-Nov-2022

Revision Number 1

## 1. Identification

### Product identifier

**Product Name** HF-125 Turquoise

### Other means of identification

**Product Code(s)** FG00210**Synonyms** 37047G, 37041B, 37048L

### Recommended use of the chemical and restrictions on use

**Recommended use****Restrictions on use**

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

American Art Clay Co Inc  
 6060 Guion Road  
 Indianapolis, IN 46254-1222 USA  
 Toll Free: 1-800-999-5456  
 CustomerCare@Amaco.com

### Emergency telephone number

**Emergency Telephone** U.S. Poison Control 1-800-222-1222

## 2. Hazard(s) identification

### Classification

Skin sensitization	Category 1
Carcinogenicity	Category 1A

### Hazards not otherwise classified (HNOC)

Not applicable

### Label elements

#### Hazard statements

Danger

**FG00210 - HF-125 Turquoise**

Revision date 09-Nov-2022

H317 - May cause an allergic skin reaction  
 H350 - May cause cancer

**Physical state** Liquid**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Use personal protective equipment as required  
 Avoid breathing dust/fume/gas/mist/vapors/spray  
 Contaminated work clothing must not be allowed out of the workplace

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention  
 Specific treatment (see .? on this label)  
 IF ON SKIN: Wash with plenty of soap and water  
 If skin irritation or rash occurs: Get medical advice/attention  
 Wash contaminated clothing before reuse

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

47.607 % of the mixture consists of ingredient(s) of unknown acute oral toxicity  
 47.607 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity  
 53.987 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)  
 53.987 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)  
 49.547 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Other information**

Toxic to aquatic life with long lasting effects. Toxic to aquatic life.

**3. Composition/information on ingredients**

Not applicable.

**Mixture**

Chemical name	CAS No	Weight-%
Quartz	14808-60-7	10 - 20
Limestone	1317-65-3	5 - <10
Zinc oxide (ZnO)	1314-13-2	3 - <5
Zircon	14940-68-2	1 - <3
C.I. Pigment Blue 71	68186-95-8	1 - <3
Kaolin	1332-58-7	1 - <3
C.I. Pigment Black 25	68186-89-0	0.1 - 1
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol	4719-04-4	0.1 - 1

**4. First-aid measures**

**FG00210 - HF-125 Turquoise****Revision date** 09-Nov-2022**Description of first aid measures**

<b>General advice</b>	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
<b>Inhalation</b>	Remove to fresh air.
<b>Eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Skin contact</b>	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
<b>Ingestion</b>	Rinse mouth.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** Itching. Rashes. Hives.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** May cause sensitization in susceptible persons. Treat symptomatically.

**5. Fire-fighting measures**

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Large Fire</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.
<b>Specific hazards arising from the chemical</b>	Product is or contains a sensitizer. May cause sensitization by skin contact.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	None.
<b>Sensitivity to static discharge</b>	None.
<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**6. Accidental release measures****Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
<b>Other information</b>	Refer to protective measures listed in Sections 7 and 8.

**Methods and material for containment and cleaning up**

<b>Methods for containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Pick up and transfer to properly labeled containers.

FG00210 - HF-125 Turquoise

Revision date 09-Nov-2022

**7. Handling and storage****Precautions for safe handling****Advice on safe handling**

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

**Conditions for safe storage, including any incompatibilities****Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place.

**8. Exposure controls/personal protection****Control parameters****Exposure Limits**

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Quartz 14808-60-7	TWA: 0.025 mg/m <sup>3</sup> respirable particulate matter	TWA: 50 µg/m <sup>3</sup> (vacated) TWA: 0.1 mg/m <sup>3</sup> respirable dust : (250)/(%SiO <sub>2</sub> + 5) mppcf TWA respirable fraction : (10)/(%SiO <sub>2</sub> + 2) mg/m <sup>3</sup> TWA respirable fraction	IDLH: 50 mg/m <sup>3</sup> respirable dust TWA: 0.05 mg/m <sup>3</sup> respirable dust
Limestone 1317-65-3	-	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Zinc oxide (ZnO) 1314-13-2	STEL: 10 mg/m <sup>3</sup> respirable particulate matter TWA: 2 mg/m <sup>3</sup> respirable particulate matter	TWA: 5 mg/m <sup>3</sup> fume TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 5 mg/m <sup>3</sup> fume (vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) STEL: 10 mg/m <sup>3</sup> fume	IDLH: 500 mg/m <sup>3</sup> Ceiling: 15 mg/m <sup>3</sup> dust TWA: 5 mg/m <sup>3</sup> dust and fume STEL: 10 mg/m <sup>3</sup> fume
Zircon 14940-68-2	STEL: 10 mg/m <sup>3</sup> Zr TWA: 5 mg/m <sup>3</sup> Zr	TWA: 5 mg/m <sup>3</sup> Zr (vacated) TWA: 5 mg/m <sup>3</sup> Zr (vacated) STEL: 10 mg/m <sup>3</sup> Zr	IDLH: 25 mg/m <sup>3</sup> Zr TWA: 5 mg/m <sup>3</sup> except Zirconium tetrachloride Zr STEL: 10 mg/m <sup>3</sup> Zr
C.I. Pigment Blue 71 68186-95-8	STEL: 10 mg/m <sup>3</sup> Zr TWA: 5 mg/m <sup>3</sup> Zr	TWA: 5 mg/m <sup>3</sup> Zr (vacated) TWA: 5 mg/m <sup>3</sup> Zr (vacated) STEL: 10 mg/m <sup>3</sup> Zr	IDLH: 25 mg/m <sup>3</sup> Zr Ceiling: 0.05 mg/m <sup>3</sup> V dust and fume 15 min TWA: 5 mg/m <sup>3</sup> except Zirconium tetrachloride Zr STEL: 10 mg/m <sup>3</sup> Zr
Kaolin	TWA: 2 mg/m <sup>3</sup> particulate	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> total dust

**FG00210 - HF-125 Turquoise**

Revision date 09-Nov-2022

1332-58-7	matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 5 mg/m <sup>3</sup> respirable dust
C.I. Pigment Black 25 68186-89-0	TWA: 0.02 mg/m <sup>3</sup> Co inhalable particulate matter	-	IDLH: 10 mg/m <sup>3</sup> Ni TWA: 0.015 mg/m <sup>3</sup> except Nickel carbonyl Ni

**Biological occupational exposure limits**

Chemical name	ACGIH
C.I. Pigment Black 25 68186-89-0	15 µg/L - urine (Cobalt) - end of shift at end of workweek

**Appropriate engineering controls**

**Engineering controls**                      Showers  
 Eyewash stations  
 Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**                      Wear safety glasses with side shields (or goggles).

**Hand protection**                              Wear suitable gloves.

**Skin and body protection**                      Wear suitable protective clothing.

**Respiratory protection**                      No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations**                      Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

**9. Physical and chemical properties****Information on basic physical and chemical properties**

**Physical state**                                      Liquid  
**Appearance**  
**Color**  
**Odor**  
**Odor threshold**

<u>Property</u>	<u>Values</u>	<u>Remarks - Method</u>
<b>pH</b>	No data available	None known
<b>Melting point / freezing point</b>	No data available	None known
<b>Initial boiling point and boiling range</b>	No data available	None known
<b>Flash point</b>	No data available	None known
<b>Evaporation rate</b>	No data available	None known
<b>Flammability</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	
<b>Vapor pressure</b>	No data available	None known
<b>Relative vapor density</b>	No data available	None known
<b>Relative density</b>	No data available	None known

**FG00210 - HF-125 Turquoise**

Revision date 09-Nov-2022

<b>Water solubility</b>	No data available	None known
<b>Solubility(ies)</b>	No data available	None known
<b>Partition coefficient</b>	No data available	None known
<b>Autoignition temperature</b>	410 °C / 770 °F	None known
<b>Decomposition temperature</b>		None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	No data available	None known
<b>Other information</b>		
<b>Explosive properties</b>	No information available	
<b>Oxidizing properties</b>	No information available	
<b>VOC Content (%)</b>	No information available	

**10. Stability and reactivity**

<b>Reactivity</b>	No information available.
<b>Chemical stability</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions</b>	None under normal processing.
<b>Conditions to avoid</b>	None known based on information supplied.
<b>Incompatible materials</b>	None known based on information supplied.
<b>Hazardous decomposition products</b>	None known based on information supplied.

**11. Toxicological information****Information on likely routes of exposure****Product Information**

<b>Inhalation</b>	Specific test data for the substance or mixture is not available.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available.
<b>Skin contact</b>	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).
<b>Ingestion</b>	Specific test data for the substance or mixture is not available.

**Symptoms related to the physical, chemical and toxicological characteristics**

<b>Symptoms</b>	Itching. Rashes. Hives.
-----------------	-------------------------

**Acute toxicity**

**Numerical measures of toxicity**  
No information available

**The following values are calculated based on chapter 3.1 of the GHS document**

<b>ATEmix (oral)</b>	41,060.30 mg/kg
<b>ATEmix (dermal)</b>	20,089.30 mg/kg
<b>ATEmix (inhalation-dust/mist)</b>	64.80 mg/l

47.607 % of the mixture consists of ingredient(s) of unknown acute oral toxicity  
 47.607 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity  
 53.987 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)  
 53.987 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)  
 49.547 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

## FG00210 - HF-125 Turquoise

Revision date 09-Nov-2022

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Zinc oxide (ZnO) 1314-13-2	> 5000 mg/kg ( Rat )	> 2000 mg/kg ( Rat )	> 5700 mg/m <sup>3</sup> ( Rat ) 4 h
C.I. Pigment Blue 71 68186-95-8	-	-	> 5.1 mg/L ( Rat ) 4 h
Kaolin 1332-58-7	> 5000 mg/kg ( Rat )	> 5000 mg/kg ( Rat )	-
1,3,5-Triazine-1,3,5(2H,4H,6H)-t riethanol 4719-04-4	= 763 mg/kg ( Rat )	> 4000 mg/kg ( Rat )	= 0.4 mg/L ( Rat ) 4 h = 0.338 mg/L ( Rat ) 4 h

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Skin corrosion/irritation** No information available.**Serious eye damage/eye irritation** No information available.**Respiratory or skin sensitization** May cause an allergic skin reaction.**Germ cell mutagenicity** No information available.**Carcinogenicity** Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group 1	Known	X
C.I. Pigment Black 25 68186-89-0	A3	Group 2B Group 1	Reasonably Anticipated Known	X

**Legend****ACGIH (American Conference of Governmental Industrial Hygienists)**

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

**IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

**NTP (National Toxicology Program)**

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present

**Reproductive toxicity** No information available.**STOT - single exposure** No information available.**STOT - repeated exposure** No information available.**Target organ effects** Respiratory system, Eyes, Skin, Lungs, Gastrointestinal tract (GI).**Aspiration hazard** No information available.

FG00210 - HF-125 Turquoise

Revision date 09-Nov-2022

Other adverse effects

Interactive effects

**12. Ecological information****Ecotoxicity** Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Zinc oxide (ZnO) 1314-13-2	-	LC50: =1.55mg/L (96h, Danio rerio)	-	-
1,3,5-Triazine-1,3,5(2H,4 H,6H)-triethanol 4719-04-4	-	LC50: =16.07mg/L (96h, Danio rerio)	-	-

**Persistence and degradability****Bioaccumulation** There is no data for this product.**Other adverse effects** No information available.**13. Disposal considerations****Disposal methods****Waste from residues/unused products** Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.**Contaminated packaging** Do not reuse empty containers.**California Hazardous Waste Status** This product contains one or more substances that are listed with the State of California as a hazardous waste.**14. Transport information****DOT** Not regulated**UN number or ID number** UN3082  
**Packing group** III**15. Regulatory information****International Inventories****TSCA** Contact supplier for inventory compliance status.

**FG00210 - HF-125 Turquoise**

Revision date 09-Nov-2022

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Water	7732-18-5	Present	Active
Feldspar	68476-25-5	Present	Active
Quartz	14808-60-7	Present	Active
Limestone	1317-65-3	Present	Active
Zinc oxide (ZnO)	1314-13-2	Present	Active
Zircon	14940-68-2	Present	Active
C.I. Pigment Blue 71	68186-95-8	Present	Active
Kaolin	1332-58-7	Present	Active
Sodium carboxymethyl cellulose	9004-32-4	Present	Active
Smectite-group minerals	12199-37-0	Present	Active
C.I. Pigment Black 25	68186-89-0	Present	Active
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol	4719-04-4	Present	Active
Hematite, chromium green black	68909-79-5	Present	Active
Ethanolamine	141-43-5	Present	Active

**DSL/NDSL****EINECS/ELINCS****ENCS****IECSC****KECL****PICCS****AIIC****NZIoC**

Contact supplier for inventory compliance status.

**Legend:****TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AIIC** - Australian Inventory of Industrial Chemicals**NZIoC** - New Zealand Inventory of Chemicals**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Zinc oxide (ZnO) - 1314-13-2	1.0
C.I. Pigment Blue 71 - 68186-95-8	1.0
C.I. Pigment Black 25 - 68186-89-0	0.1

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances

**FG00210 - HF-125 Turquoise**

Revision date 09-Nov-2022

Zinc oxide (ZnO) 1314-13-2	-	X	-	-
C.I. Pigment Black 25 68186-89-0	-	X	-	-

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**US State Regulations****U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	X
Feldspar 68476-25-5	X	-	X
Quartz 14808-60-7	X	X	X
Limestone 1317-65-3	X	X	X
Zinc oxide (ZnO) 1314-13-2	X	X	X
C.I. Pigment Blue 71 68186-95-8	X	-	-
Kaolin 1332-58-7	X	X	X
C.I. Pigment Black 25 68186-89-0	X	-	X
Hematite, chromium green black 68909-79-5	X	-	X
Ethanolamine 141-43-5	X	X	X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

**16. Other information**

**NFPA** Health hazards 2 Flammability 1 Instability 0 Special hazards -  
**HMIS** Health hazards 2 \* Flammability 1 Physical hazards 0 Personal protection X  
*Chronic Hazard Star Legend \* = Chronic Health Hazard*

**Key or legend to abbreviations and acronyms used in the safety data sheet****Legend Section 8: Exposure controls/personal protection**

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)  
 Ceiling Maximum limit value \* Skin designation

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 EPA (Environmental Protection Agency)  
 Acute Exposure Guideline Level(s) (AEGl(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

**FG00210 - HF-125 Turquoise****Revision date** 09-Nov-2022

U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
National Institute of Technology and Evaluation (NITE)  
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

**Revision date** 09-Nov-2022**Revision Note****Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**