**SAFETY DATA SHEET** 

#### 30489-1186

## AMACO EST. 1919 brent

Revision Number 1.02

Revision date 04-Aug-2022

1. Identification			
Product identifier			
Product Name	C-10 Snow		
Other means of identification			
Product Code(s)	FG00093		
Synonyms	39402B, 39420X		
Recommended use of the chemica	l and restrictions on use		
Recommended use			
Restrictions on use			
Details of the supplier of the safety data sheet			
Manufacturer Address American Art Clay Co Inc 6060 Guion Road Indianapolis, IN 46254-1222 USA Toll Free: 1-800-999-5456 CustomerCare@Amaco.com			
Emergency telephone number			

**Emergency Telephone** 

U.S. Poison Control 1-800-222-1222

#### 2. Hazard(s) identification

#### **Classification**

Acute toxicity - Oral	Category 4
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

Hazards not otherwise classified (HNOC) Not applicable

### Label elements

Hazard statements Warning		
H302 - Harmful if swallowed H317 - May cause an allergic skin reaction H373 - May cause damage to organs through prolonged or repeated exposure		
Item Numbers: 30489-1186, 30489-1189	Page 1	of 10



#### Physical state Liquid

Precautionary Statements - Prevention Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Contaminated work clothing must not be allowed out of the workplace Wear protective gloves/clothing and eye/face protection Do not breathe dust/fume/gas/mist/vapors/spray

#### **Precautionary Statements - Response**

Specific treatment (see .? on this label) Get medical advice/attention if you feel unwell IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Rinse mouth

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Unknown acute toxicity

27.56885 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

38.35885 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

50.98885 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

50.98885 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

41.51885 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

#### Other information

Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

#### 3. Composition/information on ingredients

Not applicable.

#### <u>Mixture</u>

Chemical name	CAS No	Weight-%
Quartz	14808-60-7	10 - 20
Wollastonite (Ca(SiO3))	13983-17-0	5 - <10
Frits, chemicals	65997-18-4	5 - <10
Zircon	14940-68-2	5 - <10
Kaolin	1332-58-7	3 - <5
Aluminum oxide (Al2O3)	1344-28-1	1 - <3
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol	4719-04-4	0.1 - 1

#### 4. First-aid measures

#### Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.		
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.		
Most important symptoms and effects, both acute and delayed			

Symptoms Itching. Rashes. Hives.

#### Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

#### 5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.	
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.	
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.	
Explosion data Sensitivity to mechanical impact None.		
Sensitivity to static discharge	None.	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.		
Other information	Refer to protective measures listed in Sections 7 and 8.		
Methods and material for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Pick up and transfer to properly labeled containers.		

# 7. Handling and storage Precautions for safe handling Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Remove contaminated clothing and shoes. Conditions for safe storage, including any incompatibilities Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up.

#### 8. Exposure controls/personal protection

Page 3 of 10

#### Control parameters

#### **Exposure Limits**

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Quartz	TWA: 0.025 mg/m <sup>3</sup> respirable	TWA: 50 μg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup> respirable dust
14808-60-7	particulate matter	(vacated) TWA: 0.1 mg/m <sup>3</sup> respirable dust : (250)/(%SiO2 + 5) mppcf TWA respirable fraction	TWA: 0.05 mg/m <sup>3</sup> respirable dust
		: (10)/(%SiO2 + 2) mg/m <sup>3</sup> TWA respirable fraction	
Wollastonite (Ca(SiO3)) 13983-17-0	TWA: 1 mg/m <sup>3</sup> inhalable particulate matter, particulate matter containing no asbestos and <1% crystalline silica	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Frits, chemicals 65997-18-4	STEL: 10 mg/m <sup>3</sup> Zr TWA: 0.01 mg/m <sup>3</sup> As TWA: 0.05 mg/m <sup>3</sup> Pb TWA: 0.01 mg/m <sup>3</sup> Cd TWA: 0.002 mg/m <sup>3</sup> Cd respirable particulate matter TWA: 0.5 mg/m <sup>3</sup> Sb TWA: 1 mg/m <sup>3</sup> Cu dust and mist TWA: 3 mg/m <sup>3</sup> W respirable particulate matter in the absence of cobalt TWA: 5 mg/m <sup>3</sup> Zr TWA: 0.02 mg/m <sup>3</sup> Mn respirable particulate matter TWA: 0.1 mg/m <sup>3</sup> Mn inhalable particulate matter	TWA: 10 μg/m <sup>3</sup> As TWA: 50 μg/m <sup>3</sup> Pb TWA: 0.5 mg/m <sup>3</sup> Sb TWA: 5 mg/m <sup>3</sup> Zr (vacated) TWA: 0.5 mg/m <sup>3</sup> Zr (vacated) TWA: 5 mg/m <sup>3</sup> Zr (vacated) STEL: 10 mg/m <sup>3</sup> Zr (vacated) Ceiling: 5 mg/m <sup>3</sup> Ceiling: 5 mg/m <sup>3</sup> Mn	IDLH: 5 mg/m <sup>3</sup> As IDLH: 9 mg/m <sup>3</sup> Cd dust and fume IDLH: 50 mg/m <sup>3</sup> Sb IDLH: 100 mg/m <sup>3</sup> Cu dust and mist IDLH: 500 mg/m <sup>3</sup> Mn IDLH: 25 mg/m <sup>3</sup> Zr IDLH: 100 mg/m <sup>3</sup> Pb IDLH: 10 mg/m <sup>3</sup> Ni Ceiling: 0.002 mg/m <sup>3</sup> As 15 min Ceiling: 0.05 mg/m <sup>3</sup> V dust and fume 15 min TWA: 0.5 mg/m <sup>3</sup> Sb TWA: 1 mg/m <sup>3</sup> Cu dust and mist TWA: 1 mg/m <sup>3</sup> Mn TWA: 5 mg/m <sup>3</sup> except Zirconium tetrachloride Zr TWA: 0.050 mg/m <sup>3</sup> Pb TWA: 0.015 mg/m <sup>3</sup> except Nickel carbonyl Ni STEL: 3 mg/m <sup>3</sup> Zr
Zircon 14940-68-2	STEL: 10 mg/m <sup>3</sup> Zr TWA: 5 mg/m <sup>3</sup> Zr	TWA: 5 mg/m <sup>3</sup> Zr (vacated) TWA: 5 mg/m <sup>3</sup> Zr (vacated) STEL: 10 mg/m <sup>3</sup> Zr	IDLH: 25 mg/m <sup>3</sup> Zr TWA: 5 mg/m <sup>3</sup> except Zirconium tetrachloride Zr STEL: 10 mg/m <sup>3</sup> Zr
Kaolin 1332-58-7	TWA: 2 mg/m <sup>3</sup> particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Aluminum oxide (Al2O3) 1344-28-1	TWA: 1 mg/m <sup>3</sup> respirable particulate matter	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction	-

1	dust
	(vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction

#### **Biological occupational exposure limits**

Chemical name	ACGIH
Frits, chemicals	200 µg/L - blood (Lead) - not critical
65997-18-4	5 µg/g creatinine - urine (Cadmium) - not critical
	5 µg/L - blood (Cadmium) - not critical
Appropriate engineering controls	
Engineering controls	Showers
Engineering controls	
	Eyewash stations
	Ventilation systems.
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing.
Pagniratory protection	No protoctive equipment is peeded under permet use conditions. If experimentia are
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and
	immediately after handling the product.

#### 9. Physical and chemical properties

Information on basic physical and on Physical and on Physical state		
Appearance	Liquid	
Color		
Odor		
Odor threshold		
<u>Property</u>	<u>Values</u>	Remarks • Method
рН	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling	No data available	None known
range		
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	410 °C / 770 °F	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	

#### VOC Content (%)

No information available

10. Stability and reactivity	
Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	s None known based on information supplied.

#### 11. Toxicological information

#### Information on likely routes of exposure

Product Information	
Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Harmful if swallowed. (based on components).

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Itching. Rashes. Hives.

#### Acute toxicity

Numerical measures of toxicity

No information available

#### The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral) 743.00 mg/kg

ATEmix (oral)	743.00 mg/kg
ATEmix (dermal)	11,485.20 mg/kg
ATEmix (inhalation-dust/mist)	9.26 mg/l

#### Unknown acute toxicity

27.56885 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

38.35885 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

50.98885 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

50.98885 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

41.51885 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Wollastonite (Ca(SiO3)) 13983-17-0	> 5000 mg/kg(Rat)	-	-
Frits, chemicals 65997-18-4	> 2000 mg/kg(Rat)	> 2000 mg/kg(Rat)	-
Kaolin 1332-58-7	> 5000 mg/kg(Rat)	> 5000 mg/kg(Rat)	-
Aluminum oxide (Al2O3) 1344-28-1	> 5000 mg/kg(Rat)	-	-
1,3,5-Triazine-1,3,5(2H,4H,6H)- triethanol 4719-04-4	= 763 mg/kg(Rat)	> 4000 mg/kg(Rat)	= 0.4 mg/L(Rat)4 h = 0.338 mg/L(Rat)4 h

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	May cause sensitization by skin contact.
Germ cell mutagenicity	No information available.
Carcinogenicity	Contains a known or suspected carcinogen. Classification based on data availa

Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	Х
14808-60-7				
Wollastonite (Ca(SiO3)) 13983-17-0	-	Group 3	-	-
Frits, chemicals	A1	Group 1	Known	Х
65997-18-4	A3	Group 2B	Reasonably Anticipated	
	A2	Group 2A		

#### 

Legend	
ACGIH (American Conference	of Governmental Industrial Hygienists)
A1 - Known Human Carcinogen	
A2 - Suspected Human Carcino	gen
A3 - Animal Carcinogen	
IARC (International Agency for	
Group 1 - Carcinogenic to Huma Group 2A - Probably Carcinoger	
Group 2B - Possibly Carcinogen	
Group 3 - Not Classifiable as to	
NTP (National Toxicology Prog	
Known - Known Carcinogen	
	nably Anticipated to be a Human Carcinogen
	nd Health Administration of the US Department of Labor)
X - Present	
Reproductive toxicity	Contains a known or suspected reproductive toxin. Classification based on data available
Reproductive toxicity	for ingredients. May damage fertility or the unborn child.
STOT - single exposure	No information available.
0	
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
STOT - repeated exposure	May cause damage to organs through prolonged of repeated exposure.
Target organ effects	Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central
	Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic
	System, prostate, Gastrointestinal tract (GI).
Aspiration hazard	No information available.
Other adverse effects	
Interactive effects	

#### 12. Ecological information

#### Ecotoxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	
1,3,5-Triazine- Item Numbers: 30489-1186, 30489-1189	-	LC50: =16.07mg/L (96h,	-	- Page 7	of 10

1,3,5(2H,4H,6H)- triethanol 4719-04-4	Danio rerio)	
Persistence and degradability		
Bioaccumulation	There is no data for this product.	
Other adverse effects	No information available.	
13. Disposal consideration	IS	
<u>Disposal methods</u>		
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.	
Contaminated packaging	Do not reuse empty containers.	
California Hazardous Waste Status	This product contains one or more substances that are listed with the State of California as a hazardous waste.	
14. Transport information		
<u>DOT</u>	Not regulated	
UN number or ID number Packing group	UN3082 III	

#### 15. Regulatory information

#### International Inventories

#### TSCA

Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Water	7732-18-5	Present	Active
Quartz	14808-60-7	Present	Active
Wollastonite (Ca(SiO3))	13983-17-0	Present	Active
Frits, chemicals	65997-18-4	Present	Active
Nepheline syenite	37244-96-5	-	Unknown *
Zircon	14940-68-2	Present	Active
Kaolin	1332-58-7	Present	Active
Aluminum oxide (Al2O3)	1344-28-1	Present	Active
Smectite-group minerals	12199-37-0	Present	Active
Sodium carboxymethyl cellulose	9004-32-4	Present	Active
1,3,5-Triazine-1,3,5(2H,4H,6H)- triethanol	4719-04-4	Present	Active
Polyphosphoric acids, sodium salts	68915-31-1	Present	Active
Ethanolamine	141-43-5	Present	Active
C.I. Direct Green 6, disodium salt	4335-09-5	Present	Active

\*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the

confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

DSL/NDSL EINECS/ELINCS	Contact supplier for inventory compliance status. Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
NZIoC	Contact supplier for inventory compliance status.

#### Legend:

TSČA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 AIIC - Australian Inventory of Industrial Chemicals
 NZIOC - New Zealand Inventory of Chemicals

#### US Federal Regulations

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Frits, chemicals - 65997-18-4	0.1
	1.0
Aluminum oxide (Al2O3) - 1344-28-1	1.0

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Frits, chemicals 65997-18-4	-	X	-	-

#### <u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### US State Regulations

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	X
Quartz 14808-60-7	Х	X	X
Wollastonite (Ca(SiO3)) 13983-17-0	Х	X	X
Frits, chemicals 65997-18-4	Х	-	X
Kaolin 1332-58-7	Х	X	X
Item Numbers: 30489-1186, 30489-1189			Page 9 of 2

Aluminum oxide (Al2O3 1344-28-1	3) X		x	x
Ethanolamine 141-43-5	X		X	Х
U.S. EPA Label Information	<u>on</u>			
EPA Pesticide Registratio	on Number Not applica	ble		
16. Other informati	on			
	Health hazards 2 Health hazards 2 * * = Chronic F	Flammability 0 Flammability 0 dealth Hazard	Instability 0 Physical hazards 0	Special hazards - Personal protection X
Key or legend to abbrevia Legend Section 8: Expos			a sheet	
TWA TWA (ti	ime-weighted average) um limit value	STEL *	STEL (Short Te Skin designatio	erm Exposure Limit) on
	tion Agency ChemView hority (EFSA) tion Agency) Level(s) (AEGL(s)) tion Agency Federal Ins- tion Agency High Produ- abase nical Information Database ology and Evaluation (NI I Chemicals Notification or Occupational Safety a e's ChemID Plus (NLM e e's PubMed database (1 m (NTP) classification and Information Co-operation and Deve Co-operation and Deve	Database ecticide, Fungicide, an ction Volume Chemica se (IUCLID) TE) and Assessment Sche and Health) CIP) NLM PUBMED) ation Database (CCID) lopment Environment, lopment High Producti	eme (NICNAS) Health, and Safety Publica on Volume Chemicals Prog	
Revision date Revision Note	04-Aug-202	22		
				formation and belief at the g, use, processing, storage,

date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet