

30489-3591

# SAFETY DATA SHEET



Revision date 19-Dec-2022

Revision Number 1

## 1. Identification

### Product identifier

**Product Name** C-57 Dry Mulberry

### Other means of identification

**Product Code(s)** FG00436

**Synonyms** 39564E

### Recommended use of the chemical and restrictions on use

#### **Recommended use**

#### **Restrictions on use**

### Details of the supplier of the safety data sheet

#### **Manufacturer Address**

American Art Clay Co Inc  
6060 Guion Road  
Indianapolis, IN 46254-1222 USA  
Toll Free: 1-800-999-5456  
CustomerCare@Amaco.com

### Emergency telephone number

**Emergency Telephone** U.S. Poison Control 1-800-222-1222

## 2. Hazard(s) identification

### Classification

Acute toxicity - Oral	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2

### Hazards not otherwise classified (HNOC)

Not applicable

### Label elements

**FG00436 - C-57 Dry Mulberry****Revision date** 19-Dec-2022**Hazard statements****Danger**

H301 - Toxic if swallowed  
 H332 - Harmful if inhaled  
 H350 - May cause cancer  
 H373 - May cause damage to organs through prolonged or repeated exposure

**Physical state** Powder**Precautionary Statements - Prevention**

Obtain special instructions before use  
 Do not handle until all safety precautions have been read and understood  
 Wear protective gloves/clothing and eye/face protection  
 Wash face, hands and any exposed skin thoroughly after handling  
 Do not eat, drink or smoke when using this product  
 Use only outdoors or in a well-ventilated area  
 Do not breathe dust/fume/gas/mist/vapors/spray

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention  
 Specific treatment (see .? on this label)  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing  
 IF SWALLOWED: Immediately call a doctor  
 Rinse mouth

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Unknown acute toxicity**

50.1 % of the mixture consists of ingredient(s) of unknown acute oral toxicity  
 79.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Other information**

May be harmful in contact with skin. Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

**3. Composition/information on ingredients**

Not applicable.

**Mixture**

Chemical name	CAS No	Weight-%
Quartz	14808-60-7	20 - 40
Wollastonite (Ca(SiO <sub>3</sub> ))	13983-17-0	20 - 40
Frits, chemicals	65997-18-4	20 - 40
C.I. Pigment Red 233	68187-12-2	5 - <10
Kaolin	1332-58-7	5 - <10
Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> )	1344-28-1	1 - <3
C.I. Pigment Blue 73	68187-40-6	0.1 - 1

FG00436 - C-57 Dry Mulberry

Revision date 19-Dec-2022

**4. First-aid measures****Description of first aid measures**

<b>General advice</b>	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
<b>Inhalation</b>	If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Skin contact</b>	Wash skin with soap and water.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get medical attention.
<b>Self-protection of the first aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid breathing dust/fume/gas/mist/vapors/spray. Use personal protective equipment as required. See section 8 for more information.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** Coughing and/ or wheezing. Difficulty in breathing.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

**5. Fire-fighting measures**

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Large Fire</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.
<b>Specific hazards arising from the chemical</b>	No information available.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	None.
<b>Sensitivity to static discharge</b>	None.
<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**6. Accidental release measures****Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid generation of dust. Do not breathe dust.
<b>Other information</b>	Refer to protective measures listed in Sections 7 and 8.

**Methods and material for containment and cleaning up**

## FG00436 - C-57 Dry Mulberry

Revision date 19-Dec-2022

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

## 7. Handling and storage

### Precautions for safe handling

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid generation of dust. Do not eat, drink or smoke when using this product.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

## 8. Exposure controls/personal protection

### Control parameters

#### Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Quartz 14808-60-7	TWA: 0.025 mg/m <sup>3</sup> respirable particulate matter	TWA: 50 µg/m <sup>3</sup> (vacated) TWA: 0.1 mg/m <sup>3</sup> respirable dust : (250)/(%SiO <sub>2</sub> + 5) mppcf TWA respirable fraction : (10)/(%SiO <sub>2</sub> + 2) mg/m <sup>3</sup> TWA respirable fraction	IDLH: 50 mg/m <sup>3</sup> respirable dust TWA: 0.05 mg/m <sup>3</sup> respirable dust
Wollastonite (Ca(SiO <sub>3</sub> )) 13983-17-0	TWA: 1 mg/m <sup>3</sup> inhalable particulate matter, particulate matter containing no asbestos and <1% crystalline silica	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 15 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Frits, chemicals 65997-18-4	STEL: 10 mg/m <sup>3</sup> Zr TWA: 0.01 mg/m <sup>3</sup> As TWA: 0.05 mg/m <sup>3</sup> Pb TWA: 0.01 mg/m <sup>3</sup> Cd TWA: 0.002 mg/m <sup>3</sup> Cd respirable particulate matter TWA: 0.5 mg/m <sup>3</sup> Sb TWA: 1 mg/m <sup>3</sup> Cu dust and mist TWA: 3 mg/m <sup>3</sup> W respirable particulate matter in the absence of cobalt TWA: 5 mg/m <sup>3</sup> Zr TWA: 0.02 mg/m <sup>3</sup> Mn respirable particulate matter TWA: 0.1 mg/m <sup>3</sup> Mn inhalable particulate matter	TWA: 10 µg/m <sup>3</sup> As TWA: 50 µg/m <sup>3</sup> Pb TWA: 0.5 mg/m <sup>3</sup> Sb TWA: 5 mg/m <sup>3</sup> Zr (vacated) TWA: 0.5 mg/m <sup>3</sup> Sb (vacated) TWA: 5 mg/m <sup>3</sup> Zr (vacated) STEL: 10 mg/m <sup>3</sup> Zr (vacated) Ceiling: 5 mg/m <sup>3</sup> Ceiling: 5 mg/m <sup>3</sup> Mn	IDLH: 5 mg/m <sup>3</sup> As IDLH: 9 mg/m <sup>3</sup> Cd dust and fume IDLH: 50 mg/m <sup>3</sup> Sb IDLH: 100 mg/m <sup>3</sup> Cu dust and mist IDLH: 500 mg/m <sup>3</sup> Mn IDLH: 25 mg/m <sup>3</sup> Zr IDLH: 100 mg/m <sup>3</sup> Pb IDLH: 10 mg/m <sup>3</sup> Ni Ceiling: 0.002 mg/m <sup>3</sup> As 15 min Ceiling: 0.05 mg/m <sup>3</sup> V dust and fume 15 min TWA: 0.5 mg/m <sup>3</sup> Sb TWA: 1 mg/m <sup>3</sup> Cu dust and mist TWA: 1 mg/m <sup>3</sup> Mn TWA: 5 mg/m <sup>3</sup> except Zirconium tetrachloride Zr

## FG00436 - C-57 Dry Mulberry

Revision date 19-Dec-2022

			TWA: 0.050 mg/m <sup>3</sup> Pb TWA: 0.015 mg/m <sup>3</sup> except Nickel carbonyl Ni STEL: 3 mg/m <sup>3</sup> Mn STEL: 10 mg/m <sup>3</sup> Zr
C.I. Pigment Red 233 68187-12-2	-	TWA: 0.5 mg/m <sup>3</sup> Cr (vacated) TWA: 0.5 mg/m <sup>3</sup> Cr	IDLH: 25 mg/m <sup>3</sup> Cr(III) TWA: 0.5 mg/m <sup>3</sup> Cr
Kaolin 1332-58-7	TWA: 2 mg/m <sup>3</sup> particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 10 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable dust
Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> ) 1344-28-1	TWA: 1 mg/m <sup>3</sup> respirable particulate matter	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction	-
C.I. Pigment Blue 73 68187-40-6	TWA: 0.02 mg/m <sup>3</sup> Co inhalable particulate matter	-	-

## Biological occupational exposure limits

Chemical name	ACGIH
Frits, chemicals 65997-18-4	200 µg/L - blood (Lead) - not critical 5 µg/g creatinine - urine (Cadmium) - not critical 5 µg/L - blood (Cadmium) - not critical
C.I. Pigment Blue 73 68187-40-6	15 µg/L - urine (Cobalt) - end of shift at end of workweek

## Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
----------------------	---

## Individual protection measures, such as personal protective equipment

Eye/face protection	No special protective equipment required.
Hand protection	Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Avoid breathing dust/fume/gas/mist/vapors/spray.

## 9. Physical and chemical properties

## Information on basic physical and chemical properties

Physical state	Powder
Appearance	
Color	
Odor	

## FG00436 - C-57 Dry Mulberry

Revision date 19-Dec-2022

## Odor threshold

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
<u>Other information</u>		
Explosive properties	No information available	
Oxidizing properties	No information available	
VOC Content (%)	No information available	

**10. Stability and reactivity**

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Excessive heat.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

**11. Toxicological information**Information on likely routes of exposure

## Product Information

Inhalation	Specific test data for the substance or mixture is not available. Harmful by inhalation. (based on components).
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	May be harmful in contact with skin.
Ingestion	Specific test data for the substance or mixture is not available. Toxic if swallowed. (based on components).

Symptoms related to the physical, chemical and toxicological characteristics

**FG00436 - C-57 Dry Mulberry****Revision date** 19-Dec-2022**Symptoms** Coughing and/ or wheezing.**Acute toxicity****Numerical measures of toxicity**

No information available

**The following values are calculated based on chapter 3.1 of the GHS document**

**ATEmix (oral)** 241.30 mg/kg  
**ATEmix (dermal)** 2,386.90 mg/kg  
**ATEmix (inhalation-dust/mist)** 1.55 mg/l

**Unknown acute toxicity**

50.1 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

79.2 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Wollastonite (Ca(SiO <sub>3</sub> )) 13983-17-0	> 5000 mg/kg ( Rat )	-	-
Frits, chemicals 65997-18-4	> 2000 mg/kg ( Rat )	> 2000 mg/kg ( Rat )	-
C.I. Pigment Red 233 68187-12-2	-	-	> 5.4 mg/L ( Rat ) 4 h
Kaolin 1332-58-7	> 5000 mg/kg ( Rat )	> 5000 mg/kg ( Rat )	-
Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> ) 1344-28-1	> 5000 mg/kg ( Rat )	-	-
C.I. Pigment Blue 73 68187-40-6	-	-	= 5.3 mg/L ( Rat ) 4 h > 5.3 mg/L ( Rat ) 4 h

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Skin corrosion/irritation** No information available.**Serious eye damage/eye irritation** No information available.**Respiratory or skin sensitization** No information available.**Germ cell mutagenicity** No information available.**Carcinogenicity** Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group 1	Known	X
Wollastonite (Ca(SiO <sub>3</sub> )) 13983-17-0	-	Group 3	-	-
Frits, chemicals 65997-18-4	A1 A3 A2	Group 1 Group 2B Group 2A	Known Reasonably Anticipated	X
C.I. Pigment Red 233 68187-12-2	-	Group 3	-	-
C.I. Pigment Blue 73 68187-40-6	A3	Group 2B	Reasonably Anticipated	X

**Legend****ACGIH (American Conference of Governmental Industrial Hygienists)**

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

**FG00436 - C-57 Dry Mulberry****Revision date** 19-Dec-2022

A3 - Animal Carcinogen

**IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

**NTP (National Toxicology Program)**

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

**OSHA (Occupational Safety and Health Administration of the US Department of Labor)**

X - Present

<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	May cause damage to organs through prolonged or repeated exposure.
<b>Target organ effects</b>	Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate, Gastrointestinal tract (GI).
<b>Aspiration hazard</b>	No information available.
<b>Other adverse effects</b>	
<b>Interactive effects</b>	

**12. Ecological information**

<b>Ecotoxicity</b>	Toxic to aquatic life. Harmful to aquatic life with long lasting effects.
<b>Persistence and degradability</b>	
<b>Bioaccumulation</b>	There is no data for this product.
<b>Other adverse effects</b>	No information available.

**13. Disposal considerations****Disposal methods**

<b>Waste from residues/unused products</b>	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
<b>Contaminated packaging</b>	Do not reuse empty containers.
<b>California Hazardous Waste Status</b>	This product contains one or more substances that are listed with the State of California as a hazardous waste.



FG00436 - C-57 Dry Mulberry

Revision date 19-Dec-2022

**14. Transport information****DOT** Not regulated**UN number or ID number** UN 3077  
**Packing group** III**15. Regulatory information****International Inventories****TSCA** Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Quartz	14808-60-7	Present	Active
Frits, chemicals	65997-18-4	Present	Active
Wollastonite (Ca(SiO <sub>3</sub> ))	13983-17-0	Present	Active
Nepheline syenite	37244-96-5	-	Unknown *
C.I. Pigment Red 233	68187-12-2	Present	Active
Kaolin	1332-58-7	Present	Active
Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> )	1344-28-1	Present	Active
Smectite-group minerals	12199-37-0	Present	Active
C.I. Pigment Blue 73	68187-40-6	Present	Active

\*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

**DSL/NDSL** Contact supplier for inventory compliance status.  
**EINECS/ELINCS** Contact supplier for inventory compliance status.  
**ENCS** Contact supplier for inventory compliance status.  
**IECSC** Contact supplier for inventory compliance status.  
**KECL** Contact supplier for inventory compliance status.  
**PICCS** Contact supplier for inventory compliance status.  
**AIIC** Contact supplier for inventory compliance status.  
**NZIoC** Contact supplier for inventory compliance status.

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AIIC** - Australian Inventory of Industrial Chemicals  
**NZIoC** - New Zealand Inventory of Chemicals

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

**FG00436 - C-57 Dry Mulberry****Revision date** 19-Dec-2022

Chemical name	SARA 313 - Threshold Values %
Frits, chemicals - 65997-18-4	0.1
	1.0
C.I. Pigment Red 233 - 68187-12-2	1.0
Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> ) - 1344-28-1	1.0
C.I. Pigment Blue 73 - 68187-40-6	0.1

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Frits, chemicals 65997-18-4	-	X	-	-
C.I. Pigment Red 233 68187-12-2	-	X	-	-

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**US State Regulations****U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Quartz 14808-60-7	X	X	X
Frits, chemicals 65997-18-4	X	-	X
Wollastonite (Ca(SiO <sub>3</sub> )) 13983-17-0	X	X	X
C.I. Pigment Red 233 68187-12-2	X	-	X
Kaolin 1332-58-7	X	X	X
Aluminum oxide (Al <sub>2</sub> O <sub>3</sub> ) 1344-28-1	X	X	X
C.I. Pigment Blue 73 68187-40-6	X	-	X

**U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

**16. Other information**

<b>NFPA</b>	<b>Health hazards</b> 3	<b>Flammability</b> 0	<b>Instability</b> 0	<b>Special hazards</b> -
<b>HMIS</b>	<b>Health hazards</b> 2 *	<b>Flammability</b> 0	<b>Physical hazards</b> 0	<b>Personal protection</b> X
<i>Chronic Hazard Star Legend</i> * = Chronic Health Hazard				

**Key or legend to abbreviations and acronyms used in the safety data sheet**

**FG00436 - C-57 Dry Mulberry****Revision date** 19-Dec-2022**Legend Section 8: Exposure controls/personal protection**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AELGL(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
National Institute of Technology and Evaluation (NITE)  
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

**Revision date** 19-Dec-2022**Revision Note****Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**