# SAFETY DATA SHEET

30489-6041



Revision Number 1

# 1. Identification

Product identifier

Product Name C-56 Dry Lavender

Other means of identification

Revision date 19-Dec-2022

Product Code(s) FG00435 Synonyms 39517S

Recommended use of the chemical and restrictions on use

Recommended use Restrictions on use

Details of the supplier of the safety data sheet

Manufacturer Address
American Art Clay Co Inc
6060 Guion Road
Indianapolis, IN 46254-1222 USA
Toll Free: 1-800-999-5456
CustomerCare@Amaco.com

Emergency telephone number

Emergency Telephone U.S. Poison Control 1-800-222-1222

# 2. Hazard(s) identification

## Classification

| Acute toxicity - Oral                              | Category 3  |
|--|-------------|
| Acute toxicity - Inhalation (Dusts/Mists)          | Category 4  |
| Carcinogenicity                                    | Category 1B |
| Specific target organ toxicity (repeated exposure) | Category 2  |

## Hazards not otherwise classified (HNOC)

Not applicable

# Label elements

Page 1 / 11

Item Numbers: 30489-6041 Page 1 of 11

Revision date 19-Dec-2022

## Hazard statements

#### Danger

H301 - Toxic if swallowed H332 - Harmful if inhaled

H350 - May cause cancer

H373 - May cause damage to organs through prolonged or repeated exposure



#### Physical state Powder

# **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/clothing and eye/face protection

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

**Precautionary Statements - Response**IF exposed or concerned: Get medical advice/attention

Specific treatment (see .? on this label)

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF SWALLOWED: Immediately call a doctor

Rinse mouth

# **Precautionary Statements - Storage**

Store locked up

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

49.96 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

79.24 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

## Other information

May be harmful in contact with skin. Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

# 3. Composition/information on ingredients

Not applicable.

### Mixture

| Chemical name           | CAS No     | Weight-% |
|-------------------------|------------|----------|
| Quartz                  | 14808-60-7 | 20 - 40  |
| Wollastonite (Ca(SiO3)) | 13983-17-0 | 20 - 40  |
| Frits, chemicals        | 65997-18-4 | 20 - 40  |
| Kaolin                  | 1332-58-7  | 5 - <10  |
| C.I. Pigment Red 233    | 68187-12-2 | 1 - <3   |
| Aluminum oxide (Al2O3)  | 1344-28-1  | 1 - <3   |
| C.I. Pigment Blue 72    | 68186-87-8 | 1 - <3   |

Page 2 of 11 Item Numbers: 30489-6041

Revision date 19-Dec-2022

# 4. First-aid measures

**Description of first aid measures** 

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention.

**Inhalation** If breathing has stopped, give artificial respiration. Get medical attention immediately.

Remove to fresh air. If symptoms persist, call a physician.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water.

**Ingestion** Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get medical attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid breathing

dust/fume/gas/mist/vapors/spray. Use personal protective equipment as required. See

section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms Coughing and/ or wheezing. Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

## 5. Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

No information available

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate

personnel to safe areas. Avoid generation of dust. Do not breathe dust.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Item Numbers: 30489-6041 Page 3 of 11

Revision date 19-Dec-2022

Methods for containmentPrevent further leakage or spillage if safe to do so.Methods for cleaning upPick up and transfer to properly labeled containers.

# 7. Handling and storage

# Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation. Avoid breathing

dust/fume/gas/mist/vapors/spray. Avoid generation of dust. Do not eat, drink or smoke when

using this product.

# Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children.

# 8. Exposure controls/personal protection

#### Control parameters

#### **Exposure Limits**

| Chemical name           | ACGIH TLV  | OSHA PEL                                | NIOSH   |
|-------------------------|--|---|---|
| Quartz                  | TWA: 0.025 mg/m³ respirable                              | TWA: 50 μg/m³                           | IDLH: 50 mg/m <sup>3</sup> respirable dust    |
| 14808-60-7              | particulate matter                                       | (vacated) TWA: 0.1 mg/m <sup>3</sup>    | TWA: 0.05 mg/m³ respirable                    |
|                         |  | respirable dust                         | dust  |
|                         |  | : (250)/(%SiO2 + 5) mppcf               |   |
|                         |  | TWA respirable fraction                 |   |
|                         |  | : (10)/(%SiO2 + 2) mg/m <sup>3</sup>    |   |
| )                       | TIMA A service 2 de la la la la la                       | TWA respirable fraction                 | T)4/4 40/3                                    |
| Wollastonite (Ca(SiO3)) | TWA: 1 mg/m <sup>3</sup> inhalable                       | TWA: 15 mg/m <sup>3</sup> total dust    | TWA: 10 mg/m³ total dust                      |
| 13983-17-0              | particulate matter, particulate                          | TWA: 5 mg/m³ respirable fraction        | TWA: 5 mg/m³ respirable dust                  |
|                         | matter containing no asbestos and <1% crystalline silica | (vacated) TWA: 15 mg/m³ total           |   |
|                         | and < 1 % Crystalline silica                             | dust                                    |   |
|                         |  | (vacated) TWA: 5 mg/m <sup>3</sup>      |   |
|                         |  | respirable fraction                     |   |
| Frits, chemicals        | STEL: 10 mg/m³ Zr  | TWA: 10 µg/m³ As                        | IDLH: 5 mg/m³ As                              |
| 65997-18-4              | TWA: 0.01 mg/m³ As                                       | TWA: 50 µg/m³ Pb                        | IDLH: 9 mg/m <sup>3</sup> Cd dust and         |
|                         | TWA: 0.05 mg/m <sup>3</sup> Pb                           | TWA: 0.5 mg/m <sup>3</sup> Sb           | fume  |
|                         | TWA: 0.01 mg/m <sup>3</sup> Cd                           | TWA: 5 mg/m <sup>3</sup> Zr             | IDLH: 50 mg/m <sup>3</sup> Sb                 |
|                         | TWA: 0.002 mg/m <sup>3</sup> Cd                          | (vacated) TWA: 0.5 mg/m <sup>3</sup> Sb | IDLH: 100 mg/m³ Cu dust and                   |
|                         | respirable particulate matter                            | (vacated) TWA: 5 mg/m <sup>3</sup> Zr   | mist  |
|                         | TWA: 0.5 mg/m <sup>3</sup> Sb                            | (vacated) STEL: 10 mg/m³ Zr             | IDLH: 500 mg/m <sup>3</sup> Mn                |
|                         | TWA: 1 mg/m <sup>3</sup> Cu dust and mist                | (vacated) Ceiling: 5 mg/m <sup>3</sup>  | IDLH: 25 mg/m³ Zr                             |
|                         | TWA: 3 mg/m <sup>3</sup> W respirable                    | Ceiling: 5 mg/m³ Mn                     | IDLH: 100 mg/m <sup>3</sup> Pb                |
|                         | particulate matter in the absence                        |   | IDLH: 10 mg/m³ Ni                             |
|                         | of cobalt  |   | Ceiling: 0.002 mg/m³ As 15 min                |
|                         | TWA: 5 mg/m³ Zr  |   | Ceiling: 0.05 mg/m³ V dust and                |
|                         | TWA: 0.02 mg/m <sup>3</sup> Mn respirable                |   | fume 15 min                                   |
|                         | particulate matter<br>TWA: 0.1 mg/m³ Mn inhalable        |   | TWA: 0.5 mg/m³ Sb<br>TWA: 1 mg/m³ Cu dust and |
|                         | particulate matter                                       |   | mist  |
|                         | particulate matter                                       |   | TWA: 1 mg/m <sup>3</sup> Mn                   |
|                         |  |   | TWA: 1 mg/m² wm²                              |
|                         |  |   | tetrachloride Zr                              |

Item Numbers: 30489-6041 Page 4 of 11

Revision date 19-Dec-2022

|                        |  |   | TWA: 0.050 mg/m <sup>3</sup> Pb          |
|------------------------|--|---|--|
|                        |  |   | TWA: 0.015 mg/m <sup>3</sup> except      |
|                        |  |   | Nickel carbonyl Ni                       |
|                        |  |   | STEL: 3 mg/m <sup>3</sup> Mn             |
|                        |  |   | STEL: 10 mg/m³ Zr                        |
| Kaolin                 | TWA: 2 mg/m³ particulate                 | TWA: 15 mg/m <sup>3</sup> total dust      | TWA: 10 mg/m <sup>3</sup> total dust     |
| 1332-58-7              | matter containing no asbestos            | TWA: 5 mg/m <sup>3</sup> respirable       | TWA: 5 mg/m <sup>3</sup> respirable dust |
|                        | and <1% crystalline silica,              | fraction                                  | -  |
|                        | respirable particulate matter            | (vacated) TWA: 10 mg/m <sup>3</sup> total |  |
|                        |  | dust                                      |  |
|                        |  | (vacated) TWA: 5 mg/m <sup>3</sup>        |  |
|                        |  | respirable fraction                       |  |
| C.I. Pigment Red 233   | -  | TWA: 0.5 mg/m <sup>3</sup> Cr             | IDLH: 25 mg/m <sup>3</sup> Cr(III)       |
| 68187-12-2             |  | (vacated) TWA: 0.5 mg/m³ Cr               | TWA: 0.5 mg/m <sup>3</sup> Cr            |
| Aluminum oxide (Al2O3) | TWA: 1 mg/m <sup>3</sup> respirable      | TWA: 15 mg/m <sup>3</sup> total dust      | -  |
| 1344-28-1              | particulate matter                       | TWA: 5 mg/m³ respirable                   |  |
|                        |  | fraction                                  |  |
|                        |  | (vacated) TWA: 10 mg/m <sup>3</sup> total |  |
|                        |  | dust                                      |  |
|                        |  | (vacated) TWA: 5 mg/m <sup>3</sup>        |  |
|                        |  | respirable fraction                       |  |
| C.I. Pigment Blue 72   | TWA: 0.02 mg/m <sup>3</sup> Co inhalable | -   | -  |
| 68186-87-8             | particulate matter                       |   |  |

# **Biological occupational exposure limits**

| Chemical name        | ACGIH  |
|----------------------|--|
| Frits, chemicals     | 200 μg/L - blood (Lead) - not critical                     |
| 65997-18-4           | 5 μg/g creatinine - urine (Cadmium) - not critical         |
|                      | 5 μg/L - blood (Cadmium) - not critical                    |
| C.I. Pigment Blue 72 | 15 μg/L - urine (Cobalt) - end of shift at end of workweek |
| 68186-87-8           |  |

## **Appropriate engineering controls**

Engineering controls Showers

Eyewash stations Ventilation systems.

# Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Hand protection Wear suitable gloves.

**Skin and body protection** Wear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product. Avoid breathing dust/fume/gas/mist/vapors/spray.

# 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Appearance Color Odor

nysical state Powder

Item Numbers: 30489-6041 Page 5 of 11

Revision date 19-Dec-2022

#### **Odor threshold**

**Property** <u>Values</u> Remarks • Method No data available None known Melting point / freezing point No data available None known Initial boiling point and boiling rangeNo data available None known Flash point No data available None known

**Evaporation rate** No data available None known Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available limits

Lower flammability or explosive No data available limits

No data available None known Vapor pressure No data available None known Relative vapor density No data available Relative density None known Water solubility No data available None known Solubility(ies) No data available None known Partition coefficient No data available None known **Autoignition temperature** No data available None known Decomposition temperature None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Other information **Explosive properties** 

No information available Oxidizing properties No information available VOC Content (%) No information available

# 10. Stability and reactivity

Reactivity No information available.

**Chemical stability** Stable under normal conditions. Possibility of hazardous reactions None under normal processing.

Conditions to avoid Excessive heat.

Incompatible materials None known based on information supplied. Hazardous decomposition products None known based on information supplied.

# 11. Toxicological information

### Information on likely routes of exposure

### **Product Information**

Inhalation Specific test data for the substance or mixture is not available. Harmful by inhalation. (based

on components).

Eye contact Specific test data for the substance or mixture is not available.

Skin contact May be harmful in contact with skin.

Ingestion Specific test data for the substance or mixture is not available. Toxic if swallowed. (based on

components).

Symptoms related to the physical, chemical and toxicological characteristics

Page 6 of 11 Item Numbers: 30489-6041

Revision date 19-Dec-2022

**Symptoms** Coughing and/ or wheezing.

**Acute toxicity** 

**Numerical measures of toxicity** 

No information available

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 241.20 mg/kg

 ATEmix (dermal)
 2,381.60 mg/kg

 ATEmix (inhalation-dust/mist)
 1.54 mg/l

Unknown acute toxicity

49.96 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

79.24 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Component Information** 

| Component information                 |                    |                    |                       |
|---------------------------------------|--------------------|--------------------|-----------------------|
| Chemical name                         | Oral LD50          | Dermal LD50        | Inhalation LC50       |
| Wollastonite (Ca(SiO3))<br>13983-17-0 | > 5000 mg/kg (Rat) | -                  | -                     |
| Frits, chemicals<br>65997-18-4        | > 2000 mg/kg (Rat) | > 2000 mg/kg (Rat) | -                     |
| Kaolin<br>1332-58-7                   | > 5000 mg/kg (Rat) | > 5000 mg/kg (Rat) | -                     |
| C.I. Pigment Red 233<br>68187-12-2    | -                  | -                  | > 5.4 mg/L (Rat)4 h   |
| Aluminum oxide (Al2O3)<br>1344-28-1   | > 5000 mg/kg (Rat) | -                  | -                     |
| C.I. Pigment Blue 72<br>68186-87-8    | -                  | -                  | > 5.06 mg/L (Rat) 4 h |

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**No information available.

Serious eye damage/eye irritation No information available.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen

| Chemical name                         | ACGIH          | IARC                            | NTP                             | OSHA |
|---------------------------------------|----------------|---------------------------------|---------------------------------|------|
| Quartz<br>14808-60-7                  | A2             | Group 1                         | Known                           | X    |
| Wollastonite (Ca(SiO3))<br>13983-17-0 | -              | Group 3                         | -                               | -    |
| Frits, chemicals<br>65997-18-4        | A1<br>A3<br>A2 | Group 1<br>Group 2B<br>Group 2A | Known<br>Reasonably Anticipated | Х    |
| C.I. Pigment Red 233<br>68187-12-2    | -              | Group 3                         | -                               | -    |
| C.I. Pigment Blue 72<br>68186-87-8    | A3             | Group 2B                        | Reasonably Anticipated          | X    |

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

Item Numbers: 30489-6041 Page 7 of 11

Revision date 19-Dec-2022

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Target organ effects Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central

Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate,

Gastrointestinal tract (GI).

Aspiration hazard No information available.

Other adverse effects

Interactive effects

# 12. Ecological information

Ecotoxicity Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Persistence and degradability

**Bioaccumulation** There is no data for this product.

Other adverse effects No information available.

# 13. Disposal considerations

**Disposal methods** 

Waste from residues/unused Dispose of in accordance with local regulations. Dispose of waste in accordance with

**products** environmental legislation.

Contaminated packaging Do not reuse empty containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as

a hazardous waste.

Item Numbers: 30489-6041 Page 8 of 11

Revision date 19-Dec-2022

### 14. Transport information

DOT Not regulated

UN number or ID number **UN 3077** Packing group

# 15. Regulatory information

## International Inventories

**TSCA** Contact supplier for inventory compliance status.

| Chemical name           | CAS No     | US TSCA Inventory listing | US TSCA inactive/active designation |
|-------------------------|------------|---------------------------|-------------------------------------|
| Quartz                  | 14808-60-7 | Present                   | Active                              |
| Wollastonite (Ca(SiO3)) | 13983-17-0 | Present                   | Active                              |
| Frits, chemicals        | 65997-18-4 | Present                   | Active                              |
| Nepheline syenite       | 37244-96-5 | -                         | Unknown *                           |
| Kaolin                  | 1332-58-7  | Present                   | Active                              |
| Aluminum oxide (Al2O3)  | 1344-28-1  | Present                   | Active                              |
| C.I. Pigment Red 233    | 68187-12-2 | Present                   | Active                              |
| C.I. Pigment Blue 72    | 68186-87-8 | Present                   | Active                              |
| Smectite-group minerals | 12199-37-0 | Present                   | Active                              |

<sup>\*</sup>Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

**DSL/NDSL** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **EINECS/ELINCS ENCS** Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL** Contact supplier for inventory compliance status. **PICCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. AIIC **NZIoC** Contact supplier for inventory compliance status.

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

# **US Federal Regulations**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Page 9 of 11 Item Numbers: 30489-6041

Revision date 19-Dec-2022

| Chemical name                      | SARA 313 - Threshold Values % |
|------------------------------------|-------------------------------|
| Frits, chemicals - 65997-18-4      | 0.1                           |
|                                    | 1.0                           |
| C.I. Pigment Red 233 - 68187-12-2  | 1.0                           |
| Aluminum oxide (Al2O3) - 1344-28-1 | 1.0                           |
| C.I. Pigment Blue 72 - 68186-87-8  | 1.0                           |
|                                    | 0.1                           |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

<u>CWA (Clean Water Act)</u>
This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

| Chemical name                      | CWA - Reportable<br>Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous<br>Substances |
|------------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Frits, chemicals<br>65997-18-4     | -                              | X                      | -                         | -                             |
| C.I. Pigment Red 233<br>68187-12-2 | -                              | X                      | -                         | -                             |
| C.I. Pigment Blue 72<br>68186-87-8 | -                              | X                      | -                         | -                             |

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

# **US State Regulations**

## U.S. State Right-to-Know Regulations

| Chemical name                         | New Jersey | Massachusetts | Pennsylvania |
|---------------------------------------|------------|---------------|--------------|
| Quartz<br>14808-60-7                  | X          | X             | X            |
| Wollastonite (Ca(SiO3))<br>13983-17-0 | X          | X             | X            |
| Frits, chemicals<br>65997-18-4        | X          | -             | X            |
| Kaolin<br>1332-58-7                   | X          | X             | X            |
| Aluminum oxide (Al2O3)<br>1344-28-1   | X          | X             | X            |
| C.I. Pigment Red 233<br>68187-12-2    | X          | -             | X            |
| C.I. Pigment Blue 72<br>68186-87-8    | X          | -             | X            |

# U.S. EPA Label Information

# EPA Pesticide Registration Number Not applicable

# 16. Other information

Page 10 of 11 Item Numbers: 30489-6041

Revision date 19-Dec-2022

Instability 0 **NFPA** Health hazards 3 Flammability 0 Special hazards Health hazards 2 \* **HMIS** Flammability 0 Physical hazards 0 Personal protection X Chronic Hazard Star Legend = Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

**Revision date Revision Note** 

Disclaimer

19-Dec-2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Page 11 of 11 Item Numbers: 30489-6041