30489-7371

SAFETY DATA SHEET



Revision Number 1

Revision date 19-Dec-2022

1. Identification

Product identifier

Product Name C-41 Dry Pear

Other means of identification

Product Code(s) FG00426
Synonyms 39511P

Recommended use of the chemical and restrictions on use

Recommended use

Restrictions on use

Details of the supplier of the safety data sheet

Manufacturer Address
American Art Clay Co Inc
6060 Guion Road
Indianapolis, IN 46254-1222 USA
Toll Free: 1-800-999-5456
CustomerCare@Amaco.com

Emergency telephone number

Emergency Telephone U.S. Poison Control 1-800-222-1222

2. Hazard(s) identification

Classification

Acute toxicity - Oral	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Specific target organ toxicity (repeated exposure)	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Page 1 / 11

Item Numbers: 30489-7371 Page 1 of 11

Revision date 19-Dec-2022

Hazard statements

Danger

H301 - Toxic if swallowed

H332 - Harmful if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure



Physical state Powder Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Specific treatment (see .? on this label) Get medical advice/attention if you feel unwell IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a doctor if you feel unwell IF SWALLOWED: Immediately call a doctor Rinse mouth

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Unknown acute toxicity

50.5 % of the mixture consists of ingredient(s) of unknown acute oral toxicity 79.4 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Other information

May be harmful in contact with skin. Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on ingredients

Not applicable.

Mixture

Chemical name	CAS No	Weight-%
Quartz	14808-60-7	20 - 40
Wollastonite (Ca(SiO3))	13983-17-0	20 - 40
Frits, chemicals	65997-18-4	20 - 40
Kaolin	1332-58-7	5 - <10
C.I. Pigment Yellow 159	68187-15-5	5 - <10
Aluminum oxide (Al2O3)	1344-28-1	1 - <3

4. First-aid measures

Page 2 of 11 Item Numbers: 30489-7371

Revision date 19-Dec-2022

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation If breathing has stopped, give artificial respiration. Get medical attention immediately.

Remove to fresh air. If symptoms persist, call a physician.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Get medical attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid breathing

dust/fume/gas/mist/vapors/spray. Use personal protective equipment as required. See

section 8 for more information

Most important symptoms and effects, both acute and delayed

Symptoms Coughing and/ or wheezing. Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

No information available.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate

personnel to safe areas. Avoid generation of dust. Do not breathe dust.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containmentPrevent further leakage or spillage if safe to do so.Methods for cleaning upPick up and transfer to properly labeled containers.

Item Numbers: 30489-7371 Page 3 of 11

Revision date 19-Dec-2022

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Ensure adequate

ventilation. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid generation of dust. Do

not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach **Storage Conditions**

of children.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Quartz	TWA: 0.025 mg/m³ respirable	TWA: 50 µg/m³	IDLH: 50 mg/m ³ respirable dust
14808-60-7	particulate matter	(vacated) TWA: 0.1 mg/m ³	TWA: 0.05 mg/m ³ respirable
		respirable dust	dust
		: (250)/(%SiO2 + 5) mppcf	
		TWA respirable fraction	
		: _(10)/(%SiO2 + 2) mg/m ³	
		TWA respirable fraction	
Wollastonite (Ca(SiO3))	TWA: 1 mg/m³ inhalable	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ total dust
13983-17-0	particulate matter, particulate	TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust
	matter containing no asbestos	fraction	
	and <1% crystalline silica	(vacated) TWA: 15 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
<u> </u>	0.751 40 4 0.7	respirable fraction	15111.5
Frits, chemicals	STEL: 10 mg/m³ Zr	TWA: 10 μg/m³ As	IDLH: 5 mg/m³ As
65997-18-4	TWA: 0.01 mg/m³ As	TWA: 50 μg/m ³ Pb	IDLH: 9 mg/m³ Cd dust and
	TWA: 0.05 mg/m ³ Pb	TWA: 0.5 mg/m³ Sb	fume
	TWA: 0.01 mg/m³ Cd	TWA: 5 mg/m³ Zr	IDLH: 50 mg/m³ Sb
	TWA: 0.002 mg/m³ Cd respirable particulate matter	(vacated) TWA: 0.5 mg/m ³ Sb (vacated) TWA: 5 mg/m ³ Zr	IDLH: 100 mg/m³ Cu dust and mist
	TWA: 0.5 mg/m ³ Sb	(vacated) STEL: 10 mg/m ³ Zr	IDLH: 500 mg/m³ Mn
	TWA: 1 mg/m³ Cu dust and mist		IDLH: 25 mg/m³ Zr
	TWA: 3 mg/m ³ W respirable	Ceiling: 5 mg/m ³ Mn	IDLH: 100 mg/m³ Pb
	particulate matter in the absence		IDLH: 100 mg/m³ Ni
	of cobalt		Ceiling: 0.002 mg/m³ As 15 min
	TWA: 5 mg/m ³ Zr		Ceiling: 0.05 mg/m³ V dust and
	TWA: 0.02 mg/m³ Mn respirable		fume 15 min
	particulate matter		TWA: 0.5 mg/m³ Sb
	TWA: 0.1 mg/m ³ Mn inhalable		TWA: 1 mg/m ³ Cu dust and
	particulate matter		mist
			TWA: 1 mg/m ³ Mn
			TWA: 5 mg/m³ except Zirconium
			tetrachloride Zr
			TWA: 0.050 mg/m ³ Pb
			TWA: 0.015 mg/m³ except
			Nickel carbonyl Ni
			STEL: 3 mg/m³ Mn
			STEL: 10 mg/m³ Zr
Kaolin	TWA: 2 mg/m ³ particulate	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust

Page 4 of 11 Item Numbers: 30489-7371

Revision date 19-Dec-2022

_				
-	1332-58-7	matter containing no asbestos	TWA: 5 mg/m³ respirable	TWA: 5 mg/m³ respirable dust
- 1		and <1% crystalline silica,	fraction	
		respirable particulate matter	(vacated) TWA: 10 mg/m ³ total	
			dust	
			(vacated) TWA: 5 mg/m ³	
			respirable fraction	
ſ	C.I. Pigment Yellow 159	STEL: 10 mg/m ³ Zr	TWA: 5 mg/m³ Zr	IDLH: 25 mg/m ³ Zr
- 1	68187-15-5	TWA: 5 mg/m³ Zr	(vacated) TWA: 5 mg/m ³ Zr	TWA: 5 mg/m³ except Zirconium
- 1			(vacated) STEL: 10 mg/m³ Zr	tetrachloride Zr
				STEL: 10 mg/m ³ Zr
ſ	Aluminum oxide (Al2O3)	TWA: 1 mg/m³ respirable	TWA: 15 mg/m³ total dust	-
	1344-28-1	particulate matter	TWA: 5 mg/m³ respirable	
			fraction	
- 1			(vacated) TWA: 10 mg/m ³ total	
			dust	
			(vacated) TWA: 5 mg/m ³	
			respirable fraction	

Biological occupational exposure limits

Chemical name	ACGIH
Frits, chemicals	200 μg/L - blood (Lead) - not critical
65997-18-4	5 µg/g creatinine - urine (Cadmium) - not critical
	5 μg/L - blood (Cadmium) - not critical

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection No special protective equipment required.

Skin and body protection No special protective equipment required.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid breathing dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using

this product.

9. Physical and chemical properties

Information on basic physical and chemical properties
Physical state
Powder

Physical state
Appearance

Color Odor

Odor threshold

PropertyValuesRemarks• MethodpHNo data availableNone knownMelting point / freezing pointNo data availableNone known

Initial boiling point and boiling rangeNo data available

Flash point

No data available

None known

Item Numbers: 30489-7371 Page 5 of 11

Revision date 19-Dec-2022

None known

None known

None known

None known None known

None known

None known

None known

None known

None known

None known

Flammability Limit in Air

No data available Upper flammability or explosive

Lower flammability or explosive No data available

limits

Vapor pressure No data available Relative vapor density No data available Relative density No data available Water solubility No data available Solubility(ies) No data available Partition coefficient No data available Autoignition temperature No data available **Decomposition temperature** Kinematic viscosity No data available

Dynamic viscosity

No data available

Other information

No information available **Explosive properties** No information available Oxidizing properties No information available VOC Content (%)

10. Stability and reactivity

Reactivity No information available.

Stable under normal conditions. Chemical stability Possibility of hazardous reactions None under normal processing.

Conditions to avoid Excessive heat.

Incompatible materials None known based on information supplied. Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. Harmful by inhalation. (based

on components).

Eye contact Specific test data for the substance or mixture is not available.

Skin contact May be harmful in contact with skin.

Ingestion Specific test data for the substance or mixture is not available. Toxic if swallowed. (based on

components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Coughing and/ or wheezing.

Acute toxicity

Numerical measures of toxicity

No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 240.50 mg/kg

Page 6 of 11 Item Numbers: 30489-7371

Revision date 19-Dec-2022

ATEmix (dermal) 2,379.70 mg/kg 1.54 mg/l ATEmix (inhalation-dust/mist)

Unknown acute toxicity

50.5 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

79.4 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Wollastonite (Ca(SiO3)) 13983-17-0	> 5000 mg/kg (Rat)	-	-
Frits, chemicals 65997-18-4	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
C.I. Pigment Yellow 159 68187-15-5	-	-	> 5.5 mg/L (Rat)4 h
Aluminum oxide (Al2O3) 1344-28-1	> 5000 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

No information available. Serious eye damage/eye irritation

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

No information available. Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	X
14808-60-7				
Wollastonite (Ca(SiO3)) 13983-17-0	-	Group 3	-	-
Frits, chemicals 65997-18-4	A1 A3	Group 1 Group 2B	Known Reasonably Anticipated	Х
3337-10-4	A2	Group 2A	Troasonably Anticipated	

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen
Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

Page 7 of 11 Item Numbers: 30489-7371

Revision date 19-Dec-2022

STOT - single exposure No information available.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central Target organ effects

Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate,

Gastrointestinal tract (GI).

Aspiration hazard No information available.

Other adverse effects Interactive effects

12. Ecological information

Ecotoxicity Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Persistence and degradability

Bioaccumulation There is no data for this product.

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused Dispose of in accordance with local regulations. Dispose of waste in accordance with products

environmental legislation.

Contaminated packaging Do not reuse empty containers.

This product contains one or more substances that are listed with the State of California as California Hazardous Waste Status

a hazardous waste.

UN 3077

14. Transport information

DOT Not regulated

UN number or ID number

Packing group Ш

Page 8 of 11 Item Numbers: 30489-7371

Revision date 19-Dec-2022

15. Regulatory information

International Inventories

TSCA

Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Quartz	14808-60-7	Present	Active
Frits, chemicals	65997-18-4	Present	Active
Wollastonite (Ca(SiO3))	13983-17-0	Present	Active
Nepheline syenite	37244-96-5	-	Unknown *
Kaolin	1332-58-7	Present	Active
C.I. Pigment Yellow 159	68187-15-5	Present	Active
Aluminum oxide (Al2O3)	1344-28-1	Present	Active
Smectite-group minerals	12199-37-0	Present	Active
C.I. Pigment Blue 71	68186-95-8	Present	Active

^{*}Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
NZIoC	Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Frits, chemicals - 65997-18-4	0.1
	1.0
Aluminum oxide (Al2O3) - 1344-28-1	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous

Item Numbers: 30489-7371 Page 9 of 11

Revision date 19-Dec-2022

	Quantities			Substances
Frits, chemicals 65997-18-4	-	Х	-	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Quartz 14808-60-7	Х	X	Х
Frits, chemicals 65997-18-4	X	-	X
Wollastonite (Ca(SiO3)) 13983-17-0	X	X	X
Kaolin 1332-58-7	Х	X	X
Aluminum oxide (Al2O3) 1344-28-1	Х	X	Х
C.I. Pigment Blue 71 68186-95-8	Х	-	-

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPAHealth hazards3Flammability0Instability0Special hazards-HMISHealth hazards2 *Flammability0Physical hazards0Personal protectionX

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Item Numbers: 30489-7371 Page 10 of 11

Revision date 19-Dec-2022

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Revision date Revision Note 19-Dec-2022

<u>Disclaimer</u>
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Item Numbers: 30489-7371 Page 11 of 11