30489-7606

SAFETY DATA SHEET



Revision Number 1

Revision date 09-Aug-2022

1. Identification	
1. Identification	
Product identifier	
Product Name	C-42 Saguaro
Other means of identification	
Product Code(s)	FG00780
Synonyms	39437S
Recommended use of the chemica	I and restrictions on use
Recommended use	
Restrictions on use	
<u>Details of the supplier of the safety</u>	<u>y data sheet</u>
<u>Manufacturer Address</u> American Art Clay Co Inc 6060 Guion Road Indianapolis, IN 46254-1222 USA Toll Free: 1-800-999-5456 CustomerCare@Amaco.com	
Emergency telephone number	
Emergency Telephone	U.S. Poison Control 1-800-222-1222
2. Hazard(s) identification	
<u>Classification</u>	
Skin sensitization	Category 1

Hazards not otherwise classified (HNOC) Not applicable

Label elements

<u>Hazard statements</u> Warning

H317 - May cause an allergic skin reaction

Page 1 of 9



Physical state Liquid **Precautionary Statements - Prevention** Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Wear protective gloves

Precautionary Statements - Response Specific treatment (see .? on this label) IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

No information available.

3. Composition/information on ingredients

Not applicable.

<u>Mixture</u>

Chemical name	CAS No	Weight-%
Quartz	14808-60-7	10 - 20
Wollastonite (Ca(SiO3))	13983-17-0	10 - 20
Kaolin	1332-58-7	3 - <5
Zircon	14940-68-2	1 - <3
Aluminum oxide (Al2O3)	1344-28-1	1 - <3
C.I. Pigment Yellow 159	68187-15-5	1 - <3
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol	4719-04-4	0.1 - 1

4. First-aid measures

Description of first aid measures			
General advice	Show this safety data sheet to the doctor in attendance.		
Inhalation	Remove to fresh air.		
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.		
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.		
Ingestion	Rinse mouth.		
Most important symptoms and effe	ects, both acute and delayed		
Symptoms	Itching. Rashes. Hives.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.		
Item Numbers: 30489-7606	Page 2 of 9		

5. Fire-fighting measures

Suitable Extinguishing Media Large Fire	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. CAUTION: Use of water spray when fighting fire may be inefficient.	
Large File	CAUTION. Use of water spray when lighting me may be memorient.	
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.	
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.	
Explosion data Sensitivity to mechanical impac	t None.	
Sensitivity to static discharge	None.	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

 Personal precautions
 Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Methods and material for containment and cleaning up

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.		
Conditions for safe storage, including any incompatibilities			

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Quartz 14808-60-7	TWA: 0.025 mg/m ³ respirable particulate matter	TWA: 50 μg/m ³ (vacated) TWA: 0.1 mg/m ³ respirable dust : (250)/(%SiO2 + 5) mppcf TWA	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust
Item Numbers: 30489-7606			Page

Page	4	of	9
i ugo	-	U.	0

		respirable fraction : (10)/(%SiO2 + 2) mg/m ³ TWA respirable fraction	
Wollastonite (Ca(SiO3)) 13983-17-0	TWA: 1 mg/m ³ inhalable particulate matter, particulate matter containing no asbestos and <1% crystalline silica	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Kaolin 1332-58-7	TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Zircon 14940-68-2	STEL: 10 mg/m ³ Zr TWA: 5 mg/m ³ Zr	TWA: 5 mg/m ³ Zr (vacated) TWA: 5 mg/m ³ Zr (vacated) STEL: 10 mg/m ³ Zr	IDLH: 25 mg/m ³ Zr TWA: 5 mg/m ³ except Zirconium tetrachloride Zr STEL: 10 mg/m ³ Zr
Aluminum oxide (Al2O3) 1344-28-1	TWA: 1 mg/m ³ respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	-
C.I. Pigment Yellow 159 68187-15-5	STEL: 10 mg/m ³ Zr TWA: 5 mg/m ³ Zr	TWA: 5 mg/m ³ Zr (vacated) TWA: 5 mg/m ³ Zr (vacated) STEL: 10 mg/m ³ Zr	IDLH: 25 mg/m ³ Zr TWA: 5 mg/m ³ except Zirconium tetrachloride Zr STEL: 10 mg/m ³ Zr

Appropriate engineering controls

Engineering controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment			
Eye/face protection	Wear safety glasses with side shields (or goggles).		
Hand protection	Wear suitable gloves.		
Skin and body protection Respiratory protection	Wear suitable protective clothing. No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.		
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.		

9. Physical and chemical properties

Information on basic physical and chemical properties				
Physical state Appearance	Liquid			
Color Odor				
Odor threshold				
Property	Values	Remarks • Method		

Item Numbers: 30489-7606

	N N N N N N N N N N	
pH	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling	No data available	None known
range		
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
VOC Content (%)	No information available	

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	s None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information					
Inhalation	Specific test data for the substance or mixture is not available.				
Eye contact	Specific test data for the substance or mixture is not available.				
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixtur not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).	e is			
Ingestion	Specific test data for the substance or mixture is not available.				
Symptoms related to the physical, chemical and toxicological characteristics					
Symptoms	Itching. Rashes. Hives.				
Acute toxicity					
Numerical measures of toxicity No information available					
The following values are calculated ATEmix (oral)	I based on chapter 3.1 of the GHS document 21,717.30 mg/kg				
ATEmix (dermal) Item Numbers: 30489-7606	86,515.40 mg/kg	Page 5 of 9			

ATEmix (oral)	21,717.30 mg/kg
ATEmix (dermal) Item Numbers: 30489-7606	86,515.40 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Wollastonite (Ca(SiO3)) 13983-17-0	> 5000 mg/kg(Rat)	-	-
Kaolin 1332-58-7	> 5000 mg/kg(Rat)	> 5000 mg/kg(Rat)	-
Aluminum oxide (Al2O3) 1344-28-1	> 5000 mg/kg(Rat)	-	-
C.I. Pigment Yellow 159 68187-15-5	-	-	> 5.5 mg/L(Rat)4 h
1,3,5-Triazine-1,3,5(2H,4H,6H)- triethanol 4719-04-4	= 763 mg/kg(Rat)	> 4000 mg/kg(Rat)	= 0.4 mg/L(Rat)4 h = 0.338 mg/L(Rat)4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No information available.

Carcinogenicity

No information available. The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group 1	Known	Х
Wollastonite (Ca(SiO3)) 13983-17-0	-	Group 3	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present **Reproductive toxicity** No information available. STOT - single exposure No information available.

STOT - repeated exposure	No information available.
Target organ effects	Respiratory system, Eyes, Skin, Lungs, Gastrointestinal tract (GI).
Aspiration hazard	No information available.
Other adverse effects	
Interactive effects	

12. Ecological information

Page 6 of 9

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea		
1,3,5-Triazine- 1,3,5(2H,4H,6H)- triethanol 4719-04-4	-	LC50: =16.07mg/L (96h, Danio rerio)	-	-		
Persistence and degradab	ility					
Bioaccumulation	There is no o	lata for this product.				
	No. in famous di					
Other adverse effects	No informatio	No information available.				
13. Disposal considerations						
Disposal methods						
Waste from residues/unus products	ed Dispose of w with local reg	vaste in accordance with en gulations.	vironmental legislation. Di	spose of in accordance		
Contaminated packaging	Do not reuse	e empty containers.				
14. Transport inforn	nation					
DOT	Not regulated	d				
UN number or ID numb Packing group	er UN3082 III					
i acking group						

15. Regulatory information

International Inventories

TSCA

Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Water	7732-18-5	Present	Active
Quartz	14808-60-7	Present	Active
Wollastonite (Ca(SiO3))	13983-17-0	Present	Active
Nepheline syenite	37244-96-5	-	Unknown *
Kaolin	1332-58-7	Present	Active
Zircon	14940-68-2	Present	Active
Aluminum oxide (Al2O3)	1344-28-1	Present	Active
C.I. Pigment Yellow 159	68187-15-5	Present	Active
Smectite-group minerals	12199-37-0	Present	Active
Sodium carboxymethyl cellulose	9004-32-4	Present	Active
C.I. Pigment Blue 71	68186-95-8	Present	Active
1,3,5-Triazine-1,3,5(2H,4H,6H)- triethanol	4719-04-4	Present	Active
C.I. Pigment Red 232	68412-79-3	Present	Active
Polyphosphoric acids, sodium	68915-31-1	Present	Active Page 7 d

salts			
Ethanolamine	141-43-5	Present	Active
*Contact supplier for details. One	or more substances in this prod	uct are either not listed on the US	STSCA inventory listed on the

TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
NZIoC	Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AIIC - Australian Inventory of Industrial Chemicals NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Aluminum oxide (Al2O3) - 1344-28-1	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

U.S. State Right-to-Know Regulations

- X	-	X
X		
	X	X
Х	X	X
х	X	X
X	X	X
х	-	-
<u>X</u>	X	X
	x x	x x x x

n Numbers: 30489-7606

141-43-5 U.S. EPA Label Information EPA Pesticide Registration Number Not applicable 16. Other information NFPA Health hazards 2 Flammability 0 Instability 0 Special hazards -HMIS Health hazards 2 Flammability 0 Physical hazards 0 Personal protection X Key or legend to abbreviations and acronyms used in the safety data sheet Legend Section 8: Exposure controls/personal protection TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit) Maximum limit value Ceiling Skin designation Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization **Revision date** 09-Aug-2022 **Revision Note**

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet