SAFETY DATA SHEET

30494-4516



Revision Number 1

Revision date 01-Feb-2023

1. Identification

Product identifier

Product Name SM-61 Orange

Other means of identification

Product Code(s) FG00498
UN number or ID number UN3082
Synonyms 38213P

Recommended use of the chemical and restrictions on use

Recommended use

Restrictions on use

Details of the supplier of the safety data sheet

Manufacturer Address

American Art Clay Co Inc 6060 Guion Road Indianapolis, IN 46254-1222 USA Toll Free: 1-800-999-5456 CustomerCare@Amaco.com

Emergency telephone number

Emergency Telephone U.S. Poison Control 1-800-222-1222

2. Hazard(s) identification

Classification

Acute toxicity - Oral	Category 4
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Page 1/12

Item Numbers: 30494-4516 Page 1 of 12

Revision date 01-Feb-2023

Hazard statements

Warning

H302 - Harmful if swallowed

H317 - May cause an allergic skin reaction

H373 - May cause damage to organs through prolonged or repeated exposure



Physical state Liquid

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product

Contaminated work clothing must not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Specific treatment (see .? on this label) Get medical advice/attention if you feel unwell IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell Rinse mouth

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Unknown acute toxicity

13.50885 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

<u>Other information</u>
Toxic to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on ingredients

Not applicable.

<u>Mixture</u>

Chemical name	CAS No	Weight-%
Wollastonite (Ca(SiO3))	13983-17-0	10 - 20
Quartz	14808-60-7	5 - <10
Frits, chemicals	65997-18-4	5 - <10
Aluminum oxide (Al2O3)	1344-28-1	5 - <10
Kaolin	1332-58-7	3 - <5
Zircon, cadmium orange	99749-34-5	3 - <5
Zircon	14940-68-2	3 - <5
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol	4719-04-4	0.1 - 1

4. First-aid measures

Page 2 of 12 Item Numbers: 30494-4516

Revision date 01-Feb-2023

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Eve contact

Consult a physician.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

Ingestion Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Call a physician.

Most important symptoms and effects, both acute and delayed

Itching. Rashes. Hives. **Symptoms**

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal Personal precautions

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Page 3 of 12 Item Numbers: 30494-4516

Revision date 01-Feb-2023

7. Handling and storage

Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

ACGIH TLV	OSHA PEL	NIOSH
TWA: 1 mg/m³ inhalable		TWA: 10 mg/m³ total dust
		TWA: 5 mg/m ³ respirable dust
and <1% crystalline silica		
TWA: 0.025 mg/m³ respirable		IDLH: 50 mg/m³ respirable dust
		TWA: 0.05 mg/m ³ respirable
particulate matter		dust
	TWA respirable fraction	
	: (10)/(%SiO2 + 2) mg/m ³	
	TWA respirable fraction	
STEL: 10 mg/m ³ Zr	TWA: 10 μg/m³ As	IDLH: 5 mg/m³ As
		IDLH: 9 mg/m³ Cd dust and
		fume
		IDLH: 50 mg/m³ Sb
		IDLH: 100 mg/m³ Cu dust and
		mist
		IDLH: 500 mg/m³ Mn IDLH: 25 mg/m³ Zr
		IDLH: 100 mg/m³ Pb
		IDLH: 10 mg/m³ Ni
		Ceiling: 0.002 mg/m³ As 15 min
		Ceiling: 0.05 mg/m ³ V dust and
TWA: 0.02 mg/m ³ Mn respirable		fume 15 min
particulate matter		TWA: 0.5 mg/m³ Sb
TWA: 0.1 mg/m³ Mn inhalable		TWA: 1 mg/m³ Cu dust and
particulate matter		mist
		TWA: 1 mg/m³ Mn
		TWA: 5 mg/m³ except Zirconium
		tetrachloride Zr
		TWA: 0.050 mg/m ³ Pb
		TWA: 0.015 mg/m³ except Nickel carbonyl Ni
	TWA: 1 mg/m³ inhalable particulate matter, particulate matter containing no asbestos and <1% crystalline silica TWA: 0.025 mg/m³ respirable particulate matter STEL: 10 mg/m³ Zr TWA: 0.01 mg/m³ As TWA: 0.05 mg/m³ Pb TWA: 0.05 mg/m³ Cd TWA: 0.002 mg/m³ Cd respirable particulate matter TWA: 0.5 mg/m³ Sb TWA: 1 mg/m³ Cu dust and mist TWA: 3 mg/m³ W respirable particulate matter in the absence of cobalt TWA: 5 mg/m³ Zr TWA: 0.02 mg/m³ Mn respirable particulate matter TWA: 0.02 mg/m³ Mn respirable particulate matter	TWA: 1 mg/m³ inhalable particulate matter, particulate matter containing no asbestos and <1% crystalline silica TWA: 5 mg/m³ respirable fraction (vacated) TWA: 5 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction TWA: 0.025 mg/m³ respirable particulate matter TWA: 50 μg/m³ (vacated) TWA: 5 mg/m³ respirable fraction TWA: 50 μg/m³ (vacated) TWA: 0.1 mg/m³ respirable dust (vacated) TWA: 0.1 mg/m³ respirable fraction TWA: 50 μg/m³ (vacated) TWA: 0.1 mg/m³ respirable fraction TWA: 50 μg/m³ (vacated) TWA: 0.1 mg/m³ TWA respirable fraction TWA: 10 μg/m³ As TWA: 0.05 mg/m³ Cd TWA: 0.05 mg/m³ Cd TWA: 0.002 mg/m³ Cd respirable particulate matter TWA: 0.05 mg/m³ Sb TWA: 10 μg/m³ As TWA: 50 μg/m³ As TWA: 50 μg/m³ As TWA: 50 μg/m³ Sb TWA: 5 mg/m³ Zr (vacated) TWA: 5 mg/m³ Zr (vacated) TWA: 50 μg/m³ Sb TWA: 50 μg/m³ Sb TWA: 5 mg/m³ Zr (vacated) TWA: 5 mg/m³ Sb TWA: 5 mg/m³ Zr (vacated) TWA: 5 mg/m³ Sb TWA: 5 mg/m³ Zr (vacated) TWA: 5 mg/m³ Sb TWA: 50 μg/m³ Sb TWA: 5 mg/m³ Zr (vacated) TWA: 5 mg/m³ Sb TWA: 10 μg/m³ As TWA: 50 μg/m³ Sb TWA: 5 mg/m³ Sb TWA: 5 mg/m³ Zr (vacated) TWA: 5 mg/m³ TWA: 10 μg/m³ As TWA: 50 μg/m³ Sb TWA: 50 μg/m³ Sb TWA: 5 mg/m³ Sb TWA: 5 mg/m³ Zr (vacated) TWA: 5 mg/m³ TWA: 10 μg/m³ As TWA: 50 μg/m³ Sb TWA: 50 μg/m³ Sb TWA: 5 mg/m³ Sb TWA: 5 mg/m³ Zr (vacated) TWA: 5 mg/m³ TWA: 10 μg/m³ As TWA: 50 μg/m³ Sb TWA: 50 μg/m³ Sb TWA: 5 mg/m³ Sb TWA: 5 mg/m³ As TWA: 5 mg/m³ As TWA: 5 mg/m³ Sb TWA: 5 mg/m³ Sb TWA: 5 mg/m³ Ms TWA: 10 μg/m³ As TWA: 50 μg/m³ TWA: 10 μg/m³ As TWA: 10 μg/m³ TWA: 10 μg/m³

Item Numbers: 30494-4516 Page 4 of 12

Revision date 01-Feb-2023

	1	T	
			STEL: 3 mg/m³ Mn
			STEL: 10 mg/m³ Zr
Aluminum oxide (Al2O3)	TWA: 1 mg/m ³ respirable	TWA: 15 mg/m ³ total dust	-
1344-28-1	particulate matter	TWA: 5 mg/m³ respirable	
	·	fraction	
		(vacated) TWA: 10 mg/m ³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Kaolin	TWA: 2 mg/m ³ particulate	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
1332-58-7	matter containing no asbestos	TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust
	and <1% crystalline silica,	fraction	
	respirable particulate matter	(vacated) TWA: 10 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Zircon, cadmium orange	STEL: 10 mg/m ³ Zr	TWA: 5 mg/m ³ Zr	IDLH: 9 mg/m3 Cd dust and
99749-34-5	TWA: 0.01 mg/m ³ Cd	(vacated) TWA: 5 mg/m³ Zr	fume
	TWA: 0.002 mg/m ³ Cd	(vacated) STEL: 10 mg/m³ Zr	IDLH: 25 mg/m ³ Zr
	respirable particulate matter		TWA: 5 mg/m ³ except Zirconium
	TWA: 5 mg/m³ Zr		tetrachloride Zr
			STEL: 10 mg/m³ Zr
Zircon	STEL: 10 mg/m³ Zr	TWA: 5 mg/m ³ Zr	IDLH: 25 mg/m ³ Zr
14940-68-2	TWA: 5 mg/m³ Zr	(vacated) TWA: 5 mg/m³ Zr	TWA: 5 mg/m³ except Zirconium
		(vacated) STEL: 10 mg/m ³ Zr	tetrachloride Zr
			STEL: 10 mg/m³ Zr

Biological occupational exposure limits

Chemical name	ACGIH
65997-18-4	200 μg/L - blood (Lead) - not critical 5 μg/g creatinine - urine (Cadmium) - not critical 5 μg/L - blood (Cadmium) - not critical
	5 μg/g creatinine - urine (Cadmium) - not critical 5 μg/L - blood (Cadmium) - not critical

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid

Appearance Color

Item Numbers: 30494-4516 Page 5 of 12

Revision date 01-Feb-2023

Odor

Odor threshold

Remarks • Method **Property** Values No data available None known Melting point / freezing point No data available None known Initial boiling point and boiling rangeNo data available None known Flash point No data available None known **Evaporation rate** No data available None known Flammability No data available None known Flammability Limit in Air None known No data available

Upper flammability or explosive

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Relative vapor density No data available None known No data available None known Relative density Water solubility No data available None known Solubility(ies) No data available None known Partition coefficient No data available None known Autoignition temperature No data available None known **Decomposition temperature** None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Other information

No information available **Explosive properties** Oxidizing properties No information available VOC Content (%) No information available

10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions. Possibility of hazardous reactions None under normal processing.

Conditions to avoid None known based on information supplied. Incompatible materials None known based on information supplied. Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Specific test data for the substance or mixture is not available. **Eve contact**

Skin contact May cause sensitization by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components).

Ingestion Specific test data for the substance or mixture is not available. Harmful if swallowed. (based

on components).

Symptoms related to the physical, chemical and toxicological characteristics

Page 6 of 12 Item Numbers: 30494-4516

Revision date 01-Feb-2023

Symptoms Itching. Rashes. Hives.

Acute toxicity

Numerical measures of toxicity

No information available

The following values are calculated based on chapter 3.1 of the GHS document

980.70 mg/kg ATEmix (oral) 8,038.70 mg/kg **ATEmix (dermal)** ATEmix (inhalation-dust/mist) 8.08 mg/l

Unknown acute toxicity

13.50885 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

Component Information

Component information			
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Wollastonite (Ca(SiO3)) 13983-17-0	> 5000 mg/kg (Rat)	-	-
Frits, chemicals 65997-18-4	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Aluminum oxide (Al2O3) 1344-28-1	> 5000 mg/kg (Rat)	-	-
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
1,3,5-Triazine-1,3,5(2H,4H,6H)-t riethanol 4719-04-4	= 763 mg/kg(Rat)	> 4000 mg/kg (Rat)	= 0.4 mg/L (Rat) 4 h = 0.338 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No information available.

No information available. Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Wollastonite (Ca(SiO3)) 13983-17-0	-	Group 3	-	1
Quartz 14808-60-7	A2	Group 1	Known	Х
Frits, chemicals 65997-18-4	A1 A3 A2	Group 1 Group 2B Group 2A	Known Reasonably Anticipated	×
Zircon, cadmium orange 99749-34-5	A2	Group 1	Known	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

Page 7 of 12 Item Numbers: 30494-4516

Revision date 01-Feb-2023

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Y - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Target organ effects Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central

Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate,

Gastrointestinal tract (GI).

Aspiration hazard No information available.

Other adverse effects

Interactive effects

12. Ecological information

Ecotoxicity Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
1,3,5-Triazine-1,3,5(2H,4	-	LC50: =16.07mg/L (96h,	-	-
H,6H)-triethanol		Danio rerio)		
4719-04-4				

Persistence and degradability

Bioaccumulation There is no data for this product.

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused

products

Dispose of waste in accordance with environmental legislation. Dispose of in accordance

with local regulations.

Contaminated packaging Do not reuse empty containers.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as

a hazardous waste.

Item Numbers: 30494-4516 Page 8 of 12

Revision date 01-Feb-2023

14. Transport information

DOT

UN number or ID number UN3082

Environmentally hazardous substance, liquid, n.o.s. Proper shipping name

Transport hazard class(es) Ш

Packing group

Special Provisions 8, 146, 173, 335, IB3, T4, TP1, TP29

DOT Marine Pollutant

Marine pollutant Frits, chemicals, Zircon, cadmium orange

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals, Zircon,

cadmium orange), 9, III, Marine pollutant

Emergency Response Guide

Number

TDG

UN number or ID number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Transport hazard class(es) Packing group Ш **Special Provisions** 16, 99

Marine pollutant name Frits, chemicals, Zircon, cadmium orange.

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals, Zircon,

cadmium orange), 9, III

MEX

UN number or ID number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Transport hazard class(es)

Packing group

Technical Name Frits, chemicals, Zircon, cadmium orange

Ш

UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals, Zircon, Description

cadmium orange), 9, III

Special Provisions 274, 331, 335

ICAO (air)

UN number or ID number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Transport hazard class(es)

Packing group

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals, Zircon,

cadmium orange), 9, III A97, A158, A197, A215

Special Provisions

<u>IATA</u>

UN number or ID number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Transport hazard class(es) Packing group

Technical Name Frits, chemicals, Zircon, cadmium orange

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals, Zircon,

cadmium orange), 9, III

Special Provisions A97, A158, A197

ERG Code

IMDG

UN3082 **UN** number or ID number

Environmentally hazardous substance, liquid, n.o.s. **UN proper shipping name**

Transport hazard class(es)

Packing group Ш EmS-No F-A, S-F **Special Provisions** 274, 335, 969

Marine pollutant

Marine Pollutant Frits, chemicals, Zircon, cadmium orange

Page 9 of 12 Item Numbers: 30494-4516

Revision date 01-Feb-2023

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals, Zircon,

cadmium orange), 9, III, Marine pollutant

RID

UN number or ID number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Transport hazard class(es) 9
Packing group III
Classification code M6

Special Provisions 274, 335, 375, 601

Description
UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals, Zircon,

cadmium orange), 9, III

ADR

UN number or ID number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Transport hazard class(es)

Packing group

Classification code

Tunnel restriction code

(-)

Special Provisions 274, 335, 601, 375

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals, Zircon,

cadmium orange), 9, III, (-)

<u>ADN</u>

UN number or ID number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Transport hazard class(es) 9
Packing group III
Classification code M6

Special Provisions 274, 335, 375, 601

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals, Zircon,

cadmium orange), 9, III PP

Equipment Requirements

15. Regulatory information

International Inventories

TSCA Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Water	7732-18-5	Present	Active
Wollastonite (Ca(SiO3))	13983-17-0	Present	Active
Quartz	14808-60-7	Present	Active
Frits, chemicals	65997-18-4	Present	Active
Aluminum oxide (Al2O3)	1344-28-1	Present	Active
Kaolin	1332-58-7	Present	Active
Zircon, cadmium orange	99749-34-5	-	Unknown *
Zircon	14940-68-2	Present	Active
Smectite-group minerals	12199-37-0	Present	Active
Sodium carboxymethyl cellulose	9004-32-4	Present	Active
D-gluco-Heptonic acid, monosodium salt, (2.xi.)-	31138-65-5	Present	Active
Polyphosphoric acids, sodium salts	68915-31-1	Present	Active
1,3,5-Triazine-1,3,5(2H,4H,6H)-trietha nol	4719-04-4	Present	Active
Ethanolamine	141-43-5	Present	Active

^{*}Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

Item Numbers: 30494-4516 Page 10 of 12

Revision date 01-Feb-2023

DSL/NDSL Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL** Contact supplier for inventory compliance status. **PICCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. AIIC **NZIoC** Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %	
Frits, chemicals - 65997-18-4	0.1	
	1.0	
Aluminum oxide (Al2O3) - 1344-28-1	1.0	
Zircon, cadmium orange - 99749-34-5	0.1	

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Frits, chemicals 65997-18-4	-	X	-	-
Zircon, cadmium orange	-	X	-	-
99749-34-5				

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water	-	-	X
7732-18-5			
Wollastonite (Ca(SiO3))	X	X	X

Item Numbers: 30494-4516 Page 11 of 12

Revision date 01-Feb-2023

13983-17-0			
Quartz 14808-60-7	X	X	Х
Frits, chemicals 65997-18-4	Х	-	Х
Aluminum oxide (Al2O3) 1344-28-1	X	X	Х
Kaolin 1332-58-7	X	X	Х
Zircon, cadmium orange 99749-34-5	Х	-	Х
Ethanolamine 141-43-5	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 2 Flammability 0 Instability 0 Special hazards -Health hazards 2 * Flammability 0 Physical hazards 0 HMIS Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

STEL (Short Term Exposure Limit) TWA TWA (time-weighted average) STEL

Ceiling Maximum limit value Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date Revision Note 01-Feb-2023

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page 12 of 12 Item Numbers: 30494-4516