

30494-7256

SAFETY DATA SHEET



Revision date 18-Aug-2023

Revision Number 1

1. Identification

Product identifier

Product Name SM-46 Moss

Other means of identification

Product Code(s) FG00846

UN number or ID number UN3082

Synonyms 38218W

Recommended use of the chemical and restrictions on use

Recommended use

Restrictions on use

Details of the supplier of the safety data sheet

Manufacturer Address

American Art Clay Co Inc
6060 Guion Road
Indianapolis, IN 46254-1222 USA
Toll Free: 1-800-999-5456
CustomerCare@Amaco.com

Emergency telephone number

Emergency Telephone U.S. Poison Control 1-800-222-1222

2. Hazard(s) identification

Classification

Acute toxicity - Oral	Category 4
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

FG00846 - SM-46 Moss**Revision date** 18-Aug-2023**Hazard statements****Warning**

H302 - Harmful if swallowed
 H317 - May cause an allergic skin reaction
 H373 - May cause damage to organs through prolonged or repeated exposure

**Physical state** Liquid**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling
 Do not eat, drink or smoke when using this product
 Contaminated work clothing must not be allowed out of the workplace
 Wear protective gloves
 Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

Specific treatment (see .? on this label)
 Get medical advice/attention if you feel unwell
 IF ON SKIN: Wash with plenty of water and soap
 If skin irritation or rash occurs: Get medical advice/attention
 Wash contaminated clothing before reuse
 IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell
 Rinse mouth

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Unknown acute toxicity

14.62885 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

Other information

Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on ingredients

Not applicable.

Mixture

Chemical name	CAS No	Weight-%
Water	7732-18-5	40 - 60
Wollastonite (Ca(SiO ₃))	13983-17-0	10 - 20
Quartz	14808-60-7	5 - <10
Frits, chemicals	65997-18-4	5 - <10
Aluminum oxide (Al ₂ O ₃)	1344-28-1	5 - <10
Kaolin	1332-58-7	5 - <10
C.I. Pigment Yellow 159	68187-15-5	3 - <5
Zircon	14940-68-2	1 - <3
C.I. Pigment Red 232	68412-79-3	0.1 - 1
Sodium carboxymethyl cellulose	9004-32-4	0.1 - 1
Smectite-group minerals	12199-37-0	0.1 - 1
D-gluco-Heptonic acid, monosodium salt, (2.xi.)-	31138-65-5	0.1 - 1

FG00846 - SM-46 Moss**Revision date** 18-Aug-2023

Polyphosphoric acids, sodium salts	68915-31-1	0.1 - 1
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol	4719-04-4	0.1 - 1
Ethanolamine	141-43-5	<0.1

4. First-aid measures**Description of first aid measures**

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.

Most important symptoms and effects, both acute and delayed

Symptoms	Itching. Rashes. Hives.
-----------------	-------------------------

Indication of any immediate medical attention and special treatment needed

Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.
---------------------------	--

5. Fire-fighting measures

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other information	Refer to protective measures listed in Sections 7 and 8.

FG00846 - SM-46 Moss

Revision date 18-Aug-2023

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage**Precautions for safe handling**

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

8. Exposure controls/personal protection**Control parameters**

Exposure Limits The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Wollastonite (Ca(SiO ₃)) 13983-17-0	TWA: 1 mg/m ³ inhalable particulate matter, particulate matter containing no asbestos and <1% crystalline silica	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
Quartz 14808-60-7	TWA: 0.025 mg/m ³ respirable particulate matter	TWA: 50 µg/m ³ (vacated) TWA: 0.1 mg/m ³ respirable dust : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust
Frits, chemicals 65997-18-4	STEL: 10 mg/m ³ Zr TWA: 0.01 mg/m ³ As TWA: 0.05 mg/m ³ Pb TWA: 0.01 mg/m ³ Cd TWA: 0.002 mg/m ³ Cd respirable particulate matter TWA: 0.5 mg/m ³ Sb TWA: 1 mg/m ³ Cu dust and mist TWA: 3 mg/m ³ W respirable particulate matter in the absence of cobalt TWA: 5 mg/m ³ Zr	TWA: 10 µg/m ³ As TWA: 50 µg/m ³ Pb TWA: 0.5 mg/m ³ Sb TWA: 5 mg/m ³ Zr (vacated) TWA: 0.5 mg/m ³ Sb (vacated) TWA: 5 mg/m ³ Zr (vacated) STEL: 10 mg/m ³ Zr (vacated) Ceiling: 5 mg/m ³ Ceiling: 5 mg/m ³ Mn	IDLH: 5 mg/m ³ As IDLH: 9 mg/m ³ Cd dust and fume IDLH: 50 mg/m ³ Sb IDLH: 100 mg/m ³ Cu dust and mist IDLH: 500 mg/m ³ Mn IDLH: 25 mg/m ³ Zr IDLH: 100 mg/m ³ Pb IDLH: 10 mg/m ³ Ni Ceiling: 0.002 mg/m ³ As 15 min Ceiling: 0.05 mg/m ³ V dust and

FG00846 - SM-46 Moss

Revision date 18-Aug-2023

	TWA: 0.02 mg/m ³ Mn respirable particulate matter TWA: 0.1 mg/m ³ Mn inhalable particulate matter		fume 15 min TWA: 0.5 mg/m ³ Sb TWA: 1 mg/m ³ Cu dust and mist TWA: 1 mg/m ³ Mn TWA: 5 mg/m ³ except Zirconium tetrachloride Zr TWA: 0.050 mg/m ³ Pb TWA: 0.015 mg/m ³ except Nickel carbonyl Ni STEL: 3 mg/m ³ Mn STEL: 10 mg/m ³ Zr
Aluminum oxide (Al ₂ O ₃) 1344-28-1	TWA: 1 mg/m ³ respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	-
Kaolin 1332-58-7	TWA: 2 mg/m ³ particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
C.I. Pigment Yellow 159 68187-15-5	STEL: 10 mg/m ³ Zr TWA: 5 mg/m ³ Zr	TWA: 5 mg/m ³ Zr (vacated) TWA: 5 mg/m ³ Zr (vacated) STEL: 10 mg/m ³ Zr	IDLH: 25 mg/m ³ Zr TWA: 5 mg/m ³ except Zirconium tetrachloride Zr STEL: 10 mg/m ³ Zr
Zircon 14940-68-2	STEL: 10 mg/m ³ Zr TWA: 5 mg/m ³ Zr	TWA: 5 mg/m ³ Zr (vacated) TWA: 5 mg/m ³ Zr (vacated) STEL: 10 mg/m ³ Zr	IDLH: 25 mg/m ³ Zr TWA: 5 mg/m ³ except Zirconium tetrachloride Zr STEL: 10 mg/m ³ Zr
C.I. Pigment Red 232 68412-79-3	STEL: 10 mg/m ³ Zr TWA: 5 mg/m ³ Zr	TWA: 5 mg/m ³ Zr (vacated) TWA: 5 mg/m ³ Zr (vacated) STEL: 10 mg/m ³ Zr	IDLH: 25 mg/m ³ Zr TWA: 5 mg/m ³ except Zirconium tetrachloride Zr STEL: 10 mg/m ³ Zr
Ethanolamine 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m ³ (vacated) TWA: 3 ppm (vacated) TWA: 8 mg/m ³ (vacated) STEL: 6 ppm (vacated) STEL: 15 mg/m ³	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m ³ STEL: 6 ppm STEL: 15 mg/m ³

Biological occupational exposure limits

Chemical name	ACGIH
Frits, chemicals 65997-18-4	200 µg/L - blood (Lead) - not critical 5 µg/g creatinine - urine (Cadmium) - not critical 5 µg/L - blood (Cadmium) - not critical

Appropriate engineering controls

Engineering controls

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Hand protection

Wear suitable gloves.

FG00846 - SM-46 Moss

Revision date 18-Aug-2023

Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	
Color	
Odor	
Odor threshold	

Property	Values	Remarks • Method
pH	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other information		
Explosive properties	No information available	
Oxidizing properties	No information available	
VOC Content (%)	No information available	

10. Stability and reactivity

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.
Hazardous decomposition products	None known based on information supplied.

FG00846 - SM-46 Moss

Revision date 18-Aug-2023

11. Toxicological information**Information on likely routes of exposure****Product Information**

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Harmful if swallowed. (based on components).

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

Acute toxicity**Numerical measures of toxicity**

No information available

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	962.50 mg/kg
ATEmix (dermal)	12,254.40 mg/kg
ATEmix (inhalation-dust/mist)	10.51 mg/l

Unknown acute toxicity

14.62885 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Wollastonite (Ca(SiO ₃)) 13983-17-0	> 5000 mg/kg (Rat)	-	-
Frits, chemicals 65997-18-4	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Aluminum oxide (Al ₂ O ₃) 1344-28-1	> 5000 mg/kg (Rat)	-	-
Kaolin 1332-58-7	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
C.I. Pigment Yellow 159 68187-15-5	-	-	> 5.5 mg/L (Rat) 4 h
C.I. Pigment Red 232 68412-79-3	-	-	> 5.6 mg/L (Rat) 4 h
Sodium carboxymethyl cellulose 9004-32-4	= 27000 mg/kg (Rat)	-	> 5800 mg/m ³ (Rat) 4 h
D-glucoc-Hexonic acid, monosodium salt, (2.xi.)- 31138-65-5	> 4040 mg/kg (Rat)	= 4040 mg/kg (Rat)	-
Polyphosphoric acids, sodium salts 68915-31-1	= 3053 mg/kg (Rat)	-	-
1,3,5-Triazine-1,3,5(2H,4H,6H)-t riethanol 4719-04-4	= 763 mg/kg (Rat)	> 4000 mg/kg (Rat)	= 0.4 mg/L (Rat) 4 h = 0.338 mg/L (Rat) 4 h
Ethanolamine 141-43-5	= 1720 mg/kg (Rat)	= 1000 mg/kg (Rabbit)	> 1.3 mg/L (Rat) 6 h

FG00846 - SM-46 Moss

Revision date 18-Aug-2023

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Skin corrosion/irritation** No information available.**Serious eye damage/eye irritation** No information available.**Respiratory or skin sensitization** May cause an allergic skin reaction.**Germ cell mutagenicity** No information available.**Carcinogenicity** No information available.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Wollastonite (Ca(SiO ₃)) 13983-17-0	-	Group 3	-	-
Quartz 14808-60-7	A2	Group 1	Known	X
Frits, chemicals 65997-18-4	A1 A3 A2	Group 1 Group 2B Group 2A	Known Reasonably Anticipated	X

Legend**ACGIH (American Conference of Governmental Industrial Hygienists)**

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.**STOT - single exposure** No information available.**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.**Target organ effects** Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate, Gastrointestinal tract (GI).**Aspiration hazard** No information available.**Other adverse effects****Interactive effects**

FG00846 - SM-46 Moss

Revision date 18-Aug-2023

12. Ecological information**Ecotoxicity** Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol 4719-04-4	-	LC50: =16.07mg/L (96h, Danio rerio)	-	-
Ethanolamine 141-43-5	EC50: =15mg/L (72h, Desmodesmus subspicatus)	LC50: =227mg/L (96h, Pimephales promelas) LC50: =3684mg/L (96h, Brachydanio rerio) LC50: 300 - 1000mg/L (96h, Lepomis macrochirus) LC50: 114 - 196mg/L (96h, Oncorhynchus mykiss) LC50: >200mg/L (96h, Oncorhynchus mykiss)	-	EC50: =65mg/L (48h, Daphnia magna)

Persistence and degradability**Bioaccumulation** There is no data for this product.

Chemical name	Partition coefficient
Ethanolamine 141-43-5	-1.91

Other adverse effects No information available.**13. Disposal considerations****Disposal methods****Waste from residues/unused products** Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.**Contaminated packaging** Do not reuse empty containers.**California Hazardous Waste Status** This product contains one or more substances that are listed with the State of California as a hazardous waste.**14. Transport information****DOT**

UN number or ID number	UN3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es)	9
Packing group	III
Special Provisions	8, 146, 173, 335, IB3, T4, TP1, TP29
DOT Marine Pollutant	PP
Marine pollutant	Frits, chemicals
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III, Marine pollutant

FG00846 - SM-46 Moss**Revision date** 18-Aug-2023

Emergency Response Guide Number 171

TDG

UN number or ID number UN3082
UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es) 9
Packing group III
Special Provisions 16, 99
Marine pollutant name Frits, chemicals.
Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III

MEX

UN number or ID number UN3082
UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es) 9
Packing group III
Technical Name Frits, chemicals
Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III
Special Provisions 274, 331, 335

ICAO (air)

UN number or ID number UN3082
UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es) 9
Packing group III
Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III
Special Provisions A97, A158, A197, A215

IATA

UN number or ID number UN3082
UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es) 9
Packing group III
Technical Name Frits, chemicals
Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III
Special Provisions A97, A158, A197
ERG Code 9L

IMDG

UN number or ID number UN3082
UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es) 9
Packing group III
EmS-No F-A, S-F
Special Provisions 274, 335, 969
Marine pollutant P
Marine Pollutant Frits, chemicals
Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III, Marine pollutant

RID

UN number or ID number UN3082
UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es) 9
Packing group III
Classification code M6
Special Provisions 274, 335, 375, 601
Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III

ADR

UN number or ID number UN3082
UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es) 9

FG00846 - SM-46 Moss**Revision date** 18-Aug-2023

Packing group	III
Classification code	M6
Tunnel restriction code	(-)
Special Provisions	274, 335, 601, 375
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III, (-)

ADN

UN number or ID number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es)	9
Packing group	III
Classification code	M6
Special Provisions	274, 335, 375, 601
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III
Equipment Requirements	PP

15. Regulatory information**International Inventories****TSCA**

Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Water	7732-18-5	Present	Active
Wollastonite (Ca(SiO ₃))	13983-17-0	Present	Active
Quartz	14808-60-7	Present	Active
Frits, chemicals	65997-18-4	Present	Active
Aluminum oxide (Al ₂ O ₃)	1344-28-1	Present	Active
Kaolin	1332-58-7	Present	Active
C.I. Pigment Yellow 159	68187-15-5	Present	Active
Zircon	14940-68-2	Present	Active
C.I. Pigment Red 232	68412-79-3	Present	Active
Sodium carboxymethyl cellulose	9004-32-4	Present	Active
Smectite-group minerals	12199-37-0	Present	Active
D-gluco-Heptonic acid, monosodium salt, (2.xi.)-	31138-65-5	Present	Active
Polyphosphoric acids, sodium salts	68915-31-1	Present	Active
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol	4719-04-4	Present	Active
Ethanolamine	141-43-5	Present	Active

DSL/NDSL**EINECS/ELINCS****ENCS****IECSC****KECL****PICCS****AIIC****NZIoC**

Contact supplier for inventory compliance status.
 Contact supplier for inventory compliance status.
 Contact supplier for inventory compliance status.
 Contact supplier for inventory compliance status.
 Contact supplier for inventory compliance status.
 Contact supplier for inventory compliance status.
 Contact supplier for inventory compliance status.
 Contact supplier for inventory compliance status.

Legend:**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

FG00846 - SM-46 Moss**Revision date** 18-Aug-2023**AIIC** - Australian Inventory of Industrial Chemicals**NZIoC** - New Zealand Inventory of Chemicals**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Frits, chemicals - 65997-18-4	0.1
	1.0
Aluminum oxide (Al ₂ O ₃) - 1344-28-1	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Frits, chemicals 65997-18-4	-	X	-	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	X
Wollastonite (Ca(SiO ₃)) 13983-17-0	X	X	X
Quartz 14808-60-7	X	X	X
Frits, chemicals 65997-18-4	X	-	X
Aluminum oxide (Al ₂ O ₃) 1344-28-1	X	X	X
Kaolin 1332-58-7	X	X	X
Ethanolamine 141-43-5	X	X	X

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

FG00846 - SM-46 Moss**Revision date** 18-Aug-2023

NFPA	Health hazards 2	Flammability 0	Instability 0	Special hazards -
HMIS	Health hazards 2 *	Flammability 0	Physical hazards 0	Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend Section 8: Exposure controls/personal protection**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)
 U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 National Institute of Technology and Evaluation (NITE)
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program
 Organization for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Revision date 18-Aug-2023**Revision Note****Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet