Page 1 of 10 MSDS for #30677 - DARVAN



30677-1076 Vanderbilt Minerals, LLC

SAFETY DATA SHEET

Distributed by: Laguna Clay Company 14400 Lomitas Ave City of Industry, CA 91746 1-800-4Laguna info@lagunaclay.com www.lagunaclay.com

GHS United States

Section 1. Product and company identification

Product name DARVAN® 7-N In case of emergency 1-203-295-2140

14395 Code

Vanderbilt Minerals, LLC Supplier/Manufacturer

33 Winfield Street Norwalk, CT 06855 Chemtrec: 1-800-424-9300

Outside US: +1-703-527-3887

Sodium polymethacrylate and water **Synonym**

Material uses Dispersing agent.

Product type Liquid.

Section 2. Hazards identification

OSHA/HCS status While this material is not considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and

available for employees and other users of this product.

Classification of the Not classified.

substance or mixture

GHS label elements

Signal word No signal word.

No known significant effects or critical hazards. **Hazard statements**

Precautionary statements

Prevention Not applicable. Response Not applicable. Storage Not applicable. **Disposal** Not applicable. Hazards not otherwise None known.

classified

Section 3. Composition/information on ingredients

Substance/mixture Mixture

Ingredient name	CAS number	% by weight
water sodium polymethacrylate	7732-18-5 54193-36-1	74 - 76 24 - 26

Occupational exposure limits, if available, are listed in Section 8.

4/5/2016 Validation date 10/2/2017 Date of previous issue 1/10

Page 1 of 10 Item Numbers: 30677-1076, 30677-1079 800-452-4862 www.Lagunaclay.com/SDS/

info@lagunaclay.com

MSDS for #30677 - DARVAN Page 2 of 10

DARVAN® 7-N

Section 4. First aid measures

Description of necessary first aid measures

Eye contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get

medical attention if symptoms occur.

Skin contact Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

Ingestion Wash out mouth with water. Remove victim to fresh air and keep at rest in a position

comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contactNo known significant effects or critical hazards.InhalationNo known significant effects or critical hazards.Skin contactNo known significant effects or critical hazards.IngestionNo known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contactNo specific data.InhalationNo specific data.Skin contactNo specific data.IngestionNo specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments No specific treatment.

Protection of first-aiders No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing Use an extinguishing agent suitable for the surrounding fire.

media

Unsuitable extinguishing None known.

media

Specific hazards arising from the chemical

In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

Decomposition products may include the following materials:

carbon dioxide carbon monoxide metal oxide/oxides

 Validation date
 : 10/2/2017
 Date of previous issue
 : 4/5/2016
 2/10

MSDS for #30677 - DARVAN Page 3 of 10

DARVAN® 7-N

Section 5. Fire-fighting measures

Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters Remark

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

When water has evaporated, the residue will burn. Containers may explode (due to build-up of pressure) when exposed to extreme heat.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures
Advice on general
occupational hygiene

Put on appropriate personal protective equipment (see Section 8).

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store between the following temperatures: 5 to 38°C (41 to 100.4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Validation date : 10/2/2017 Date of previous issue : 4/5/2016 3/10

Page 4 of 10

DARVAN® 7-N

Section 7. Handling and storage

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

Appropriate engineering controls

Environmental exposure controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Recommended: splash goggles

Skin protection

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: lab coat

Other skin protection

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Personal protective equipment (Pictograms)







Validation date : 10/2/2017 Date of previous issue : 4/5/2016 4/10

MSDS for #30677 - DARVAN Page 5 of 10

DARVAN® 7-N

Section 9. Physical and chemical properties

Appearance

Physical stateLiquid.ColorColorless.OdorNone.

Odor threshold

pH

9 to 11.5

Melting point

Boiling point

Not available.

>100°C (>212°F)

Flash point Closed cup: >93°C (>199.4°F) [Pensky-Martens.]

Burning time Not applicable.

Burning rate Not applicable.

Evaporation rate <1 (butyl acetate = 1)

Flammability (solid, gas) When water has evaporated, the residue will burn. Containers may explode (due to

build-up of pressure) when exposed to extreme heat.

Lower and upper explosive

Auto-ignition temperature

Decomposition temperature

(flammable) limits

Not available.

Vapor pressure

Vapor density

Not available.

>1 [Air = 1]

Density

1.13 to 1.17 g/cm³

Relative density 1.13 to 1.17

Solubility Soluble in the following materials: cold water.

Solubility in water Not available.

Partition coefficient: n- Not available.

octanol/water

Not available. Not available.

SADT Not available.

Viscosity Dynamic (room temperature): <75 mPa·s (<75 cP)

Aerosol product

Section 10. Stability and reactivity

ReactivityNo specific test data related to reactivity available for this product or its ingredients.

Chemical stability The product is stable.

Possibility of hazardous Under normal conditions of storage and use, hazardous reactions will not occur. reactions

Conditions to avoid Avoid excessive temperatures.

Incompatible materials oxidizing agents

Hazardous decomposition Under normal conditions of storage and use, hazardous decomposition products should

products not be produced.

Validation date : 10/2/2017 Date of previous issue : 4/5/2016 5/10

Page 6 of 10 MSDS for #30677 - DARVAN

DARVAN® 7-N

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
DARVAN® 7-N	LD50 Dermal	Rabbit	>5000 mg/kg	-
	LD50 Oral	Rat	>20000 mg/kg	-

Irritation/Corrosion

Not available.

Conclusion/Summary

Skin May cause skin irritation. (Primary skin irritation index (rabbits): 0.25)

Eyes Non-irritating to the eyes. (Rabbit)

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure

Routes of entry anticipated: Dermal, Inhalation.

Potential acute health effects

Eye contact No known significant effects or critical hazards. Inhalation No known significant effects or critical hazards. **Skin contact** No known significant effects or critical hazards. Ingestion No known significant effects or critical hazards.

4/5/2016 Validation date 10/2/2017 Date of previous issue 6/10

Page 6 of 10 Item Numbers: 30677-1076, 30677-1079 800-452-4862 www.Lagunaclay.com/SDS/ info@lagunaclay.com

Page 7 of 10 MSDS for #30677 - DARVAN

DARVAN® 7-N

Section 11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact No specific data. Inhalation No specific data. Skin contact No specific data. Ingestion No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate Not available.

effects

Potential delayed effects Not available.

Long term exposure

Potential immediate Not available.

effects

Not available. Potential delayed effects

Potential chronic health effects

Not available.

General No known significant effects or critical hazards. Carcinogenicity No known significant effects or critical hazards. Mutagenicity No known significant effects or critical hazards. **Teratogenicity** No known significant effects or critical hazards. **Developmental effects** No known significant effects or critical hazards. **Fertility effects** No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Other information Not available.

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

4/5/2016 Validation date 10/2/2017 7/10 Date of previous issue

Page 7 of 10 Item Numbers: 30677-1076, 30677-1079 800-452-4862 info@lagunaclay.com

Page 8 of 10

DARVAN® 7-N

Section 12. Ecological information

Soil/water partition coefficient (Koc)

Not available.

Other adverse effects

No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
ADR/RID Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA-DGR Class	Not regulated.	-	-	-		-

PG* : Packing group

Section 15. Regulatory information

United States inventory (TSCA 8b)

All components are listed or exempted.

U.S. Federal regulations

TSCA 8(a) CDR Exempt/Partial exemption: All components are listed or exempted.

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ Not applicable.

Validation date : 10/2/2017 Date of previous issue : 4/5/2016 8/10

Page 9 of 10

DARVAN® 7-N

Section 15. Regulatory information

SARA 311/312

Classification Not applicable.

Composition/information on ingredients

No products were found.

State regulations

MassachusettsNone of the components are listed.New YorkNone of the components are listed.New JerseyNone of the components are listed.PennsylvaniaNone of the components are listed.California Prop. 65None of the components are listed.

International regulations

Australia inventory (AICS)

Canada inventory

China inventory (IECSC)

Europe inventory

Japan inventory (ENCS)

Korea inventory (KECI)

New Zealand Inventory of Chemicals (NZIoC)

All components are listed or exempted.

Philippines inventory (PICCS)
Taiwan Chemical Substances

Inventory (TCSI)

All components are listed or exempted.

All components are listed or exempted.

Section 16. Other information

Hazardous Material Identification System (U.S.A.)



The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



History

Date of printing10/2/2017Validation date10/2/2017Date of previous issue4/5/2016Version3

Validation date : 10/2/2017 Date of previous issue : 4/5/2016 9/10

Page 10 of 10 MSDS for #30677 - DARVAN

DARVAN® 7-N

Section 16. Other information

Key to abbreviations ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

References Not available

Vanderbilt Global Services, LLC Information contact

Corporate Risk Management

1-203-295-2143

Visit www.vanderbiltminerals.com for more information.

Notice to reader

Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Nothing herein is to be construed as recommending any practice or any product in violation of any patent or in violation of any law or regulation. It is the user's responsibility to determine for himself the suitability of any material for a specific purpose and to adopt such safety precautions as may be necessary. We make no warranty as to the results to be obtained in using any material and, since conditions of use are not under our control, we must necessarily disclaim all liability with respect to the use of any material supplied by us.

4/5/2016 10/10 Validation date 10/2/2017 Date of previous issue

Page 10 of 10 Item Numbers: 30677-1076, 30677-1079 800-452-4862 www.Lagunaclay.com/SDS/ info@lagunaclay.com