30692-1020

SAFETY DATA SHEET



Revision Number 1

Revision date 10-Apr-2024

1. Identification		
Product identifier		
Product Name	16M White Chocolate	
Other means of identification		
Product Code(s)	FG00869	
Synonyms	45003D	
Recommended use of the chemical	and restrictions on use	
Recommended use		
Restrictions on use		
Details of the supplier of the safety data sheet		
Manufacturer Address American Art Clay Co Inc 6060 Guion Road Indianapolis, IN 46254-1222 USA Toll Free: 1-800-999-5456 CustomerCare@Amaco.com		

Emergency telephone number

Emergency Telephone

U.S. Poison Control 1-800-222-1222

2. Hazard(s) identification

Classification

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Hazard statements

EUH210 - Safety data sheet available on request

Page 1/9

Revision date 10-Apr-2024

The product contains no substances which at their given concentration, are considered to be hazardous to health.

Physical state Solid

Other information No information available.

3. Composition/information on ingredients

Not applicable.

Mixture

Chemical name	CAS No	Weight-%
Kaolin	1332-58-7	40 - 60
Quartz	14808-60-7	10 - 20
Aluminum oxide (Al2O3)	1344-28-1	5 - <10
Wollastonite (Ca(SiO3))	13983-17-0	3 - <5

4. First-aid measures

Description of first aid measures

Inhalation	Remove to fresh air.		
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.		
Skin contact	Wash skin with soap and water.		
Ingestion	Rinse mouth.		
Most important symptoms and effects, both acute and delayed			
Symptoms	No information available.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically.		
5. Fire-fighting measures			
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
Large Fire	CAUTION: Use of water spray when fighting fire may be inefficient.		
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.		

Specific hazards arising from the No information available. chemical

Item Numbers: 30692-1020

FG00869 - 16M White ChocolateRevision date10-Apr-2024

Explosion data Sensitivity to mechanical impac	t None.
Sensitivity to static discharge	None.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	

Personal precautions	Ensure adequate ventilation.

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions	for	safe	handling	

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Kaolin	TWA: 2 mg/m ³ particulate	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
1332-58-7	matter containing no asbestos	TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust
	and <1% crystalline silica,	fraction	
	respirable particulate matter	(vacated) TWA: 10 mg/m ³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Quartz	TWA: 0.025 mg/m ³ respirable		IDLH: 50 mg/m ³ respirable dust
14808-60-7	particulate matter	(vacated) TWA: 0.1 mg/m ³	TWA: 0.05 mg/m ³ respirable
		respirable dust	dust
		: (250)/(%SiO2 + 5) mppcf	
		TWA respirable fraction	
		: (10)/(%SiO2 + 2) mg/m ³	
		TWA respirable fraction	
Aluminum oxide (Al2O3)	TWA: 1 mg/m ³ respirable	TWA: 15 mg/m ³ total dust	-
1344-28-1	particulate matter	TWA: 5 mg/m ³ respirable	
		fraction	
		(vacated) TWA: 10 mg/m ³ total	

Revision date 10-Apr-2024

		dust (vacated) TWA: 5 mg/m ³ respirable fraction	
Wollastonite (Ca(SiO3)) 13983-17-0	TWA: 1 mg/m ³ inhalable particulate matter, particulate matter containing no asbestos and <1% crystalline silica	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust

Appropriate engineering controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection	No special protective equipment required.
Skin and body protection	No special protective equipment required.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

nformation on basic physical and o	Solid	
Physical state	5010	
Color		
)dor		
)dor threshold		
Property	Values	Remarks • Method
H	No data available	None known
lelting point / freezing point	No data available	None known
nitial boiling point and boiling rang	je No data available	None known
lash point	No data available	None known
vaporation rate	No data available	None known
lammability	No data available	None known
lammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
apor pressure	No data available	None known
lelative vapor density	No data available	None known
Relative density	No data available	None known
Vater solubility	No data available	None known
Solubility(ies)	No data available	None known
artition coefficient	No data available	None known
utoignition temperature	No data available	None known
ecomposition temperature		None known
Linematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Page 4/9

Revision date 10-Apr-2024

Other information Explosive properties Oxidizing properties VOC Content (%)	No information available No information available No information available
10. Stability and reactivity	
Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.
Symptoms related to the physical,	chemical and toxicological characteristics

Symptoms

No information available.

Acute toxicity

Numerical measures of toxicity No information available

The following values are calculated based on chapter 3.1 of the GHS documentATEmix (oral)5,057.20mg/kgATEmix (dermal)5,069.00mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Kaolin	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
1332-58-7			
Aluminum oxide (Al2O3)	> 5000 mg/kg (Rat)	-	-
1344-28-1			
Wollastonite (Ca(SiO3))	> 5000 mg/kg (Rat)	-	-
13983-17-0			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

No information available.

Serious eye damage/eye irritation No information available.

Page 5/9

Revision date 10-Apr-2024

Respiratory or skin sens	itization No information	on available.			
Germ cell mutagenicity	No informatic	on available.			
Carcinogenicity The table below indicates	No informatic whether each agency has		a carcinogen.		
Chemical name	ACGIH	IARC	NTP	OSHA	
Quartz 14808-60-7	A2	Group 1	Known	X	
Wollastonite (Ca(SiO3)) 13983-17-0	-	Group 3	-	-	
A2 - Suspected Human IARC (International A Group 1 - Carcinogeni Group 3 - Not Classifia NTP (National Toxico Known - Known Carcir	gency for Research on (c to Humans ble as to Carcinogenicity i logy Program)	Cancer) in Humans			
Reproductive toxicity	No informatic	on available.			
STOT - single exposure	No informatio	on available.			
STOT - repeated exposu	e No informatio	on available.			
Target organ effects	Respiratory s	system, Eyes, Skin, Lung	s, Gastrointestinal tract (GI).		
Aspiration hazard	No informatio	No information available.			
Other adverse effects					
Interactive effects					
12. Ecological info	rmation				
Ecotoxicity	The environn	nental impact of this prod	luct has not been fully investi	igated.	
Persistence and degrada	bility				
Bioaccumulation	There is no d	lata for this product.			

Other adverse effects No information available.

Page 6/9

Revision date 10-Apr-2024

13. Disposal consideration	ons
Disposal methods	
Waste from residues/unused products	Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.
Contaminated packaging	Do not reuse empty containers.
14. Transport information	n

DOT

Not regulated

15. Regulatory information

International Inventories

TSCA

Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Kaolin	1332-58-7	Present	Active
Quartz	14808-60-7	Present	Active
Nepheline syenite	37244-96-5	-	Unknown *
Aluminum oxide (Al2O3)	1344-28-1	Present	Active
Wollastonite (Ca(SiO3))	13983-17-0	Present	Active
Bentone EW	89382-86-5	-	Unknown *

*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

DSL/NDSL EINECS/ELINCS ENCS	Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
NZIOC	Contact supplier for inventory compliance status.

Legend:

- TSCA United States Toxic Substances Control Act Section 8(b) Inventory
- DSL/NDSL Canadian Domestic Substances List/Non-Domestic Substances List
- EINECS/ELINCS European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS Japan Existing and New Chemical Substances
- IECSC China Inventory of Existing Chemical Substances
- **KECL** Korean Existing and Evaluated Chemical Substances **PICCS** Philippines Inventory of Chemicals and Chemical Substances

Page 8 of 9

AIIC - Australian Inventory of Industrial Chemicals NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Aluminum oxide (Al2O3) - 1344-28-1	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Kaolin	Х	Х	Х
1332-58-7			
Quartz	Х	Х	Х
14808-60-7			
Aluminum oxide (Al2O3)	Х	Х	Х
1344-28-1			
Wollastonite (Ca(SiO3))	Х	X	Х
13983-17-0			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

NFPA HMIS	Health hazards 0 Health hazards 0	Flammability (Flammability (Instability 0 Physical hazards 0	Special hazards → Personal protection
	nd to abbreviations and acronyms un tion 8: Exposure controls/personal		data s	heet	
TWA	TWA (time-weighted average)	ST	EL	STEL (Short Tern	n Exposure Limit)
Ceiling	Maximum limit value	*		Skin designation	
Agency for To U.S. Environr	e references and sources for data up oxic Substances and Disease Registry mental Protection Agency ChemView od Safety Authority (EFSA)	(ATSDR)	the SDS	5	

Item Numbers: 30692-1020

Revision date 10-Apr-2024

U.S. Environmental Protect Food Research Journal Hazardous Substance Dat International Uniform Cher National Institute of Techn Australia National Industria NIOSH (National Industria NIOSH (National Institute of National Library of Medicir National Library of Medicir National Toxicology Progra New Zealand's Chemical O Organization for Economic	evel(s) (AÉGL(s)) on Agency Federal Insecticide, Fungicide, and Rodenticide Act on Agency High Production Volume Chemicals base ical Information Database (IUCLID) logy and Evaluation (NITE) Chemicals Notification and Assessment Scheme (NICNAS) r Occupational Safety and Health) 's ChemID Plus (NLM CIP) i's PubMed database (NLM PUBMED)	
Revision date Revision Note	10-Apr-2024	
Disclaimer		

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Item Numbers: 30692-1020