# SAFETY DATA SHEET

33590-XXXX

1. Identification		
Product identifier	Castin'Craft Opaque Pigment	t i i i i i i i i i i i i i i i i i i i
Other means of identification		
Product code	46345, 46299, 46302, 46280, 46329, 46337, 46353, 46440	
Recommended use	Coloring agent for Casting Resin, Castin Epoxy, and Epoxy Resin.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Company name Address	Environmental Technology, Inc 300 S. Bay Depot Road Fields Landing CA 95537	
Telephone	Telephone number	707-443-9323
E-mail	mail@eti-usa.com	
Contact person	Technical Director CHEMTREC	800-424-9300
Emergency phone number	CHEMIKEC	800-424-9300
2. Hazard(s) identification		
Physical hazards	Not classified.	
Health hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Hazard symbol	None.	
Signal word	None.	
Hazard statement	The mixture does not meet the	criteria for classification.
Precautionary statement		
Prevention	Observe good industrial hygien	e practices.
Response	Wash hands after handling.	
Storage	Store away from incompatible r	naterials.
Disposal	Dispose of waste and residues	in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information		
Not oppliaghla		

Not applicable.

### 3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Mica	12001-26-2	<30
Titanium dioxide	13463-67-7	< 30
C.I. Pigment Green 7	Proprietary	<20
Phthalo Blue	Proprietary	<20
Talc	14807-96-6	<20

This safety data sheet is a generic safety data sheet created to cover various Castin'Craft Opaque Pigment formulations. Not all the ingredients listed above is found in each product.

Castin'Craft Opaque Pigment	SDS US
920191 Version #: 01 Revision date: - Issue date: 21-July-2016 Item Numbers: 33590-1021, 33590-1091, 33590-2021, 33590-3011, 33590-4011, 33590-5011, 33590-7011, 33590-8001	Page 1 077

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.
6. Accidental release meas	sures
Personal precautions,	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of

#### low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective equipment and protective clothing. For personal protection, see section 8 of the SDS. emergency procedures Methods and materials for The product is immiscible with water and will spread on the water surface. Wipe up with absorbent containment and cleaning up material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see Section 13 of the SDS. **Environmental precautions** Avoid discharge into drains, water courses or onto the ground. 7. Handling and storage Precautions for safe handling Avoid breathing mist or vapor. Avoid contact with skin, eyes and clothing. Avoid prolonged exposure. Observe good industrial hygiene practices. Conditions for safe storage, Store in original tightly closed container. Store away from incompatible materials (see Section 10 including any incompatibilities of the SDS).

## 8. Exposure controls/personal protection

### **Occupational exposure limits**

C

## US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form	
Titanium dioxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.	
US. OSHA Table Z-3 (29 CFR 19 <sup>2</sup>	10.1000)			
Components	Туре	Value	Form	
Mica (CAS 12001-26-2)	TWA	20 mppcf		
Talc (CAS 14807-96-6)	TWA	0.3 mg/m3	Total dust.	
		0.1 mg/m3	Respirable.	
		20 mppcf	-	
		2.4 mppcf	Respirable.	
tin'Craft Opaque Pigment				SDS US

920191 Version #: 01 Revision date: - Issue date: 21-July-2016 Item Numbers: 33590-1021, 33590-1091, 33590-2021, 33590-3011, 33590-4011, 33590-5011, 33590-7011, 33590-8001

#### US. ACGIH Threshold Limit Values

	Туре	Value	Form
Mica (CAS 12001-26-2)	TWA	3 mg/m3	Respirable fraction.
Talc (CAS 14807-96-6)	TWA	2 mg/m3	Respirable fraction.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
US. NIOSH: Pocket Guide to	Chemical Hazards		
Components	Туре	Value	Form
C.I. Pigment Green 7 (CAS Proprietary)	TWA	1 mg/m3	Dust and mist.
Mica (CAS 12001-26-2)	TWA	3 mg/m3	Respirable.
Phthalo Blue (CAS	TWA	1 mg/m3	Dust and mist.
Proprietary) Talc (CAS 14807-96-6)	TWA	2 mg/m3	Respirable.
Biological limit values	No biological exposure limits noted for	5	respirable.
Appropriate engineering	Good general ventilation (typically 10	air changes per hour) should b	e used. Ventilation rates
ontrols	should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ	pplicable, use process enclosur tain airborne levels below recor	es, local exhaust ventilatior nmended exposure limits. If
ndividual protection measures,	such as personal protective equipm	ent	
Eye/face protection	No protection is ordinarily required ur	nder normal conditions of use.	
Skin protection			
Hand protection	For prolonged or repeated skin conta	ct use suitable protective glove	S.
Other	Wear suitable protective clothing.		
Respiratory protection	In case of insufficient ventilation, wea	r suitable respiratory equipmen	t.
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.	
Seneral hygiene considerations	Always observe good personal hygie and before eating, drinking, and/or sr equipment to remove contaminants.		
9. Physical and chemical p	properties		
ppearance	Liquid color paste.		
Physical state	Liquid.		
Form	Liquid. Paste.		
Color	Opaque Colors.		
Ddor	Pungent.		
/001	-		
	Not available.		
Odor threshold			
Ddor threshold H	Not available.		
Ddor threshold bH /lelting point/freezing point nitial boiling point and boiling			
Ddor threshold H Aelting point/freezing point nitial boiling point and boiling ange	Not available. Not available. Not available.		
Odor threshold H Melting point/freezing point nitial boiling point and boiling ange Tash point	Not available. Not available. Not available. > 200.0 °F (> 93.3 °C)		
Odor threshold H Melting point/freezing point nitial boiling point and boiling ange Flash point Evaporation rate	Not available. Not available. Not available. > 200.0 °F (> 93.3 °C) Not available.		
Odor threshold H Melting point/freezing point nitial boiling point and boiling ange Flash point Evaporation rate Flammability (solid, gas)	Not available. Not available. Not available. > 200.0 °F (> 93.3 °C) Not available. Not applicable.		
Odor threshold Melting point/freezing point nitial boiling point and boiling ange Flash point Evaporation rate Flammability (solid, gas) Ipper/lower flammability or expl Flammability limit - lower	Not available. Not available. Not available. > 200.0 °F (> 93.3 °C) Not available. Not applicable.		
Ddor threshold H Melting point/freezing point nitial boiling point and boiling ange Flash point Evaporation rate Flammability (solid, gas) Jpper/lower flammability or expl	Not available. Not available. Not available. > 200.0 °F (> 93.3 °C) Not available. Not applicable. <b>Iosive limits</b>		
Odor threshold Melting point/freezing point nitial boiling point and boiling ange Flash point Evaporation rate Flammability (solid, gas) Jpper/lower flammability or expl Flammability limit - lower (%) Flammability limit - upper	Not available. Not available. Not available. > 200.0 °F (> 93.3 °C) Not available. Not applicable. <b>Iosive limits</b> Not available.		
Ddor threshold H Melting point/freezing point nitial boiling point and boiling ange Flash point Evaporation rate Flammability (solid, gas) Jpper/lower flammability or expl Flammability limit - lower (%) Flammability limit - upper (%) Explosive limit - lower (%)	Not available. Not available. Not available. > 200.0 °F (> 93.3 °C) Not available. Not applicable. <b>Iosive limits</b> Not available. Not available.		
Door threshold Melting point/freezing point nitial boiling point and boiling ange Tash point Evaporation rate Tammability (solid, gas) Jpper/lower flammability or expl Flammability limit - lower (%) Flammability limit - upper (%) Explosive limit - lower (%) Explosive limit - upper (%)	Not available. Not available. Not available. > 200.0 °F (> 93.3 °C) Not available. Not applicable. <b>Iosive limits</b> Not available. Not available.		
Door threshold H Melting point/freezing point nitial boiling point and boiling ange Tash point Evaporation rate Tammability (solid, gas) Jpper/lower flammability or expl Flammability limit - lower (%) Flammability limit - upper (%) Explosive limit - lower (%) Explosive limit - upper (%) Yapor pressure	Not available. Not available. Not available. > 200.0 °F (> 93.3 °C) Not available. Not applicable. <b>Iosive limits</b> Not available. Not available. Not available. Not available.		
Door threshold Melting point/freezing point nitial boiling point and boiling ange Tash point Evaporation rate Tammability (solid, gas) Jpper/lower flammability or expl Flammability limit - lower (%) Flammability limit - upper (%) Explosive limit - lower (%) Explosive limit - upper (%)	Not available. Not available. Not available. > 200.0 °F (> 93.3 °C) Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.		

920191 Version #: 01 Revision date: - Issue date: 21-July-2016 Item Numbers: 33590-1021, 33590-1091, 33590-2021, 33590-3011, 33590-4011, 33590-5011, 33590-7011, 33590-8001

Solubility(ies)	
Solubility (water)	Insoluble (<0.1%).
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
10. Stability and reactivity	,
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition	No hazardous decomposition products are known.

### **11. Toxicological information**

Information on likely routes o	f exposure
--------------------------------	------------

Ingestion	Expected to be a low ingestion hazard. May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.
Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

### Information on toxicological effects

Acute	toxicity

products

Components	Species	Test Results	
Phthalo Blue (CAS Proprietary)			
Acute			
Oral			
	Rat	15000 mg/kg	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Direct contact with ey	ves may cause temporary irritation.	
Respiratory or skin sensitization	n		
Respiratory sensitization	Due to partial or com	plete lack of data the classification is not possible.	
Skin sensitization	This product is not ex	pected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classified.		
IARC Monographs. Overall	Evaluation of Carcino	genicity	
Talc (CAS 14807-96-6) Titanium dioxide (CAS 13 OSHA Specifically Regulate	,	3 Not classifiable as to carcinogenicity to humans. 2B Possibly carcinogenic to humans. 3 1910 1001-1050)	
Not listed.		,	
Reproductive toxicity	This product is not ex	spected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Castin'Craft Opaque Pigment		S	DS US
920191 Version #: 01 Revision d Item Numbers: 33590-1021, 33590-1091, 33590-2021, 33590	late: - Issue date: 21-Ju	V-2016 011, 33590-8001 Pag	4/7

Aspiration hazard	Due to the high viscosity the product is not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

### **12. Ecological information** Ecotoxicity

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	None known.

#### 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

### 14. Transport information

#### DOT

Not regulated as dangerous goods.

## ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

### 15. Regulatory information

US federal regulations This product is not hazardous according to OSHA 29CFR 1910.1200.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

#### Not listed. CERCLA Hazardous Substance List (40 CFR 302.4)

ROLA Hazardous Substance List (40 Cr R 502.4)	
C.I. Pigment Green 7 (CAS Proprietary)	LISTED
Phthalo Blue (CAS Proprietary)	LISTED

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
SARA 302 Extremely hazaro Not listed.	dous substance
SARA 311/312 Hazardous chemical	No
SARA 313 (TRI reporting) Not regulated.	

Other federal regulations		
-	on 112 Hazardous Air Pollutants (HAPs) List	
· · ·	In The Hazardous All Pollutants (HAPS) List	
Not regulated. Clean Air Act (CAA) Secti	on 112(r) Accidental Release Prevention (40	CFR 68.130)
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations		
US. Massachusetts RTK -	Substance List	
Mica (CAS 12001-26-2 Talc (CAS 14807-96-6 Titanium dioxide (CAS		
	d Community Right-to-Know Act	
Mica (CAS 12001-26-2 Talc (CAS 14807-96-6 Titanium dioxide (CAS <b>US. Rhode Island RTK</b> Not regulated. <b>US. California Proposition</b> WARNING: This produ	orietary) 13463-67-7) and Community Right-to-Know Law 13463-67-7) 65 ct contains a chemical known to the State of Ca sition 65 - Carcinogens & Reproductive Toxic	
International Inventories	,	
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substance	
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances	in China (IECSC) Yes
Europe	European Inventory of Existing Commercial Substances (EINECS)	Chemical No
Europe	European List of Notified Chemical Substan	ices (ELINCS) No
Japan	Inventory of Existing and New Chemical Su	bstances (ENCS) No
Korea	Existing Chemicals List (ECL)	Yes
·· <u> </u>		

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date	21-July-2016
Revision date	-
Version #	01
HMIS® ratings	Health: 0 Flammability: 0 Physical hazard: 0

920191 Version #: 01 Revision date: - Issue date: 21-July-2016 Item Numbers: 33590-1021, 33590-1091, 33590-2021, 33590-3011, 33590-4011, 33590-5011, 33590-7011, 33590-8001

References	ACGIH EPA: AQUIRE database NLM: Hazardous Substances Data Base US. IARC Monographs on Occupational Exposures to Chemical Agents HSDB® - Hazardous Substances Data Bank IARC Monographs. Overall Evaluation of Carcinogenicity National Toxicology Program (NTP) Report on Carcinogens ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices
Disclaimer	The information in the sheet was written based on the best knowledge and experience currently available.

 Section
 Castin'Craft Opaque Pigment

 920191
 Version #: 01
 Revision date: Issue date: 21-July-2016

 Item Numbers: 33590-1021, 33590-1091, 33590-2021, 33590-3011, 33590-4011, 33590-5011, 33590-7011, 33590-8001
 Issue date: 21-July-2016

Page 7 of 7