



47193-9326

## SAFETY DATA SHEET

ACCORDING TO ANNEX II TO REACH - REGULATION 2015/830

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name FN SILVER METALLIC

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Textile industry.

#### 1.3. Details of the supplier of the safety data sheet

Name ACHITEX MINERVA S.p.A.

Full address Via Degli Artigiani n.6

District and Country 26010 Vaiano Cremasco (CR)  
Italia

Tel. +390373279711

Fax +390373279775

E-mail address of the competent person responsible for the Safety Data Sheet

sds@gruppoachitex.com

#### 1.4. Emergency telephone number

For urgent inquiries refer to

ACHITEX MINERVA S.p.a.: tel. +390373279711 (only office hours) Centro Antiveleni Ospedale Milano Niguarda: tel. +390266101029

### SECTION 2. HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2015/830. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Hazardous to the aquatic environment, acute toxicity, category 1 H400 Very toxic to aquatic life.

Hazardous to the aquatic environment, chronic toxicity, category 3 H412 Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms: —

Signal words: —

Hazard statements: **EUH210** Safety data sheet available on request.

Precautionary statements: —

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.



0034076 - FN SILVER METALLIC  
EPY 10.5.2 - SDS 1004.13  
PAGE #: 2 / 12

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pigments dispersion in plastisol.

#### 3.1. Substances

Information not relevant

#### 3.2. Mixtures

Contains:

Identification x = Conc. %

Classification 1272/2008 (CLP)

##### ALUMINIUM POWDER (STABILIZED)

CAS 7429-90-5  $5 \leq x < 9$

Flam. Sol. 1 H228,

Classification note/notes according to Annex VI to the CLP Regulation: T

EC 231-072-3

INDEX

Reg. no. 01-2119529243-45-xxxx

##### Dipropylene glycol, dibenzoate

CAS 27138-31-4  $1 \leq x < 5$

Aquatic Chronic 3 H412

EC 248-258-5

INDEX

Reg. no. 01-2119529241-49-xxxx

##### NAPHTA (PETROL.) HYDROTREATED HEAVY

CAS 64742-48-9  $1 \leq x < 5$

Asp. Tox. 1 H304,

Classification note/notes according to Annex VI to the CLP Regulation: P

EC 265-150-3

INDEX

Reg. no. 01-2119457273-39-xxxx

The full wording of hazard (H) phrases is given in section 16 of the sheet.

### SECTION 4. FIRST AID MEASURES

#### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorized by a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available



0034076 - FN SILVER METALLIC  
EPY 10.5.2 - SDS 1004.13  
PAGE #: 3 / 12

## SECTION 5. FIREFIGHTING MEASURES

### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

### 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

### 5.3. Advice for firefighters

#### GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

#### SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## SECTION 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

### 7.3. Specific end use(s)

Information not available



0034076 - FN SILVER METALLIC  
EPY 10.5.2 - SDS 1004.13  
PAGE #: 4 / 12

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Regulatory References:

BEL	Belgique	Liste de valeurs limites d'exposition aux agents chimiques, livre VI du code du bien-être au travail
BGR	България	НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари 2020г.)
CHE	Suisse / Schweiz	Valeurs limites d'exposition aux postes de travail: VME/VLE (SUVA). Grenzwerte am Arbeitsplatz: MAK (SUVA)
DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	Límites de exposición profesional para agentes químicos en España 2019
EST	Eesti	Ohtlike kemikaalide ja neid sisaldavate materjalide kasutamise töötavishoiu ja tööohutuse nõuded ning töökeskonna keemiliste ohutegurite piirnormid [RT I, 17.10.2019, 1 - jõust. 17.01.2020]
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
GRC	Ελλάδα	Π.Δ. 26/2020 (ΦΕΚ 50/Α' 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ "σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιογόνους παράγοντες κατά την εργασία"»
HUN	Magyarország	Az innovációért és technológiáért felelős miniszter 5/2020. (II. 6.) ITM rendelete a kémiai kóroki tényezők hatásának kitett munkavállalók egészségének és biztonságának védelméről
HRV	Hrvatska	Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021)
LVA	Latvija	Grozījumi Ministru kabineta 2007. gada 15. maija noteikumos Nr. 325 "Darba aizsardzības prasības saskarē ar ķīmiskajām vielām darba vietās" (prot. Nr. 32 18. §; prot. Nr. 1 22. §)
NOR	Norge	Forskrift om endring i forskrift om tiltaksverdier og grenseverdier for fysiske og kjemiske faktorer i arbeidsmiljøet samt smitterisikogrupper for biologiske faktorer (forskrift om tiltaks- og grenseverdier), 21. august 2018 nr. 1255
POL	Polska	Rozporządzenie Ministra Rodziny, Pracy i Polityki Społecznej z dnia 12 czerwca 2018 r. w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy
SWE	Sverige	Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS 2018:1)
SVK	Slovensko	NARIADENIE VLÁDY Slovenskej republiky z 12. augusta 2020, ktorým sa mení a dopĺňa nariadenie vlády Slovenskej republiky č. 356/2006 Z. z. o ochrane zdravia zamestnancov pred rizikami súvisiacimi s expozíciou karcinogénnym a mutagénym faktorom pri práci v znení neskorších predpisov
GBR	United Kingdom TLV-ACGIH	EH40/2005 Workplace exposure limits (Fourth Edition 2020) ACGIH 2020



0034076 - FN SILVER METALLIC  
EPY 10.5.2 - SDS 1004.13  
PAGE #: 5 / 12

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION ... / >>

### ALUMINIUM POWDER (STABILIZED)

Threshold Limit Value						
Type	Country	TWA/8h mg/m3	ppm	STEL/15min mg/m3	ppm	Remarks / Observations
VLEP	BEL	2				
VLEP	BEL	1				RESP
VLE	BEL	1				THORA
TLV	BGR	2				
MAK	CHE	3				RESP
VME/VLE	CHE	3				RESP
MAK	DEU	4				INHAL
MAK	DEU	1,5				RESP
TLV	DNK	5				
TLV	DNK	2				RESP
VLA	ESP	10				
TLV	EST	10				kogu tolm
TLV	EST	4				RESP peentolm
VLEP	FRA	5				
TLV	GRC	10				
AK	HUN	1				RESP
GVI/KGVI	HRV	10				INHAL
GVI/KGVI	HRV	4				RESP
RV	LVA	2				
TLV	NOR	2				
NDS/NDSch	POL	2,5				INHAL
NDS/NDSch	POL	1,2				RESP
NGV/KGV	SWE	5				Som AI, Totaldamm
NGV/KGV	SWE	2				RESP Som AI
NPEL	SVK	4				INHAL
NPEL	SVK	1,5				RESP
WEL	GBR	10				INHAL
WEL	GBR	4				RESP
TLV-ACGIH		1	0,9			



0034076 - FN SILVER METALLIC  
EPY 10.5.2 - SDS 1004.13  
PAGE #: 6 / 12

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION ... / >>

### Dipropylene glycol, dibenzoate

#### Predicted no-effect concentration - PNEC

Normal value in fresh water	0,0037	mg/l
Normal value in marine water	0,00037	mg/l
Normal value for fresh water sediment	1,49	mg/kg
Normal value for marine water sediment	0,149	mg/kg
Normal value of STP microorganisms	10	mg/l
Normal value for the food chain (secondary poisoning)	333	mg/kg
Normal value for the terrestrial compartment	1	mg/kg

#### Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		80 mg/kg bw/d		5 mg/kg bw/d				
Inhalation		8,7 mg/m3		8,69 mg/m3		35,08 mg/m3		8,8 mg/m3
Skin		80 mg/kg bw/d		0,22 mg/kg bw/d		170 mg/kg bw/d		10 mg/kg bw/d

### NAPHTA (PETROL.) HYDROTREATED HEAVY

#### Health - Derived no-effect level - DNEL / DMEL

Route of exposure	Effects on consumers				Effects on workers			
	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral			VND	300 mg/kg				
Inhalation			VND	900 mg/m3				
Skin			VND	300 mg/kg			VND	300 mg/kg
						bw/d		bw/d

#### Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.  
VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.



0034076 - FN SILVER METALLIC  
EPY 10.5.2 - SDS 1004.13  
PAGE #: 7 / 12

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION ... / >>

### 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. When choosing personal protective equipment, ask your chemical substance supplier for advice. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION	<p>Protect hands with category III work gloves (see standard EN 374). The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.</p> <p>The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.</p>
SKIN PROTECTION	<p>Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.</p>
EYE PROTECTION	<p>Wear airtight protective goggles (see standard EN 166).</p>
RESPIRATORY PROTECTION	<p>If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.</p> <p>Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited. If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.</p>
ENVIRONMENTAL EXPOSURE CONTROLS	<p>The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.</p>



0034076 - FN SILVER METALLIC  
EPY 10.5.2 - SDS 1004.13  
PAGE #: 8 / 12

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	paste	
Colour	silver	
Odour	odourless	
Odour threshold	Not available	
pH	Not available	
Melting point / freezing point	Not available	
Initial boiling point	Not available	
Boiling range	Not available	
Flash point	Not available	
Evaporation Rate	Not available	
Flammability of solids and gases	Not available	
Lower inflammability limit	Not available	
Upper inflammability limit	Not available	
Lower explosive limit	Not available	
Upper explosive limit	Not available	
Vapour pressure	Not available	
Vapour density	Not available	
Relative density	1,2 g/cm3	
Solubility	insoluble in water	
Partition coefficient: n-octanol/water	Not available	
Auto-ignition temperature	Not available	
Decomposition temperature	Not available	
Viscosity	Not available	
Explosive properties	Not available	
Oxidising properties	Not available	

### 9.2. Other information

Information not available

## SECTION 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

### 10.5. Incompatible materials

Information not available

### 10.6. Hazardous decomposition products

Information not available





0034076 - FN SILVER METALLIC  
EPY 10.5.2 - SDS 1004.13  
PAGE #: 9 / 12

## SECTION 11. TOXICOLOGICAL INFORMATION

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

### 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY  
ATE (Inhalation) of the mixture:  
ATE (Oral) of the mixture:  
ATE (Dermal) of the mixture:w

Not classified (no significant component)

Not classified (no significant component)

Not classified (no significant component)

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

## SECTION 12. ECOLOGICAL INFORMATION

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

### 12.1. Toxicity

Information not available

### 12.2. Persistence and degradability

Information not available

### 12.3. Bioaccumulative potential

Information not available

### 12.4. Mobility in soil

Information not available

### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

### 12.6. Other adverse effects

Information not available



0034076 - FN SILVER METALLIC  
EPY 10.5.2 - SDS 1004.13  
PAGE #: 10 / 12

## SECTION 13. DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Waste transportation may be subject to ADR restrictions. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

## SECTION 14. TRANSPORT INFORMATION

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

<b>14.1. UN number</b>	Not applicable
<b>14.2. UN proper shipping name</b>	Not applicable
<b>14.3. Transport hazard class(es)</b>	Not applicable
<b>14.4. Packing group</b>	Not applicable
<b>14.5. Environmental hazards</b>	Not applicable
<b>14.6. Special precautions for user</b>	Not applicable
<b>14.7. Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Information not relevant

## SECTION 15. REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC:	None
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006	Product Point 40
Regulation (EC) No. 2019/1148 - on the marketing and use of explosives precursors	Not applicable
Substances in Candidate List (Art. 59 REACH)	On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%.
Substances subject to authorisation (Annex XIV REACH)	None
Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:	None
Substances subject to the Rotterdam Convention:	None
Substances subject to the Stockholm Convention:	None
Healthcare controls	Information not available

### 15.2. Chemical safety assessment

A chemical safety assessment has been performed for the following contained substances  
Dipropylene glycol, dibenzoate



0034076 - FN SILVER METALLIC  
EPY 10.5.2 - SDS 1004.13  
PAGE #: 11 / 12

## SECTION 16. OTHER INFORMATION

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

<b>Flam. Sol. 1</b>	Flammable solid, category 1
<b>Asp. Tox. 1</b>	Aspiration hazard, category 1
<b>Aquatic Chronic 3</b>	Hazardous to the aquatic environment, acute toxicity, category 3
<b>H228</b>	Flammable solid.
<b>H304</b>	May be fatal if swallowed and enters airways.
<b>H412</b>	Harmful to aquatic life with long lasting effects.
<b>EUH210</b>	Safety data sheet available on request.

### LEGEND:

- **ADR:** European Agreement concerning the carriage of Dangerous goods by Road
- **CAS NUMBER:** Chemical Abstract Service Number
- **CE50:** Effective concentration (required to induce a 50% effect)
- **CE NUMBER:** Identifier in ESIS (European archive of existing substances)
- **CLP:** EC Regulation 1272/2008
- **DNEL:** Derived No Effect Level
- **EmS:** Emergency Schedule
- **GHS:** Globally Harmonized System of classification and labeling of chemicals
- **IATA DGR:** International Air Transport Association Dangerous Goods Regulation
- **IC50:** Immobilization Concentration 50%
- **IMDG:** International Maritime Code for dangerous goods
- **INDEX NUMBER:** Identifier in Annex VI of CLP
- **LC50:** Lethal Concentration 50%
- **LD50:** Lethal dose 50%
- **OEL:** Occupational Exposure Level
- **PBT:** Persistent bioaccumulative and toxic as REACH Regulation
- **PEC:** Predicted environmental Concentration
- **PEL:** Predicted exposure level
- **PNEC:** Predicted no effect concentration
- **REACH:** EC Regulation 1907/2006
- **RID:** Regulation concerning the international transport of dangerous goods by train
- **TLV:** Threshold Limit Value
- **TLV CEILING:** Concentration that should not be exceeded during any time of occupational exposure.
- **TWA STEL:** Short-term exposure limit
- **TWA:** Time-weighted average exposure limit
- **VOC:** Volatile organic Compounds
- **vPvB:** Very Persistent and very Bioaccumulative as for REACH Regulation
- **WGK:** Water hazard classes (German).

### GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
  2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
  3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
  4. Regulation (EU) 2015/830 of the European Parliament
  5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
  6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
  7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
  8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
  9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
  10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
  11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
  12. Regulation (EU) 2016/1179 (IX Atp. CLP)
  13. Regulation (EU) 2017/776 (X Atp. CLP)
  14. Regulation (EU) 2018/669 (XI Atp. CLP)
  15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
  16. Regulation (EU) 2019/521 (XII Atp. CLP)
  17. Regulation (EU) 2019/1148
  18. Regulation (EU) 2020/217 (XIV Atp. CLP)
- The Merck Index. - 10th Edition
  - Handling Chemical Safety
  - INRS - Fiche Toxicologique (toxicological sheet)
  - Patty - Industrial Hygiene and Toxicology
  - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
  - IFA GESTIS website
  - ECHA website
  - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy



0034076 - FN SILVER METALLIC  
EPY 10.5.2 - SDS 1004.13  
PAGE #: 12 / 12

## SECTION 16. OTHER INFORMATION ... / >>

### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

### CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2.

The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

### Changes to previous review:

The following sections were modified:

08 / 09 / 12 / 15.