Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu Printing Ink Block Set FSC100% MNA 974

Version: 1 / GB Date revised: 14.10.2021

Substance number: 1703900000081-974 Replaces Version: -/GB Print date: 05.08.22

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Marabu Printing Ink Block Set FSC100% MNA 974

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Screen printing ink

Identified Uses

SU21 Consumer uses: Private households (= general public = consumers)

PC9a Coatings and paints, thinners, paint removers

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Marabu GmbH & Co. KG Asperger Strasse 4 71732 Tamm Germany

Telephone no. +49-7141/691-0 Fax no. +49-7141/691-147

Information provided Department product safety

by / telephone

E-mail address of PRSI@marabu.com

person responsible

for this SDS

1.4. Emergency telephone number

(+49) (0)621-60-43333

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and

2-methyl-2H-isothiazol-3-one (3:1), 1,2-Benzisothiazol-3(2h)-one, May produce

an allergic reaction.

Supplemental information

Labelling according to regulation (EU) No 528/2012

Contains a biocidal product: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

2.3. Other hazards

No special hazards have to be mentioned.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

```
MSDS for #47216 - MRBU TXT PRT BLCK ST
Safety data sheet in accordance with regulation (EC) No 1907/2006
Trade name: Marabu Printing Ink Block Set FSC100% MNA 974
                                               Version: 1/GB
                                                                                       Date revised: 14.10.2021
                                                                                             Print date: 05.08.22
                                               Replaces Version: -/GB
Substance number: 1703900000081-974
      Pyridin-2-thiol-1-oxide, sodium salt
        CAS No.
                               3811-73-2
        EINECS no.
                               223-296-5
        Concentration
                                             0,001
                                                                0,1
                                                                           %
        Classification (Regulation (EC) No. 1272/2008)
                                                        H318
                               Eye Dam. 1
                               Acute Tox. 4
                                                        H302
                               Acute Tox. 4
                                                        H332
                               Aquatic Acute 1
                                                        H400
                               Aquatic Chronic 2
                                                        H411
        Concentration limits (Regulation (EC) No. 1272/2008)
                               Aquatic Acute 1
                                                 H400
                                                           M = 100
      1,2-Benzisothiazol-3(2h)-one
                               2634-33-5
        CAS No.
        EINECS no.
                               220-120-9
                                                                0,05
        Concentration
                                                                           %
        Classification (Regulation (EC) No. 1272/2008)
                               Aquatic Acute 1
                                                        H400
                               Skin Sens. 1
                                                        H317
                               Acute Tox. 4
                                                        H302
                               Skin Irrit. 2
                                                        H315
                               Eye Dam. 1
                                                        H318
                               Acute Tox. 2
                                                        H330
                               Aquatic Chronic 2
                                                        H411
        Concentration limits (Regulation (EC) No. 1272/2008)
                                                           >= 0,05
                               Skin Sens. 1
                                                 H317
      reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
        CAS No.
                               55965-84-9
        Concentration
                                                                0,001
                                                                           %
        Classification (Regulation (EC) No. 1272/2008)
                               Acute Tox. 2
                                                        H330
                               Aquatic Chronic 1
                                                        H410
                               Aquatic Acute 1
                                                        H400
                               Skin Sens. 1A
                                                        H317
                               Skin Corr. 1C
                                                        H314
                               Acute Tox. 2
                                                        H310
                               Acute Tox. 3
                                                        H301
                               Eye Dam. 1
                                                        H318
        Concentration limits (Regulation (EC) No. 1272/2008)
                               Skin Corr. 1C
                                                  H314
                                                           >= 0.6
                               Eye Irrit. 2
                                                  H319
                                                           >= 0,06 < 0,6
                               Skin Irrit. 2
                                                  H315
                                                           >= 0.06 < 0.6
                                                           >= 0,0015
                               Skin Sens. 1
                                                  H317
                               Aquatic Acute 1
                                                  H410
                                                           M = 100
                                                           M = 100
                               Aquatic Chronic
                                                  H410
                               Eye Dam. 1
                                                  H318
                                                           >= 0,6 %
```

SECTION 4: First aid measures

4.1. Description of first aid measures

Trade name: Marabu Printing Ink Block Set FSC100% MNA 974

Version: 1/GB

Date revised: 14.10.202

Print date: 05.08.22 Replaces Version: -/GB Substance number: 1703900000081-974

After skin contact

Wash with plenty of water and soap. Do NOT use solvents or thinners.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

After ingestion

Rinse mouth thoroughly with water. If larger amounts are swallowed or in the event of symptoms take medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / treatment

Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide, Foam, Sand, Water

5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO); dense black smoke; Nitrogen oxides (NOx)

5.3. Advice for firefighters

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No particular measures required.

6.2. Environmental precautions

No particular measures required.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent - avoid use of solvents.

6.4. Reference to other sections

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid skin and eye contact. Smoking, eating and drinking shall be prohibited in application area.

Advice on protection against fire and explosion

No special measures required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in frostfree conditions.

Trade name: Marabu Printing Ink Block Set FSC100% MNA 974

Version: 1/GB Date revised: 14.10.2021 Print date: 05.08.22

Replaces Version: -/GB Substance number: 1703900000081-974

7.3. Specific end use(s)

Paint

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

There are not known any further control parameters.

8.2. Exposure controls

Exposure controls

Provide adequate ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form liquid Colour coloured Odour odourless

Odour threshold

No data available Remarks

pH value

Value 9 to Temperature 20 °C

WTW PH 340 Method

Melting point

Remarks not determined

Freezing point

not determined Remarks

Initial boiling point and boiling range

°C Value appr.

Pressure 1.013 hPa

Source Literature value

Flash point

Remarks Not applicable

Evaporation rate (ether = 1):

Remarks not determined

Flammability (solid, gas)

Not applicable

Upper/lower flammability or explosive limits

not determined Remarks

Vapour pressure

Value appr. 23 hPa

Temperature 20 °C

Method Value taken from the literature

Vapour density

Remarks not determined

Density

Value 1,02 g/cm³

Trade name: Marabu Printing Ink Block Set FSC100% MNA 974

Version: 1/GB Date revised: 14.10.202 Print date: 05.08.22

Replaces Version: -/GB Substance number: 1703900000081-974

°C Temperature 20

Method **DIN EN ISO 2811**

Solubility in water

Remarks miscible

Ignition temperature

Remarks not determined

Viscosity

dynamic

Value 10000 25000 mPa.s to

Temperature °C 20

Method **Brookfield**

9.2. Other information

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

None

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

None

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

Based on available data, the classification criteria are not met. Remarks

Acute oral toxicity (Components)

1,2-Benzisothiazol-3(2h)-one

Species

LD50 1193 mg/kg

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)

1,2-Benzisothiazol-3(2h)-one

Species rat

LD50 4115 mg/kg

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu Printing Ink Block Set FSC100% MNA 974

Version: 1 / GB Date revised: 14.10.2021

Substance number: 1703900000081-974 Replaces Version: - / GB Print date: 05.08.22

Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Remarks Based on available data, the classification criteria are not met.

Sensitization

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Experience in practice

Provided all the recommended protective and safety precautions are taken, experience shows that no risk to health can be expected.

Other information

There are no data available on the mixture itself.

The mixture has been assessed following the additivity method of the CLP Regulation (EC) No 1272/2008 and classified for toxicological hazards accordingly.

SECTION 12: Ecological information

12.1. Toxicity

Item Numbers: 47216-1009

General information

There are no data available on the mixture itself.Do not allow to enter drains or water courses.The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as dangerous for the environment.

Fish toxicity (Components)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Species rainbow trout (Oncorhynchus mykiss)

LC50 0,188 mg/l

Duration of exposure 96 h

1,2-Benzisothiazol-3(2h)-one

Species rainbow trout (Oncorhynchus mykiss)

LC50 2,18 mg/l

Duration of exposure 96 h

Daphnia toxicity (Components)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Species Daphnia magna

EC50 0,126 mg/l

Duration of exposure 48 h

1,2-Benzisothiazol-3(2h)-one

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu Printing Ink Block Set FSC100% MNA 974

Version: 1 / GB Date revised: 14.10.2021

Substance number: 1703900000081-974 Replaces Version: - / GB Print date: 05.08.22

Species Daphnia magna

EC50 2,94 mg/l

Duration of exposure 48 h

Algae toxicity (Components)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Species Selenastrum capricornutum

EC50 0,027 mg/l

Duration of exposure 72 h

1,2-Benzisothiazol-3(2h)-one

Species Pseudokirchneriella subcapitata

ErC50 0,11 mg/l

Duration of exposure 72 h

12.2. Persistence and degradability

General information

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

General information

There are no data available on the mixture itself.

12.4. Mobility in soil

Item Numbers: 47216-1009

General information

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

General information

There are no data available on the mixture itself.

12.6. Other adverse effects

General information

There are no data available on the mixture itself.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Do not allow to enter drains or water courses.

Dispose of waste according to applicable legislation.

Dispose of as hazardous waste.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste.

Completely emptied packagings can be given for recycling.

SECTION 14: Transport information

Trade name: Marabu Printing Ink Block Set FSC100% MNA 974

Version: 1/GB

Substance number: 1703900000081-974 Replaces Version: -/GB Date revised: 14.10.202 Print date: 05.08.22

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	The product does not constitute a hazardous substance in land transport	The product does not constitute a hazardous substance in sea transport	The product does not constitute a hazardous substance in air transport
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
Subsidiary risk		-	-
Label			
14.4. Packing group	-	-	-
Transport category	0		
14.5. Environmental hazards		no	
	-		-

Information for all modes of transport

14.6. Special precautions for user

Transport within the user's premises:

Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC

VOC (EU) 0.35 % VOC (EU) 3,6 g/l

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 3

H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H314

Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu Printing Ink Block Set FSC100% MNA 974

Version: 1 / GB Date revised: 14.10.2021

Substance number: 1703900000081-974 Replaces Version: - / GB Print date: 05.08.22

H330 Fatal if inhaled.
H332 Harmful if inhaled.
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

CLP categories listed in Chapter 3

Acute Tox. 2 Acute toxicity, Category 2
Acute Tox. 3 Acute toxicity, Category 3
Acute Tox. 4 Acute toxicity, Category 4

Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1 Hazardous to the aquatic environment, chronic, Category 1
Aquatic Chronic 2 Hazardous to the aquatic environment, chronic, Category 2

Eye Dam. 1
Skin Corr. 1C
Skin Irrit. 2
Skin Sens. 1
Skin Sens. 1
Skin Sens. 1A
Serious eye damage, Category 1
Skin corrosion, Category 1C
Skin irritation, Category 2
Skin sensitization, Category 1
Skin sensitization, Category 1A

Supplemental information

Item Numbers: 47216-1009

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.
The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.

As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu Printing Ink Block Set FSC100% MNA 956

Version: 1 / GB Date revised: 14.10.2021

Substance number: 1703900000081-956 Replaces Version: - / GB Print date: 05.08.22

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Marabu Printing Ink Block Set FSC100% MNA 956

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Screen printing ink

Identified Uses

SU21 Consumer uses: Private households (= general public = consumers)

PC9a Coatings and paints, thinners, paint removers

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Marabu GmbH & Co. KG Asperger Strasse 4 71732 Tamm Germany

Telephone no. +49-7141/691-0 Fax no. +49-7141/691-147

Information provided Department product safety

by / telephone

E-mail address of PRSI@marabu.com

person responsible

for this SDS

1.4. Emergency telephone number

(+49) (0)621-60-43333

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

EUH208 Contains 2-Methyl-2H-isothiazol-3-one, reaction mass of

5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1),

1,2-Benzisothiazol-3(2h)-one, May produce an allergic reaction.

Supplemental information

Labelling according to regulation (EU) No 528/2012

Contains a biocidal product: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

2.3. Other hazards

No special hazards have to be mentioned.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

Page MSDS for #47216 - MRBU TXT PRT BLCK ST Safety data sheet in accordance with regulation (EC) No 1907/2006 Trade name: Marabu Printing Ink Block Set FSC100% MNA 956 Version: 1/GB Date revised: 14.10.2021 Print date: 05.08.22 Replaces Version: -/GB Substance number: 1703900000081-956 Pyridin-2-thiol-1-oxide, sodium salt CAS No. 3811-73-2 EINECS no. 223-296-5 Concentration 0,001 0,1 % Classification (Regulation (EC) No. 1272/2008) Eyè Dám. 1 H318 Acute Tox. 4 H302 Acute Tox. 4 H332 Aquatic Acute 1 H400 Aquatic Chronic 2 H411 Concentration limits (Regulation (EC) No. 1272/2008) Aquatic Acute 1 H400 M = 1001,2-Benzisothiazol-3(2h)-one 2634-33-5 CAS No. EINECS no. 220-120-9 0,05 % Concentration Classification (Regulation (EC) No. 1272/2008) Aquatic Acute 1 H400 Skin Sens. 1 H317 Acute Tox. 4 H302 Skin Irrit. 2 H315 Eye Dam. 1 H318 Acute Tox. 2 H330 Aquatic Chronic 2 H411 Concentration limits (Regulation (EC) No. 1272/2008) Skin Sens. 1 >= 0,05 H317 reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) CAS No. 55965-84-9 Concentration 0,001 % Classification (Regulation (EC) No. 1272/2008) Acute Tox. 2 H330 Aquatic Chronic 1 H410 Aquatic Acute 1 H400 Skin Sens. 1A H317 Skin Corr. 1C H314 Acute Tox. 2 H310 Acute Tox. 3 H301 Eye Dam. 1 H318 Concentration limits (Regulation (EC) No. 1272/2008) Skin Corr. 1C H314 >= 0.6>= 0,06 < 0,6 Eye Irrit. 2 H319 Skin Irrit. 2 H315 >= 0.06 < 0.6>= 0,0015 Skin Sens. 1 H317 Aquatic Acute 1 H410 M = 100M = 100Aquatic Chronic H410 Eye Dam. 1 H318 >= 0,6 % 2-Methyl-2H-isothiazol-3-one CAS No. 2682-20-4

<

0,0015

%

EINECS no.

Concentration

220-239-6

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu Printing Ink Block Set FSC100% MNA 956

Version: 1 / GB

Date revised: 14.10.202

Substance number: 1703900000081-956 Replaces Version: - / GB Print date: 05.08.22

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 3 H301 Acute Tox. 2 H330 Skin Corr. 1B H314 Eye Dam. 1 H318 Aquatic Acute 1 H400 Skin Sens. 1A H317 Aquatic Chronic 1 H410 Acute Tox. 3 H311

Concentration limits (Regulation (EC) No. 1272/2008)

Skin Sens. 1A H317 >= 0,0015 Aquatic Acute 1 H400 M = 10

SECTION 4: First aid measures

4.1. Description of first aid measures

After skin contact

Wash with plenty of water and soap. Do NOT use solvents or thinners.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

After ingestion

Rinse mouth thoroughly with water. If larger amounts are swallowed or in the event of symptoms take medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / treatment

Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide, Foam, Sand, Water

5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); dense black smoke; Nitrogen oxides (NOx)

5.3. Advice for firefighters

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No particular measures required.

6.2. Environmental precautions

No particular measures required.

6.3. Methods and material for containment and cleaning up

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu Printing Ink Block Set FSC100% MNA 956

Version: 1 / GB Date revised: 14.10.202

Substance number: 1703900000081-956 Replaces Version: - / GB Print date: 05.08.22

Clean preferably with a detergent - avoid use of solvents.

6.4. Reference to other sections

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid skin and eye contact. Smoking, eating and drinking shall be prohibited in application area.

Advice on protection against fire and explosion

No special measures required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in frostfree conditions.

7.3. Specific end use(s)

Paint

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

There are not known any further control parameters.

8.2. Exposure controls

Exposure controls

Provide adequate ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form liquid
Colour coloured
Odour odourless

Odour threshold

Remarks No data available

pH value

Value 7 to 9 Temperature 20 °C

Method WTW PH 340

Melting point

Remarks not determined

Freezing point

Remarks not determined

Initial boiling point and boiling range

Value appr. 100 °C
Pressure 1.013 hPa

Source Literature value

Flash point

Item Numbers: 47216-1009

Trade name: Marabu Printing Ink Block Set FSC100% MNA 956

Version: 1/GB Date revised: 14.10.2021

Print date: 05.08.22 Substance number: 1703900000081-956 Replaces Version: -/GB

Remarks Not applicable

Evaporation rate (ether = 1):

Remarks not determined

Flammability (solid, gas)

Not applicable

Upper/lower flammability or explosive limits

Remarks not determined

Vapour pressure

Value appr. 23 hPa °C

20 Temperature

Method Value taken from the literature

Vapour density

Remarks not determined

Density

g/cm³ Value 1.02

Temperature 20 °C **DIN EN ISO 2811** Method

Solubility in water

Remarks miscible

Ignition temperature

Remarks not determined

Viscosity

dynamic

Value 10000 25000 mPa.s to

Temperature 20 °C

Brookfield Method

9.2. Other information

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

None

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

None

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu Printing Ink Block Set FSC100% MNA 956

Version: 1 / GB Date revised: 14.10.2021

Substance number: 1703900000081-956 Replaces Version: - / GB Print date: 05.08.22

11.1. Information on toxicological effects

Acute oral toxicity

Remarks Based on available data, the classification criteria are not met.

Acute oral toxicity (Components)

1,2-Benzisothiazol-3(2h)-one

Species rat

LD50 1193 mg/kg

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)

1,2-Benzisothiazol-3(2h)-one

Species rat

LD50 4115 mg/kg

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Remarks Based on available data, the classification criteria are not met.

Sensitization

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Experience in practice

Provided all the recommended protective and safety precautions are taken, experience shows that no risk to health can be expected.

Other information

There are no data available on the mixture itself.

The mixture has been assessed following the additivity method of the CLP Regulation (EC) No 1272/2008 and classified for toxicological hazards accordingly.

SECTION 12: Ecological information

12.1. Toxicity

General information

There are no data available on the mixture itself.Do not allow to enter drains or water courses.The

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu Printing Ink Block Set FSC100% MNA 956

Version: 1 / GB Date revised: 14.10.202

Substance number: 1703900000081-956 Replaces Version: - / GB Print date: 05.08.22

mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as dangerous for the environment.

Fish toxicity (Components)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Species rainbow trout (Oncorhynchus mykiss)

LC50 0,188 mg/l Duration of exposure 96 h

1,2-Benzisothiazol-3(2h)-one

Species rainbow trout (Oncorhynchus mykiss)

LC50 2,18 mg/l

Duration of exposure 96 h

Daphnia toxicity (Components)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Species Daphnia magna

EC50 0,126 mg/l

Duration of exposure 48 h

1,2-Benzisothiazol-3(2h)-one

Species Daphnia magna

EC50 2,94 mg/l

Duration of exposure 48 h

Algae toxicity (Components)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Species Selenastrum capricornutum

EC50 0,027 mg/l

Duration of exposure 72 h

1,2-Benzisothiazol-3(2h)-one

Species Pseudokirchneriella subcapitata

ErC50 0,11 mg/l

Duration of exposure 72 h

12.2. Persistence and degradability

General information

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

General information

There are no data available on the mixture itself.

12.4. Mobility in soil

General information

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

General information

There are no data available on the mixture itself.

12.6. Other adverse effects

General information

Item Numbers: 47216-1009

There are no data available on the mixture itself.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Trade name: Marabu Printing Ink Block Set FSC100% MNA 956

Version: 1/GB

Replaces Version: -/GB Substance number: 1703900000081-956

Date revised: 14.10.202 Print date: 05.08.22

Disposal recommendations for the product

Do not allow to enter drains or water courses.

Dispose of waste according to applicable legislation.

Dispose of as hazardous waste.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste.

Completely emptied packagings can be given for recycling.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	The product does not constitute a hazardous substance in land transport	The product does not constitute a hazardous substance in sea transport	The product does not constitute a hazardous substance in air transport
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
Subsidiary risk		-	-
Label			
14.4. Packing group	-	-	-
Transport category	0		
14.5. Environmental hazards		no	
	-		-

Information for all modes of transport

14.6. Special precautions for user

Transport within the user's premises:

Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC

VOC (EU) VOC (EU) %

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

g/l

Trade name: Marabu Printing Ink Block Set FSC100% MNA 956

Date revised: 14.10.2021 Version: 1/GB

Print date: 05.08.22 Replaces Version: -/GB Substance number: 1703900000081-956

SECTION 16: Other information

Hazard statements listed in Chapter 3

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

CLP categories listed in Chapter 3

Acute Tox. 2	Acute toxicity, Category 2
Acute Tox. 3	Acute toxicity, Category 3
Acute Tox. 4	Acute toxicity, Category 4

Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment, chronic, Category 1 Hazardous to the aquatic environment, chronic, Category 2 Aquatic Chronic 2

Eye Dam. 1 Serious eye damage, Category 1 Skin Corr. 1B Skin corrosion, Category 1B Skin Corr. 1C Skin corrosion, Category 1C Skin irritation, Category 2 Skin Irrit. 2 Skin Sens. 1 Skin sensitization, Category 1 Skin Sens. 1A Skin sensitization, Category 1A

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.

As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu Printing Ink Block Set FSC100% MNA 914

Version: 1 / GB Date revised: 14.10.2021

Substance number: 1703900000081-914 Replaces Version: - / GB Print date: 05.08.22

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Marabu Printing Ink Block Set FSC100% MNA 914

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Screen printing ink

Identified Uses

SU21 Consumer uses: Private households (= general public = consumers)

PC9a Coatings and paints, thinners, paint removers

1.3. Details of the supplier of the safety data sheet

Address/Manufacturer

Marabu GmbH & Co. KG Asperger Strasse 4 71732 Tamm Germany

Telephone no. +49-7141/691-0 Fax no. +49-7141/691-147

Information provided Department product safety

by / telephone

E-mail address of PRSI@marabu.com

person responsible

for this SDS

1.4. Emergency telephone number

(+49) (0)621-60-43333

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

EUH208 Contains 2-Methyl-2H-isothiazol-3-one, reaction mass of

5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1),

1,2-Benzisothiazol-3(2h)-one, May produce an allergic reaction.

Supplemental information

Labelling according to regulation (EU) No 528/2012

Contains a biocidal product: reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

2.3. Other hazards

No special hazards have to be mentioned.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

	u Printing Ink Block Set F 1703900000081-914	Version:	1 / GE			Date revised: 14.10.2021 Print date: 05.08.22
		-				
Pyridin-2-thic CAS No. EINECS no. Concentratio		0,001	<	0,1	%	
		•		0,1	70	
Classificatio	n (Regulation (EC) No. 1 Eye Dam. 1 Acute Tox. 4 Acute Tox. 4 Aquatic Acute Aquatic Chror	: 1	H318 H302 H332 H400 H411			
Concentration	on limits (Regulation (EC) Aquatic Acute		,	100		
	niazol-3(2h)-one					
CAS No. EINECS no. Concentratio			<	0,05	%	
Concentration 2-Methyl-2H-i CAS No. EINECS no. Concentration	on n (Regulation (EC) No. 1 Acute Tox. 3	1 1 nic 2) No. 1272/ H317	<pre> >= (</pre>	0,05 0,0015	%	
Concentratio	Acute Tox. 2 Skin Corr. 1B Eye Dam. 1 Aquatic Acute Skin Sens. 1A Aquatic Chror Acute Tox. 3 on limits (Regulation (EC) Skin Sens. 1A	No. 1272/ History	>= (0,0015		
	Aquatic Acute s of 5-chloro-2-methyl-2 55965-84-9				nethyl-2H-is	othiazol-3-one (3:1)
CAS No. Concentration			<	0,001	%	
Classificatio	n (Regulation (EC) No. 1 Acute Tox. 2 Aquatic Chror Aquatic Acute Skin Sens. 1 <i>A</i>	nic 1 : 1	H330 H410 H400 H317			

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu Printing Ink Block Set FSC100% MNA 914

Version: 1 / GB Date revised: 14.10.202

Substance number: 1703900000081-914 Replaces Version: - / GB Print date: 05.08.22

 Skin Corr. 1C
 H314

 Acute Tox. 2
 H310

 Acute Tox. 3
 H301

 Eye Dam. 1
 H318

Concentration limits (Regulation (EC) No. 1272/2008)

Skin Corr. 1C H314 >= 0.6Eye Irrit. 2 H319 >=0.06<0.6Skin Irrit. 2 H315 >= 0.06 < 0.6Skin Sens. 1 H317 >=0,0015M = 100Aquatic Acute 1 H410 Aquatic Chronic H410 M = 100Eye Dam. 1 H318 >= 0.6 %

SECTION 4: First aid measures

4.1. Description of first aid measures

After skin contact

Wash with plenty of water and soap. Do NOT use solvents or thinners.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

After ingestion

Rinse mouth thoroughly with water. If larger amounts are swallowed or in the event of symptoms take medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / treatment

Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide, Foam, Sand, Water

5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); dense black smoke; Nitrogen oxides (NOx); Hydrogen chloride (HCl)

5.3. Advice for firefighters

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No particular measures required.

6.2. Environmental precautions

No particular measures required.

6.3. Methods and material for containment and cleaning up

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu Printing Ink Block Set FSC100% MNA 914

Version: 1 / GB Date revised: 14.10.202

Substance number: 1703900000081-914 Replaces Version: - / GB Print date: 05.08.22

Clean preferably with a detergent - avoid use of solvents.

6.4. Reference to other sections

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid skin and eye contact. Smoking, eating and drinking shall be prohibited in application area.

Advice on protection against fire and explosion

No special measures required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in frostfree conditions.

7.3. Specific end use(s)

Paint

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

There are not known any further control parameters.

8.2. Exposure controls

Exposure controls

Provide adequate ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form liquid
Colour coloured
Odour odourless

Odour threshold

Remarks No data available

pH value

Value 7 to 9 Temperature 20 °C

Method WTW PH 340

Melting point

Remarks not determined

Freezing point

Remarks not determined

Initial boiling point and boiling range

Value appr. 100 °C Pressure 1.013 hPa

Source Literature value

Flash point

Item Numbers: 47216-1009

Trade name: Marabu Printing Ink Block Set FSC100% MNA 914

Version: 1/GB Date revised: 14.10.2021

Print date: 05.08.22 Substance number: 1703900000081-914 Replaces Version: -/GB

°C

Remarks Not applicable

Evaporation rate (ether = 1):

Remarks not determined

Flammability (solid, gas)

Not applicable

Upper/lower flammability or explosive limits

Remarks not determined

Vapour pressure

Value appr. 23 hPa

20 Temperature

Method Value taken from the literature

Vapour density

Remarks not determined

Density

g/cm³ Value 1.02

Temperature 20 °C **DIN EN ISO 2811** Method

Solubility in water

Remarks miscible

Ignition temperature

Remarks not determined

Viscosity

dynamic

Value 10000 25000 mPa.s to

Temperature 20 °C

Brookfield Method

9.2. Other information

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

None

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

None

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu Printing Ink Block Set FSC100% MNA 914

Version: 1 / GB Date revised: 14.10.2021

Substance number: 1703900000081-914 Replaces Version: - / GB Print date: 05.08.22

11.1. Information on toxicological effects

Acute oral toxicity

Remarks Based on available data, the classification criteria are not met.

Acute oral toxicity (Components)

1,2-Benzisothiazol-3(2h)-one

Species rat

LD50 1193 mg/kg

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)

1,2-Benzisothiazol-3(2h)-one

Species rat

LD50 4115 mg/kg

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Remarks Based on available data, the classification criteria are not met.

Sensitization

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Experience in practice

Provided all the recommended protective and safety precautions are taken, experience shows that no risk to health can be expected.

Other information

There are no data available on the mixture itself.

The mixture has been assessed following the additivity method of the CLP Regulation (EC) No 1272/2008 and classified for toxicological hazards accordingly.

SECTION 12: Ecological information

12.1. Toxicity

General information

There are no data available on the mixture itself.Do not allow to enter drains or water courses.The

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Marabu Printing Ink Block Set FSC100% MNA 914

Version: 1 / GB Date revised: 14.10.2021

mg/l

Substance number: 1703900000081-914 Replaces Version: -/GB Print date: 05.08.22

mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as dangerous for the environment.

Fish toxicity (Components)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Species rainbow trout (Oncorhynchus mykiss)
LC50 0,188 mg/l

Duration of exposure 96 h

1,2-Benzisothiazol-3(2h)-one

Species rainbow trout (Oncorhynchus mykiss)

LC50 2,18 mg/l

Duration of exposure 96 h

Daphnia toxicity (Components)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Species Daphnia magna EC50 0,126

Duration of exposure 48 h

1,2-Benzisothiazol-3(2h)-one

Species Daphnia magna

EC50 2,94 mg/l

Duration of exposure 48 h

Algae toxicity (Components)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Species Selenastrum capricornutum

EC50 0,027 mg/l

Duration of exposure 72 h

1,2-Benzisothiazol-3(2h)-one

Species Pseudokirchneriella subcapitata

ErC50 0,11 mg/l

Duration of exposure 72 h

12.2. Persistence and degradability

General information

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

General information

There are no data available on the mixture itself.

12.4. Mobility in soil

Item Numbers: 47216-1009

General information

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

General information

There are no data available on the mixture itself.

12.6. Other adverse effects

General information

There are no data available on the mixture itself.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Trade name: Marabu Printing Ink Block Set FSC100% MNA 914

Version: 1/GB

Replaces Version: -/GB Substance number: 1703900000081-914

Date revised: 14.10.202

Print date: 05.08.22

Disposal recommendations for the product

Do not allow to enter drains or water courses.

Dispose of waste according to applicable legislation.

Dispose of as hazardous waste.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste.

Completely emptied packagings can be given for recycling.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	The product does not constitute a hazardous substance in land transport	The product does not constitute a hazardous substance in sea transport	The product does not constitute a hazardous substance in air transport
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)	-	-	-
Subsidiary risk		-	-
Label			
14.4. Packing group	-	-	-
Transport category	0		
14.5. Environmental hazards		no	
	-		-

Information for all modes of transport

14.6. Special precautions for user

Transport within the user's premises:

Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC

VOC (EU)

0,3 %

VOC (EU) 3,1 g/l

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

Trade name: Marabu Printing Ink Block Set FSC100% MNA 914

Date revised: 14.10.2021 Version: 1/GB

Print date: 05.08.22 Replaces Version: -/GB Substance number: 1703900000081-914

SECTION 16: Other information

Hazard statements listed in Chapter 3

H301	l oxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

Fatal if inhaled. H330 H332 Harmful if inhaled. H400 Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects. H410 H411 Toxic to aquatic life with long lasting effects.

CLP categories listed in Chapter 3

Acute Tox. 2	Acute toxicity, Category 2
Acute Tox. 3	Acute toxicity, Category 3
Acute Tox. 4	Acute toxicity, Category 4

Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment, chronic, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment, chronic, Category 2

Eye Dam. 1 Serious eye damage, Category 1 Skin Corr. 1B Skin corrosion, Category 1B Skin Corr. 1C Skin corrosion, Category 1C Skin Irrit. 2 Skin irritation, Category 2 Skin Sens. 1 Skin sensitization, Category 1 Skin Sens. 1A Skin sensitization, Category 1A

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.

As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.