Revision: 2

SAFETY DATA SHEET CHARBONNEL BATON LITHO / TUSCHE STICK

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of	of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	CHARBONNEL BATON LITHO / TUSCHE STICK
1.2. Relevant identified use	s of the substance or mixture and uses advised against
Identified uses	Graphic Design / Illustration Art Work
Uses advised against	No specific uses advised against are identified.
1.3. Details of the supplier of	of the safety data sheet
Supplier	ColArt International Holdings Ltd.
	The Studio Building
	21 Evesham Street
	London W11 4AJ
	United Kingdom
	+44 (0)208 424 3200
	R.Enquiries@colart.co.uk
Contact person	Regulatory Manager
Vanufacturer	ColArt International SA
	5 Rue Rene Panhard
	Z.I .Nord
	72021 Le Mans Cedex 2
	+33 2 43 83 83 00
.4. Emergency telephone	number
Emergency telephone	+44 (0)208 424 3200 This telephone number is available during office hours only 09:00 to
	17:00 GMT Language English.
SECTION 2: Hazards ident	ification
2.1. Classification of the sul	ostance or mixture
Classification	
Physical hazards	Not Classified
lealth hazards	Not Classified
Environmental hazards	Not Classified
2.2. Label elements	
Hazard statements	NC Not Classified
2.3. Other hazards	
This product does not conta	ain any substances classified as PBT or vPvB.
SECTION 3: Composition/ii	nformation on ingredients
3.2. Mixtures	
Composition comments	No ingredients classified as hazardous
SECTION 4: First aid meas	ures
4.1. Description of first aid r	
Jumbers: 47222-1001	1/7

Item Numbers: 47222-1001

Page 1 of 7

4.2. Most important symptoms and effects, both acute and delayed General information The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Inhelation No specific symptoms known. Spray/mists may cause respiratory tract irritation. Ingestion No specific symptoms known. May cause discomfort if swallowed. Skin contact No specific symptoms known. May cause discomfort. Eye contact No specific symptoms known. May be slightly irritating to eyes. 4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor Treat symptomatically. Specific treatments No specific symptoms be. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. 5.2. Special hazards arising from the substance or mixture Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to fiames with water until well after the fire is out. If a leak or spill has not ignited, use water spray tod disprese vapours and protect men stoping the leaks.<	General information	If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical personnel.
Rinse mouth. Get medical attention if any discomfort continues. Skin contact No specific recommendations. Rinse with water. Get medical attention if any discomfort continues. Eye contact Rinse with water. Get medical attention if any discomfort continues. Protection of first alders Use protective equipment appropriate for surrounding materials. 4.2. Most important symptoms and effects, both acute and delayed General information The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Inhalation No specific symptoms known. May cause discomfort if swallowed. Skin contact No specific symptoms known. May cause discomfort. Eye contact No specific symptoms known. May cause discomfort. Notes for the doctor Treat symptomatically. Specific treatments No special treatment required. SECTION 5: Firefighting media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Suitable extinguishing media Containers can burst violently or explode when heated, due to excessive pressure build-up. Haranful gases or vapours. Firefighters Special hazards arising from the substance or mkture Special carearis in the rowater from thome fire area if it can be done without risk. Cocl co	Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if any
continues. Eye contact Rinse with water. Get medical attention if any discomfort continues. Protection of first aiders Use protective equipment appropriate for surrounding materials. 4.2. Most Important symptoms Important symptoms General information The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Inhalation No specific symptoms known. Syray/mists may cause respiratory tract irritation. Ingestion No specific symptoms known. May cause discomfort. Eye contact No specific symptoms known. May cause discomfort. Eye contact No specific symptoms known. May cause discomfort. Eye contact No specific symptoma known. May be slightly irritating to eyes. 4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor Treat symptomatically. Specific treatments No specific is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Suitable extinguishing media Containers can burst violently or explode when heated, due to excessive pressure build-up. Firefightering Thermal decomposition or combustion products may include the following substances: Hamful gases or vapours.	Ingestion	
Protection of first aiders Use protective equipment appropriate for surrounding materials. 4.2. Most important symptoms and effects, both acute and delayed General Information The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Inhalation No specific symptoms known. Spray/mists may cause respiratory tract irritation. Ingestion No specific symptoms known. May cause discomfort if swallowed. Skin contact No specific symptoms known. May cause discomfort. Eye contact No specific symptoms known. May cause discomfort. A.3. Indication of any immediate medical attention and special treatment needed Not specific symptomatically. Specific treatments No specific somptomatically. Specific treatments No specific source. Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. Specific hazards arising from the substance or mixture Specific hazards arising from the substance or ombustion products may include the following substances: Harmful gases or vapours. Specidi hazards during fire gases or vapours. Evacuate area. Cool conta	Skin contact	
4.2. Most important symptoms and effects, both acute and delayed General information The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Inhelation No specific symptoms known. Spray/mists may cause respiratory tract irritation. Ingestion No specific symptoms known. May cause discomfort if swallowed. Skin contact No specific symptoms known. May cause discomfort. Eye contact No specific symptoms known. May be slightly irritating to eyes. 4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor Treat symptomatically. Specific treatments No special treatment required. SECTION 5: Firefighting media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. 5.2. Special hazards arising from the substance or mixture Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up. Hazardous combustion products may include the following substances: Harmful gases or vapours. 5.3. Advice for firefightere Protective actions during fire gases or vapours. Evacuate area. Cool containeres expose	Eye contact	Rinse with water. Get medical attention if any discomfort continues.
General information The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Inhalation No specific symptoms known. Spray/mists may cause respiratory tract irritation. Ingestion No specific symptoms known. May cause discomfort if swallowed. Skin contact No specific symptoms known. May cause discomfort. Eye contact No specific symptoms known. May cause discomfort. Stop contact No specific symptoms known. May be slightly irritating to eyes. 4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor Treat symptomatically. Specific treatments No special treatment required. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up. Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. 5.3. Advice for finefighters Avoid breathing fire	Protection of first aiders	Use protective equipment appropriate for surrounding materials.
InhalationNo specific symptoms known. Spray/mists may cause respiratory tract irritation.IngestionNo specific symptoms known. May cause discomfort if swallowed.Skin contactNo specific symptoms known. May cause discomfort.Eye contactNo specific symptoms known. May be slightly irritating to eyes.4.3. Indication of any immediate medical attention and special treatment neededNotes for the doctorTreat symptomatically.Specific treatmentsNo special treatment required.SECTION 5: Firefighting meatures5.1. Extinguishing mediaSuitable extinguishing mediaSuitable extinguishing mediaContainers can burst violently or explode when heated, due to excessive pressure build-up.Hazardous combustionThermal decomposition or combustion products may include the following substances:ForductsAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	4.2. Most important symptoms	and effects, both acute and delayed
IngestionNo specific symptoms known. May cause discomfort if swallowed.Skin contactNo specific symptoms known. May cause discomfort.Eye contactNo specific symptoms known. May be slightly irritating to eyes.4.3. Indication of any immediate medical attention and special treatment neededNotes for the doctorTreat symptomatically.Specific treatmentsNo special treatment required.SECTION 5: Firefighting measures5.1. Extinguishing mediaSuitable extinguishing mediaSuitable extinguishing mediaDo not use water jet as an extinguisher, as this will spread the fire.Specific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up.Hazardous combustion productsForteertive actions during fire gases or vapours.5.3. Advice for firefightersProtective actions during fire spray and remove them from the fire area if it can be done without risk. Cool containers exposed to heat with water spray and remove them from the fire is out. If a leak or spil has not ignited, use water spray to disperse vapours and protective actions during the spray and remove them from the fire is oppratus (SCBA) and appropriate protective clothing. FirefightersSpecial protective equipmentWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	General information	
Skin contact No specific symptoms known. May cause discomfort. Eye contact No specific symptoms known. May be slightly irritating to eyes. 4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor Treat symptomatically. Specific treatments No special treatment required. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. 5.2. Special hazards arising from the substance or mixture Specific hazards Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up. Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Harmol gases or vapours. 5.3. Advice for firefighters Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Special protective equipment Wear positive	Inhalation	No specific symptoms known. Spray/mists may cause respiratory tract irritation.
Eye contact No specific symptoms known. May be slightly irritating to eyes. 4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor Treat symptomatically. Specific treatments No special treatment required. SECTION 5: Firefighting measures	Ingestion	No specific symptoms known. May cause discomfort if swallowed.
4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor Treat symptomatically. Specific treatments No special treatment required. SECTION 5: Firefighting measures	Skin contact	No specific symptoms known. May cause discomfort.
Notes for the doctor Treat symptomatically. Specific treatments No special treatment required. SECTION 5: Firefighting measures 5.1. 5.1. Extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. 5.2. Special hazards arising from the substance or mixture Specific hazards Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up. Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. 5.3. Advice for firefighters Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	Eye contact	No specific symptoms known. May be slightly irritating to eyes.
Specific treatments No special treatment required. SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media Do not use water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire. 5.2. Special hazards arising from the substance or mixture Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up. Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. 5.3. Advice for firefighters Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	4.3. Indication of any immedia	te medical attention and special treatment needed
SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media Do not use water fog. Use fire-extinguishing media suitable for the surrounding fire. Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. 5.2. Special hazards arising from the substance or mixture Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up. Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. 5.3. Advice for firefighters Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	Notes for the doctor	Treat symptomatically.
5.1. Extinguishing media Suitable extinguishing media Suitable extinguishing media Do not use water fog. Use fire-extinguishing media suitable for the surrounding fire. Unsuitable extinguishing media 5.2. Special hazards arising from the substance or mixture Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up. Hazardous combustion products Fortective actions during firefighters Protective actions during firefighting Avoid breathing fire gases or vapours. Exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	Specific treatments	No special treatment required.
Suitable extinguishing mediaThe product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.Unsuitable extinguishing mediaDo not use water jet as an extinguisher, as this will spread the fire.5.2. Special hazards arising from the substance or mixtureSpecific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Harmful gases or vapours.5.3. Advice for firefightersAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	SECTION 5: Firefighting meas	sures
powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.Unsuitable extinguishing mediaDo not use water jet as an extinguisher, as this will spread the fire.5.2. Special hazards arising from the substance or mixtureSpecific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Harmful gases or vapours.5.3. Advice for firefighters Protective actions during firefightingAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	5.1. Extinguishing media	
media5.2. Special hazards arising from the substance or mixtureSpecific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Harmful gases or vapours.5.3. Advice for firefightersAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	Suitable extinguishing media	
Specific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Harmful gases or vapours.5.3. Advice for firefightersAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. 5.3. Advice for firefighters Protective actions during firefighting Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	5.2. Special hazards arising from	om the substance or mixture
productsHarmful gases or vapours.5.3. Advice for firefightersProtective actions during firefightingAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up.
Protective actions during firefighting Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.		
firefightingwater spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	5.3. Advice for firefighters	
for firefighters clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	Protective actions during firefighting	water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use
	Special protective equipment for firefighters	clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,
SECTION 6: Accidental release measures		

Item Numbers: 47222-1001

Page 2 of 7

6.1. Personal precautions, protective equipment and emergency procedures	
Personal precautions	No specific recommendations. For personal protection, see Section 8.
6.2. Environmental precaution	S
Environmental precautions	 Avoid discharge into drains or watercourses or onto the ground.
6.3. Methods and material for containment and cleaning up	
Methods for cleaning up	Reuse or recycle products wherever possible. Absorb spillage to prevent material damage. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of contents/container in accordance with national regulations.
6.4. Reference to other section	ns
Reference to other sections	For personal protection, see Section 8.
SECTION 7: Handling and sto	orage
7.1. Precautions for safe hand	lling
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.
7.2. Conditions for safe storag	e, including any incompatibilities
Storage precautions	No specific recommendations.
Storage class	Unspecified storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure Control	Is/personal protection
8.1. Control parameters	
Ingredient comments	No exposure limits known for ingredient(s).
8.2. Exposure controls	
Appropriate engineering controls	No specific ventilation requirements.
Eye/face protection	No specific eye protection required during normal use. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	No specific hand protection recommended.
Hygiene measures	Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.
Respiratory protection	No specific recommendations. Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.
Environmental exposure controls	Not regarded as dangerous for the environment.
SECTION 9: Physical and Chemical Properties	

Item Numbers: 47222-1001

Page 3 of 7

	last and share last man offer
9.1. Information on basic phys	
Appearance	Sticks.
Colour	Black.
Odour	Characteristic.
Initial boiling point and range	>300°C @ 760 mm Hg
Flash point	>230°C CC (Closed cup).
Relative density	1.4 @ 20°C
Solubility(ies)	Insoluble in water
Auto-ignition temperature	>300°C
9.2. Other information	
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the
	prescribed storage conditions.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	No potentially hazardous reactions known.
10.4. Conditions to avoid	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decomposition	on products
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
SECTION 11: Toxicological in	formation
11.1. Information on toxicologi	ical effects
Toxicological effects	Not regarded as a health hazard under current legislation.
Acute toxicity - oral Notes (oral LD∞)	Based on available data the classification criteria are not met.
	based on available data the classification chtena are not met.
Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation Notes (inhalation LC∞)	Based on available data the classification criteria are not met.
Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met.

Item Numbers: 47222-1001

Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.
General information	No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known. Spray/mists may cause respiratory tract irritation.
Ingestion	No specific symptoms known. May cause discomfort if swallowed.
Skin contact	No specific symptoms known. May cause discomfort.
Eye contact	No specific symptoms known. May be slightly irritating to eyes.
Acute and chronic health hazards	No specific health hazards known.
Route of entry	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.
SECTION 12: Ecological Information	
Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
12.1. Toxicity	
Toxicity	Based on available data the classification criteria are not met.
12.2. Persistence and degradability	
Persistence and degradability	The degradability of the product is not known.

Item Numbers: 47222-1001

Bioaccumulative potential	No data available on bioaccumulation.
12.4. Mobility in soil	
Mobility	No data available.
12.5. Results of PBT and vP	
12.6. Other adverse effects	
Other adverse effects	None known.
SECTION 13: Disposal cons	iderations
13.1. Waste treatment metho	ods
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Waste class	08 01 12 waste paint and varnish other than those mentioned in 08 01 11
SECTION 14: Transport info	rmation
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.1. UN number	
Not applicable.	
14.2. UN proper shipping na	me
Not applicable.	
14.3. Transport hazard class	<u>(es)</u>
No transport warning sign re-	quired.
14.4. Packing group	
Not applicable.	
14.5. Environmental hazards	
Environmentally hazardous s	substance/marine pollutant
14.6. Special precautions for	user
Not applicable.	
14.7. Transport in bulk accor	ding to Annex II of MARPOL73/78 and the IBC Code
Transport in bulk according t Annex II of MARPOL 73/78 and the IBC Code	o Not applicable.

National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.
EU legislation	 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Training advice	Read and follow manufacturer's recommendations.
Revision date	10/09/2015
Revision	2
Supersedes date	13/03/2015
Risk phrases in full	Not classified.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.