



52879-1001

1336 N Mason * Portland, OR 97217 * Ph.503.253.7308 * Fx.503.253.0721

e-mail: info@iwata-medea.com * website: www.iwata-medea.com

Medea Airbrush Cleaner

6 500 04 4 oz. Airbrush Cleaner

6 500 08 8 oz. Airbrush Cleaner

6 500 16 16 oz. Airbrush Cleaner

6 500 32 23 oz. Airbrush Cleaner

6 500 50 1 Gal Airbrush Cleaner

6 360 16 Cleaner with 360 Nozzle

6 600 POP 24 Piece POP Display

6 600 80 80 Count Tub

6 600 12 Wipes 12 Ct Pouch

CL 100 Cleaning Kit

1 Identification

Product identifier**Trade name:** Super Flow SF -55**Product number:** CCFI 01473**CAS number:** Not available**EC number:** Not available**Index number:** Not available**Product description:** Cleaner**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Custom Chemical Formulators, Inc.

8707 Millersgrove Drive

Santa Fe Springs, CA 90670

Ph: (800) 424-9300

Iwata-Medea
1336 N Mason Street, Portland, OR 97217
info@iwata-medea.com
503-253-7308

2 Hazards(s) identification

Hazard pictograms:



Signal word: Irritant

Hazard statements:

Eyes:

Direct contact with concentrated product may cause moderate irritation and tearing.

Skin:

Repeated or prolonged contact may cause irritation or drying.

Inhalation:

Breathing dust or mist may irritate the nose and throat.

Ingestion:

Swallowing large quantities may cause nausea, vomiting, diarrhea and abdominal pain.

Chronic Overexposure:

None know

3 Composition/information on ingredients

Chemical characterization: Clear liquid

Formula: Proprietary

4 First-aid measures

Description of first aid measures

After inhalation: Move subject to fresh air. If breathing is difficult, obtain medical help

After skin contact: Wash affected area with water. Consult a physician if irritation persists.
After eye contact: Flush eyes with a large amount of water for at least 15 minutes.
After swallowing: Never give anything by mouth to an unconscious person. Do not induce vomiting. Give large quantities of water. Get medical attention immediately.

5 Fire-fighting measures

Flash point °F (test method):	Not available
Autoignition Temperature:	Not available
Flammability Limits in air (% V):	Not determined
Extinguishing Media:	Water, Carbon Dioxides, Foam, Dry Chemical.
Special Fire Fighting Procedures:	Wear self contained breathing apparatus & full protective equipment.
Unusual Fire & Explosion Hazards:	Extinguish all nearby sources of ignition

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures:
Environmental precautions:
See Section 7 for information on safe handling:
See Section 8 for information on personal protection equipment
See Section 13 for disposal information

7 Handling and storage

Handling:

No special precautions.

8 Exposure controls/personal protection**Personal protective equipment:**

General protective and hygienic measures:

Breathing equipment: Not needed

Protection of hands: Neoprene or rubber gloves

Eye protection: safety glasses

9 Physical and chemical properties**Information on basic physical and chemical properties****General information**

Physical state: Liquid

Odor threshold: Not available

pH-value: Not applicable

Melting point: Not available

Freezing Point: Not available

Initial boiling point: Not available

Flash point: Not available

Evaporation rate: Not available

Flammability (solid, gas): Not available

Explosion limits: Not available

Vapor pressure: Not available

Vapor density: Not available

Relative density: Not available

Solubility: Not available

Partition coefficient:

Auto-ignition temperature: Not available

Decomposition temperature: Not available

10 Stability and reactivity

Product Stability:	Stable
Conditions to avoid:	Extreme heat, spark, open flame
Chemical Incompatibility:	Strong acid, avid vapor. May produce carbon Dioxide, carbon monoxide.
Hazardous Decomposition:	N/D
Hazardous Polymerization:	Will not occur
Corrosive to metal:	No
Oxidize :	No

11 Toxicological information

Information on toxicological effects

Acute toxicity:

Primary irritant effect:

on the skin: Repeated or prolonged contact may cause irritation or drying

on the eye: Direct contact with concentrated solution may cause irritation or tearing

Sensitization: Not available

Additional toxicological information: None

12 Ecological information

Environmental toxicity date: None available.

Spill or leak procedures: Contain, collect and dispose of per local, state and federal regulations.

Additional ecological information: None available.

13 Disposal considerations

Recommendation: Per local, state, federal regulations

14 Transport information

Not classified as hazardous for transport
NOT REGULATED FOR TRANSPORT BY IATA
Special precautions: None needed

15 Regulatory information

NTP:	National Toxicology Program
IARC:	International Agency for Research on Cancer
Proposition 65:	This product does not contain ingredients on the list of proposition 65. State of California Safe Drinking Water and Toxic Enforcement act of 1986.
Section 313 Sara Title III:	The chemical (s) marked with a "yes" on section 313 are subject to the reporting requirements of this section

16 Other information

Abbreviations and acronyms: N/A
Date of preparation/last revision: 6/30/2020
While Custom Chemical Formulators believes the statements set forth herein are accurate as of the date hereof, Custom Chemical Formulators makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data are offered solely

for your consideration, investigation, and verification.



Safety Data Sheet Iwata Lube

6/30/2017

015 002 2cc Iwata Lube
015 001 10cc Iwata Lube

Section 1: Product Name & Company Identification

Manufacturer: Artool Products Co., Inc.
Distributor: Anest Iwata-Medea, Inc.
1336 N. Mason Street
Portland, Oregon 97217
United States of America
Phone: (503) 253 7308 **Fax:** (503) 253 0721

Emergency Phone Numbers
USA (503) 253 7308 (Normal Business Hrs.)
USA & Canada Chemtrec (800) 424 9300
International Chemtrec (703) 527 3887

Recommend Usage: Airbrush Lubricant
Other identifier: Mixture

Product Name: “Iwata Lube” (Artool AB 120)

Section 2: Hazards Identification

Classification of the Mixture: Oil

Most Important Hazards: This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Hazard Classifications: N/A

Signal Word: N/A

Hazard Pictograms: N/A



ANEST IWATA-MEDEA, Inc.

N/A

Hazard Statements:**Precautionary Statements:**

N/A

Carcinogenicity:**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible, or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible, or confirmed human carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible, or confirmed human carcinogen by NTP

Section 3: Composition Information on Ingredients**Ingredient****Weight %****CAS #**

To the knowledge of the supplier, there are no other ingredients in this product that are classified as hazardous.



ANEST IWATA-MEDEA, Inc.

Section 4: First Aid Measures

Eyes: Flush eyes with running water for at least 15 minutes. If redness, burning, blurred vision or irritation persists, transport to nearest medical facility for additional treatment.

Skin: Flush skin with water, wash with soap and water. If irritation occurs, get medical attention. Remove contaminated clothing. Do not reuse clothing until cleaned. If material is injected under the skin, transport to the nearest medical facility for additional treatment. If redness, swelling, pain and/or blisters occur, transport to the nearest medical facility for additional treatment.

Ingestion: Do NOT induce vomiting and obtain medical attention. Have victim rinse mouth out with water. If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If the victim has difficulty breathing or tightness of the chest, is dizzy, vomiting or unresponsive, give oxygen with rescue breathing or CPR as required and transport to the nearest medical facility.

Section 5: Fire Fighting Measures

Base Oil Flash Point (ASTM D92):	>220 °C
Auto Ignition Temperature:	Not Determined
Suitable Extinguishing Media:	Carbon Dioxide (CO ₂) Dry powder Foam Alcohol-resistant foam Water mist

Special Firefighting Measures:

Procedures for an oil fire should be utilized. Use self-contained breathing apparatus. Water may be used only to keep surrounding containers cool. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.

1336 N. Mason St., Portland, OR 97217 USA

503-253-7308 x2000 | Fax 503-253-0721 | info@iwata-medea.com | www.iwata-airbrush.com



ANEST IWATA-MEDEA, Inc.

Section 6: Accidental Release Measures

- Personal Precautions/Procedures:** Use PPE and ensure adequate ventilation.
- Environmental Precautions:** Should not be released into the environment.
Do not contaminate water.
Do not flush to surface water or sanitary sewer system.
- Methods and Materials for Containment/Clean Up:** Contain spillage, soak up with non-combustible absorbent material (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local/national regulations (see section 13).

Section 7: Handling and Storage

- Handling and Storage Precautions**
- Avoid heat, open flames, including pilot lights, and strong oxidizing agents.
 - Use explosion-proof ventilation to prevent vapor accumulation.
 - Ground all handling equipment to prevent sparking.
 - Avoid contact with eyes, skin, and clothing.
 - Wash thoroughly after handling.
 - Do not eat, drink, or smoke when using this product.
 - Have appropriate fire extinguishers and spill clean-up equipment in or near storage area.

Section 8: Personal Protection/Exposure Controls

- Engineering Controls:** Use adequate ventilation to keep vapors and mists of this material below applicable standards. Recommended work place control parameters: based on mineral oil ACGIH TWA 5 mg/m³.

1336 N. Mason St., Portland, OR 97217 USA

503-253-7308 x2000 | Fax 503-253-0721 | info@iwata-medea.com | www.iwata-airbrush.com

**ANEST IWATA-MEDEA, Inc.****Respiratory Protection:**

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, an approved respirator must be worn (OSHA Respiratory Protection Standard 29 CFR 1910.134).

Skin Protection:

Use protective clothing that is chemically resistant to this product.
Acceptable materials for gloves and aprons are: neoprene, nitrile rubber or Viton.

Eye Protection:

Use safety glasses or goggles. Have suitable eye wash water available.

Section 9: Physical and Chemical Properties

Color:	clear/colorless
Appearance:	Liquid
Specific Gravity:	0.8-0.9
Solubility in Water:	Insoluble
Vapor Pressure:	Not Determined
% Volatile by Volume:	Not Determined
Evaporation Rate:	Not Determined
Odor:	Characteristic
Vapor Density (air = 1):	Not Determined
Boiling Point:	Not Determined
Reactivity in Water:	Not Reactive

Section 10: Stability and Reactivity

Stability:	The product is stable.
Conditions to Avoid:	Sources of ignition.
Incompatibility:	Strong oxidizing or reducing agents.
Decomposition Products:	Oxides of carbon and hydrogen.
Hazardous Polymerization:	Will not occur.

Section 11: Stability and Reactivity

Likely Routes of Exposure:	Inhalation, skin, eyes, and ingestion.
Potential Health Effects:	
Eye Effects:	Can cause irritation, redness, burns, and tissue destruction.
Skin Effects:	Can cause inflammation, and significant irritation.
Oral Effects:	Gastrointestinal tract irritation, nausea, and vomiting if swallowed.
Inhalation Effects:	May cause respiratory tract irritation.

1336 N. Mason St., Portland, OR 97217 USA

503-253-7308 x2000 | Fax 503-253-0721 | info@iwata-medea.com | www.iwata-airbrush.com

**ANEST IWATA-MEDEA, Inc.**

Chronic Health Effects:	No data available to indicate product or components present in Mixture are chronic health hazards.
Mutagenicity:	Negative
Reproductive Effects:	Not Determined
Teratogenicity:	Not Determined
Sensitization:	See Section 2
Toxicological Data:	ATE oral is >2,000 mg/kg ATE dermal is > 4,000 mg/kg ATE inhalation (mist/aerosol) is estimated at 2.2 mg/L/4 h

Section 12: Ecological Information

Not classified due to inadequate data available on this mixture. Highly recommend avoidance of release to environment.

Section 13: Disposal Considerations

Avoid release to the environment. Dispose in a safe manner in accordance with national, state and local regulations. Not a RCRA hazardous waste if uncontaminated. If "used" RCRA criteria must be determined. Dispose of container by recycling or if permitted incineration.

Section 14: Transportation Information

Proper Shipping Name:	Food-Grade Oil; NOT REGULATED AS A HAZARDOUS MATERIAL FOR TRANSPORTATION
	UNDER 49 CFR.
Shipping Class:	65
DOT Identification Number:	N/A
DOT Shipping Label:	Not Regulated by DOT.
TDG Classification:	Not controlled under TDG (Canada)

Section 15: Regulatory Information**U.S. Federal Regulatory Information**

SARA 302 Threshold Planning Quantity:	N/A
SARA 304 Reportable Quantity:	N/A
Sara 311 Categories:	
Acute Health Effects:	None
Chronic Health Effects:	None
Fire Hazard:	No
Sudden Release of Pressure Hazard:	No
Reactivity Hazard:	No
EPA/TSCA Inventory:	Listed

1336 N. Mason St., Portland, OR 97217 USA

503-253-7308 x2000 | Fax 503-253-0721 | info@iwata-medea.com | www.iwata-airbrush.com



ANEST IWATA-MEDEA, Inc.

EPA Classification Code:

N/A

CERCLA:

No components are subject to reporting.

Sara Title III-Section 313 Supplier Notification:

No components listed in this product exceed the

DE Minimus reporting level established by SARA

Title III< Section 313 and 40 CFR 372.

WHMIS Classification:

See Section 2.

Other Regulations:

All components of this formulation are listed on the CEPA-DSL

Section 16: Other Information**NFPA Hazard Rating:**

Health:	0
Flammability:	1 Slight
Reactivity:	0

SDS Dated: 9/11/2016***Threshold Limit Value/Personal Exposure Limit**N/A = Not ApplicableN/E = Not Established

1336 N. Mason St., Portland, OR 97217 USA

503-253-7308 x2000 | Fax 503-253-0721 | info@iwata-medea.com | www.iwata-airbrush.com