

HARDWOODS (BASS, MAHOGANY, MAPLE, WALNUT, CHERRY) AND ASSOCIATED SAWDUST

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name	Hardwoods (bass, mahogany, maple, walnut, cherry) and Associated Sawdust (<i>Ochroma lagopus</i> and <i>Ochroma pryramidale</i>)
Article Number	NA
Other Names	NA
Product Use	Structural core material, model making, surfboards.
Company Name	Midwest Products Co., Inc
Address	400 S Indiana St
	Hobart, Indiana 46342
	United States of America
Telephone Number	+12199421134
Emergency Telephone	+12199421134

2. HAZARDS IDENTIFICATION

HAZARDOUS SUBSTANCE. NOT DANGEROUS GOODS.

Wood dust is classified as hazardous according to the criteria of OSHA and California Prop 65

Risk Phrases	For wood dust:
	R2 Risk of explosion by fire or other source of ignition.
	R36 Irritating to eyes.
	R37 Irritating to respiratory system.
	R42 May cause sensitization by inhalation.
	R43 May cause sensitization by skin contact.
	R49 May cause cancer by inhalation.
Safety Phrases	S16 Keep away from sources of ignition.
	S22 Do not breathe dust.
	S25 Avoid contact with eyes
	S39 Wear eye / face protection.
	S51 Use only in well ventilated areas.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient (common name)	CAS Number	Proportion of Ingredients
Hardwoods	NA	100%

Product contains no hazardous ingredients per 29 CFR 1910.1200

4. FIRST AID MEASURES

2/07/2005

HARDWOODS (BASS, MAHOGANY, MAPLE, WALNUT, CHERRY) AND ASSOCIATED SAWDUST

1/6



Inhalation	In mild cases of hardwoods dust inhalation, remove affected person from the area and into fresh air. In extreme cases, when breathing is hindered or stopped, immediately call emergency medical services. If breathing is hindered, give oxygen. If breathing is stopped administer CPR.
Ingestion Skin Eyes	If large quantities have been ingested, seek prompt medical attention. Wash dust off of skin with soap and water. Irrigate eyes with water, lifting lower and upper eyelids. If irritation persists, seek medical attention.

5. FIRE FIGHTING MEASURES

	For major fires call the Fire Department. Ensure that an escape path is available from any fire.
Suitable Extinguishing Media	Smother flames with water, dry chemical CO_2 . Wood will
	smolder unless fully extinguished. Wet wood dust with water to prevent dispersion into the air.
Precautions for Fire Fighters	Wood dust is a strong to severe explosion hazard if a dust "cloud" contacts an ignition source. Wear protective clothing and self contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Methods for Containment and Cleanup Pick up wood mechanically. Sweep up or vacuum any dust, taking care not to inhale the dust.

7. HANDLING AND STORAGE

StorageStore in a dry place.HandlingDo not breathe in any wood dust and avoid eye contact with wood dust.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Standard OSHA	Wood dust (hardwood wood): TWA: = 15 mg/m ³ (total dust) TWA = 5 mg/ m ³ (respirable fraction)		
Engineering Controls	Ensure adequate ventilation when working with hardwoods and dust is created. Work areas should be cleaned daily and dust should be removed by vacuum cleaning or the wet sweeping method. Under factory conditions, sawing, drilling and sanding should be done with equipment fitted with local exhaust devices capable of removing wood dust, at the source. Hand power tools should be fitted with dust bags and used in well ventilated areas.		
Personal Protection Respiratory Protection	Wear a breathing filter mask when working with hardwoods and dust is created.		
HARDWOODS (BASS, M	IAHOGANY, MAPLE, WALNUT, CHERRY) AND ASSOCIATED		

HARDWOODS (BASS, MAHOGANY, MAPLE, WALNUT, CHERRY) AND ASSOCIATED SAWDUST



2/5

Body ProtectionWear overalls when working with hardwoods and dust is created.
Clean skin thoroughly after work.Eye protectionWear safety glasses when working with hardwoods.

2/07/2005 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance White to dark brown colored woods. The grain of the wood is hard to the touch. hardwood dust is white to light brown colored fibrous dust. Odor None Vapor Pressure Not applicable Density at 20°C 60 - 250kg/m³ Freezing / Melting point Not applicable No information available рΗ . Solubility Insoluble **Specific Gravity** No information available Flash Point No Information available Flammable Limits LEL No information available Flammable Limits UEL No information available **Ignition Temperature** > 200°C

10. STABILITY AND REACTIVITY

Chemical Stability Hazardous Decomposition	Stable Products	Carbon monoxide, carbon dioxide, organic acids, traces of hydrocarbons.
Hazardous Reactions		may pose a strong to severe explosion hazard if cloud of comes into contact with an ignition source.
Incompatible Materials Conditions to Avoid	Strong oxi	dizers may cause wood to ignite. y from sources of ignition.

11. TOXICOLOGICAL INFORMATION

Toxicity Studies	No information available
Routes of Exposure	Inhalation, Ingestion, Eye, Skin

2/07/2005

HARDWOODS (BASS, MAHOGANY, MAPLE, WALNUT, CHERRY) AND ASSOCIATED SAWDUST

3/6



Health Effects from Likely Routes of Exposure	Inhalation: Breathing in or inhaling wood dust can cause mild dryness and obstruction of the nasal passages. Excessive inhalation of wood dust can cause coating of the lungs, resulting in asphyxiation. Coughing, wheezing and sneezing, sinusitis and colds may also result from inhalation.		
	Ingestion: No information available. Unlikely to occur.		
	Eye: Dust contact with eyes may cause dryness, irritation, redness and tearing.		
	Skin: May cause itching and dermatitis.		
	, ,		
Medical Conditions	Sensitizer notice: Wood dust is a sensitizer and may cause a		
Generally Aggravated by	specific immune response in some people, known as. Exposure to		
Expo sure	a sensitizer, once sensitization has occurred, may manifest itself as		
	a skin rash or inflammation or as an asthmatic condition, and in some individuals this reaction can be extremely severe.		

HARDWOODS (BASS, MAHOGANY, MAPLE, WALNUT, CHERRY) AND ASSOCIATED SAWDUST



UN Number

Hazchem Code Packing Group

Proper Shipping Name

Special Precautions

Dangerous Goods Class

SAFETY DATA SHEET

Effects of Overexposure	Inhaling excessive amounts of wood dust can result in asphyxiation.
Carcinogenicity	Wood dust is carcinogenic to humans. Wood dust is classified as a group 1 carcinogen by the IARC based on based on examination of the nasal cavities and paranasal sinuses associated with exposure to wood dust.
Birth Defect Information Reproduction information	No information available. No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity	
Persistence / Degradability	
Mobility	

Not toxic to the environment. Natural material, biodegradable. No information available

13. DISPOSAL CONSIDERATIONS

Disposal methods and Dispose of at designated landfill or incinerate. Place wood dust in **containers** an appropriate container and dispose of at designated landfill. Do not allow wood dust to enter waterways or sewers.

Special precautions for Dispose or incinerate in accordance with local, state and **landfill or incineration** Commonwealth regulations.

14. TRANSPORT INFORMATION

Not classified as dangerous by the Australian Dangerous Goods Code. Unless required by other regulations, there are no special transport requirements. Not Applicable Not Applicable

15. REGULATORY INFORMATION

Wood dust is listed in the Exposure Standards for Atmospheric Contaminants in the Occupational Environment.

16. OTHER INFORMATION

2/07/2005 5/6 HARDWOODS (BASS, MAHOGANY, MAPLE, WALNUT, CHERRY) AND ASSOCIATED SAWDUST



Last Revision of SDS Prepared by Abbreviations Used	Rev 1.0 (25/9/2015 CAS Number ES-STEL ES-TWA IARC NOHSC UN Number OSHA	5) Midwest Products Chemical Abstracts Service Registry Number Exposure standard – short term exposure limit Exposure standard – time weighted average International Agency for Research on Cancer National Occupational Health and Safety Commission United Nations Number Occupational Safety and Health Administration
Emergency Contacts		
Midwest Products Police and Fire Department Poisons Information Centre		+12199421134 911 US 18002221222

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Midwest Products Co., INC makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. Midwest Products Co., Inc is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.

Please read instructions / label before using product.

2/07/2005 6/6 HARDWOODS (BASS, MAHOGANY, MAPLE, WALNUT, CHERRY) AND ASSOCIATED SAWDUST