Identification

Product Identifier:	FastCast [™] Part A
Use:	Two-Component Casting Polyurethane. For
	Industrial/Professional use only.
Manufacturer:	Environmental Technology, Inc.
	1458 S 35th St. Galesburg, MI 49053 USA
Phone Number:	+1 800-447-9344 (8 a.m. to 6:30 p.m. EST)
Emergency Phone:	CHEMTREC 800-424-9300 or
	+1 703-527-3887
E-mail:	mail@eti-usa.com

2. Hazards Identification

GHS Classification:

Acute Toxicity (Inhalation) - Category 4 Skin Irritation - Category 2 Eye Irritation - Category 2A Respiratory Sensitization - Category 1 Skin Sensitization - Category 1 Specific Target Organ Toxicity - Single Exposure Category 3 (respiratory tract) Specific Target Organ Toxicity - Repeated Exposure - Category 2 (respiratory system)



Hazard Statements:

- H315 Causes skin irritation H317
- May cause an allergic skin reaction. H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H334
- May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H373 May cause damage to organs (respiratory tract) through prolonged or repeated exposure.

Precautionary Phrases:

- Do not breathe fumes, vapors, mists, or sprays. P260
- Use only outdoors or in a well-ventilated area. P271
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P280 Wear protective gloves, eye protection, and face protection.
- P284 In case of inadequate ventilation wear respiratory protection. P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P304+340 IF INHALED: Remover person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P317 Get medical help
- P333+P317 If skin irritation or rash occurs: Get medical help.
- P337+P317 If eye persists: Get medical help.
- P342+P316 If experiencing respiratory symptoms: Get emergency medical help immediately.
- P362+P364 Take off contaminated clothing and wash it before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly
- closed. P405 Store locked up
- Dispose of contents and containers in accordance with federal, P501 state, and local regulations.

Supplemental Information: This is one part of a two-part system. Read and understand the hazards of the Part B before use.

61932-XXXX

SAFETY DATA SHEET: Page 1

3. Composition/Information on Ingredients

Chemical Name	CAS #	%		
Methylene diphenyl diisocyanate (MDI)	101-68-8	30-50		
Modified MDI	25686-28-6	30-50		
Diisodecyl phthalate	26761-40-0	10-40		
Exact concentrations are withheld as trade secret. Other ingredients are not listed because they are either not hazardous or are below cut- off/concentration thresholds.				

4. First-Aid Measures

Eye Contact: Rinse with water for several minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops or persists.

Skin Contact: Take off contaminated clothing and wash it before reuse. Wash skin thoroughly with soap and water for several minutes. Get medical attention if irritation develops or persists.

Inhalation: Move to fresh air. Get emergency medical help immediately if experiencing respiratory symptoms.

Ingestion: Do not induce vomiting unless directed to do so by a medical professional. Get medical attention if you feel unwell.

Most Important Symptoms/Effects: May cause allergy or asthma symptoms.

Indication of Immediate Medical Attention/Special Treatment: Get emergency medical help immediately if inhaled.

5. Fire-Fighting Measures

Extinguishing Media: Use water fog, foam, carbon dioxide or dry chemical. Do not use solid water stream. Solid stream of water into hot product may cause violent steam generation or eruption.

Specific Hazards: Not classified as flammable or combustible.

Special Protective Equipment & Precautions for Fire-Fighters: Wear positive pressure, self-contained breathing apparatus, and full-body protective clothing. Cool fire-exposed containers with water.

6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures: Clear non-emergency personnel from the area. Wear appropriate protective clothing to prevent eye and skin contact and avoid breathing fumes or vapors.

Methods and Materials for Containment and Cleanup: Cover with an inert absorbent material and collect into an appropriate container for disposal. Avoid releases to the environment.

Handling and Storage

Safe Handling: Keep out of reach of children. Do not breathe fumes, vapors, mists, or sprays. Avoid contact with clothing and skin. Provide adequate ventilation. If inadequate ventilation, wear respiratory protection. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Safe Storage: Store away from incompatible materials. Store in a tightly closed original container in a dry, cool, and well-ventilated place. Read and follow manufacturer's recommendations.

8. Exposure Controls/Personal Protection

Occupational Exposure Limits: For Methylene diphenyl diisocyanate (MDI) (CAS 101-68-8):

OSHA PEL 0.02 ppm (C) ACGIH TLV 0.005 ppm TWA

Ventilation: Use with adequate general or local exhaust ventilation to minimize exposure levels.

Respiratory Protection: If ventilation is inadequate, use a properly fitted, NIOSH-approved, air-purifying respirator with organic vapor

Date Prepared/Revised: March 5, 2021

Page 1 of 4

Item Numbers: 61932-1006, 61932-1007

ENVIRONMENTAL TECHNOLOGY, INC SAFETY DATA SHEET: Page 2 Reproductive Toxicity: Components are not classified as reproductive cartridges. For higher exposures or in an emergency, use a supplied-air respirator. Use respirators in accordance with OSHA's Respiratory toxins. Protection Standard (29 CFR 1910.134). Specific Target Organ Toxicity: May cause damage to respiratory tract through prolonged or repeated exposure. May cause drowsiness or Skin Protection: Wear impervious gloves, such as butyl rubber or nitrile rubber dizziness Eve Protection: Wear chemical safety glasses or goggles. **12. Ecological Information** Other Protective Measures: An eye wash facility and washing facility Ecotoxicity: No data available. Avoid release to the environment. should be available in the work area. Avoid skin contact. Follow good Industrial Hygiene practices. Persistence and Degradability: Not readily biodegradable. Bioaccumulative Potential: Low potential for bioaccumulation. 9. Physical and Chemical Properties Mobility in Soil: No data available. Appearance: Liquid, pale yellow Odor: Musty, slight aromatic **13. Disposal Considerations** Odor Threshold: No data available Minimize waste generation. Dispose of with a licensed waste disposal pH: No data available contractor. Do not dispose of down the drain. Dispose according to local, Melting Point: <60°F (<15.56°C) state, and federal regulations. Boiling Point: No data available **Flash Point:** 400°F (204.4°C) **14. Transport Information** Evap. Rate: No data available DOT: Non-bulk packaging (<882 lbs. or <119 gal) are not regulated for Flamm. Limits: No data available transport. Vapor Pressure: No data available Bulk Packaging (>882 lbs. or >119 gal): UN 3082, Environmentally Vapor Density: No data available hazardous substance, liquid, n.o.s (4,4-Diphenylmethane Diisocyanate), Relative Density: 1.2 9. III. Solubility: No data available Partition Coefficient: n-octanol/Water: No data available IMDG/IATA: UN3082, Environmentally hazardous substance, liquid, n.o.s (4,4-Diphenylmethane Diisocyanate), 9, III. Auto-Ignition Temp: No data available Decomposition Temp: No data available Emergency Shipping Information: Call CHEMTREC, 800-424-9300 or Viscosity: No data available +1-703-527-3887. **10. Stability and Reactivity 15. Regulatory Information** Reactivity: Not normally reactive. **U.S. FEDERAL REGULATIONS:** Chemical Stability: Stable under recommended conditions. CERCLA 103 Reportable Quantity: This product is not subject to Possibility of Hazardous Reactions: Contact with moisture or other these reporting requirements. Some states have more strict reporting materials which reach with isocyanates may cause polymerization. requirements. Conditions to Avoid: Avoid moisture, high temperatures, and contact SARA TITLE III Section 311/312: Acute/Chronic Health with incompatible materials. Section 313 Toxic Chemicals: This product contains chemicals subject Incompatible Materials: Avoid strong oxidizing agents, water, acids, to SARA Title III Section 313 reporting requirements: bases, alcohols, metal compounds, and surface active agents. Methylene diphenyl diisocyanate (CAS 101-68-8) 30-50% Hazardous Decomposition Products: Carbon and nitrogen oxides. Section 302 Extremely Hazardous Substances (TPQ): None EPA Toxic Substances Control Act (TSCA) Status: Components in 11. Toxicological Information this product are listed on TSCA. Eve Contact: Causes serious eye irritation. STATE REGULATIONS: Skin Contact: Causes skin irritation. May cause an allergic skin California Proposition 65: WARNING: This product can expose you reaction. to chemicals including Diisodecyl phthalate, which is known to the Ingestion: No data available.

Inhalation: Harmful if inhaled.

Chronic Health Effects: May cause allergy or asthma or breathing difficulties. May cause an allergic skin reaction.

Acute Toxicity Values: For Diisodecyl phthalate (CAS 26761-40-0): Oral LD₅₀ (rat): >62,080 mg/kg

Dermal LD50 (rabbit): >3,160 mg/kg

Inhalation LC50 (rat): >12.54 mg/L, 4hr

For Methylene diphenyl diisocyanate (MDI) (CAS 101-68-8): Inhalation LC50 (rat): >2.24 mg/L, 1hr

Respiratory Sensitization: Components are classified as respiratory sensitizers

Skin Sensitization: Components are classified as skin sensitizers. Germ Cell Mutagenicity: Components are not known mutagens. Carcinogenicity: Components are not classified as carcinogens by NTP, IARC, or OSHA.

State of California to cause cancer and/or reproductive harm. www.P65Warnings.ca.gov

16. Other Information

Training Advice: All personnel using/handling this product should be trained in proper chemical handling and the need for and use of engineering controls and protective equipment.

Recommended Uses and Restrictions: This product is intended for industrial/professional use only.

SDS Revision Notes: Updated GHS format: March 5, 2021

Disclaimer: The information contained herein is considered accurate: however, Environmental Technology Inc. makes no warranty regarding the accuracy of the information. The user must determine the suitability of the product for the intended use and accepts all risk and liability associated with that use.



1. Identification

Product Identifier:	FastCast [™] Part B
Use:	Two-Component Casting Polyurethane. For
	Industrial/Professional use only.
Manufacturer:	Environmental Technology, Inc.
	1458 S 35th St. Galesburg, MI 49053 USA
Phone Number:	+1 800-447-9344 (8 a.m. to 6:30 p.m. EST)
Emergency Phone:	CHEMTREC 800-424-9300 or
	+1 703-527-3887
E-mail:	mail@eti-usa.com

2. Hazards Identification

GHS Classification:

Skin Irritation – Category 2

Eye Irritation – Category 2A

Specific Target Organ Toxicity – Single Exposure Category 3 (narcotic effects)

Specific Target Organ Toxicity – Repeated Exposure – Category 1 (central nervous system)

Label Elements: Danger



Hazard Statements:

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H372 Causes damage to organs (central nervous system) through prolonged or repeated exposure.

Precautionary Phrases:

- P260 Do not breathe fumes, vapors, mists or sprays.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves, eye protection, and face protection.
- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P304+340 IF INHALED: Remover person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P319 Get medical help if you feel unwell.
- P332+P317 If skin irritation occurs: Get medical help.
- P337+P317 If eye persists: Get medical help.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P403+P233 Store in a well-ventilated place. Keep container tightly
- closed.
- P405 Store locked up.
- P501 Dispose of contents and containers in accordance with federal, state, and local regulations.

Supplemental Information: This is one part of a two-part system. Read and understand the hazards of the Part A before use.

SAFETY DATA SHEET: Page 1

3. Composition/Information on Ingredients

Chemical Name	CAS #	%		
Amine Bearing Hydroxyl Terminated Poly (Oxyalkylene)	Proprietary	Proprietary		
Aromatic Solvent blend	Proprietary	Proprietary		
Hydroxyl Terminated Poly (Oxyalkylene) Polyether	Proprietary	Proprietary		
Naphtha Heavy Alkylate	Proprietary	Proprietary		
Exact concentrations are withheld as trade secret. Other ingredients are not listed because they are either not hazardous or are below cut- off/concentration thresholds.				

4. First-Aid Measures

Eye Contact: Rinse with water for several minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops or persists.

Skin Contact: Take off contaminated clothing and wash it before reuse. Wash skin thoroughly with soap and water for several minutes. Get medical attention if irritation develops or persists.

Inhalation: Move to fresh air. Get medical attention if you feel unwell. **Ingestion:** Do not induce vomiting unless directed to do so by a medical professional. Get medical attention if you feel unwell.

Most Important Symptoms/Effects: Causes eye and skin irritation. Indication of Immediate Medical Attention/Special Treatment: Not to be expected.

5. Fire-Fighting Measures

Extinguishing Media: Use water fog, foam, carbon dioxide or dry chemical. Do not use solid water stream. Solid stream of water into hot product may cause violent steam generation or eruption.

Specific Hazards: Not classified as flammable or combustible.

Special Protective Equipment & Precautions for Fire-Fighters: Wear positive pressure, self-contained breathing apparatus, and full-body protective clothing. Cool fire-exposed containers with water.

6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures: Clear non-emergency personnel from the area. Wear appropriate protective clothing to prevent eye and skin contact and avoid breathing fumes or vapors.

Methods and Materials for Containment and Cleanup: Cover with an inert absorbent material and collect into an appropriate container for disposal. Avoid releases to the environment.

7. Handling and Storage

Safe Handling: Keep out of reach of children. Do not breathe fumes, vapors, mists, or sprays. Avoid contact with clothing and skin. Provide adequate ventilation. If inadequate ventilation, wear respiratory protection. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Safe Storage: Store away from incompatible materials. Store in a tightly closed original container in a dry, cool, and well-ventilated place. Read and follow manufacturer's recommendations.

8. Exposure Controls/Personal Protection

Occupational Exposure Limits: For Aromatic Solvent blend:

OSHA PEL 100 ppm TWA ACGIH TLV 200 mg/m³ TWA For Naphtha Heavy Alkylate:


OSHA PEL ACGIH TLV

500 ppm TWA 100 ppm TWA

Ventilation: Use with adequate general or local exhaust ventilation to minimize exposure levels.

Date Prepared/Revised: March 5, 2021

Page 3 of 4



Specific Target Organ Toxicity: May cause damage to the central nervous system through prolonged or repeated exposure. May cause drowsiness or dizziness.

12. Ecological Information

Ecotoxicity: No data available. Avoid release to the environment.

Date Prepared/Revised: March 5, 2021