62530-1004

Safety Data Sheet

Revision Date: 28-Feb-2022 Issue Date: 23-Nov-2015 Version 1

1. IDENTIFICATION

Product Identifier

Product Name Angelus No.802 Spot Remover

Other means of identification

SDS# **ASP-008 UN/ID No** UN1263

Recommended use of the chemical and restrictions on use

Recommended Use Shoe cleaner.

Details of the supplier of the safety data sheet

Supplier Address

Angelus Shoe Polish Co. Florence Ave. Santa Fe Springs, CA 90670

Ph: 562-941-4242

Emergency Telephone Number

INFOTRAC 1-352-323-3500 (International) **Emergency Telephone (24 hr)**

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear liquid Physical state Liquid Odor Hydrocarbon

Classification

Skin sensitization	Category 1
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1B
Reproductive toxicity	Category 1B
Aspiration toxicity	Category 1
Flammable Liquids	Category 2

Hazards Not Otherwise Classified (HNOC)

May be harmful in contact with skin Causes mild skin irritation

Signal Word

Danger

Hazard statements

May cause an allergic skin reaction May cause genetic defects May cause cancer May damage fertility or the unborn child May be fatal if swallowed and enters airways Highly flammable liquid and vapor

Page 1/10

Page 1 of 10 Item Numbers: 62530-1004

ASP-008 - Angelus No.802 Spot Remover



Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace

Wear protective gloves

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do not induce vomiting

IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
VM&P Naphtha	8030-30-6	>70
1-chloro-4(trifluoromethyl) benzene	98-56-6	<8
d-Limonene	5989-27-5	<8
N-methyl-2-pyrrolidone	872-50-4	<2

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.*

Page 2 of 10 Item Numbers: 62530-1004

ASP-008 - Angelus No.802 Spot Remover

4. FIRST-AID MEASURES

First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation occurs.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse. If skin irritation or rash

occurs: Get medical advice/attention.

Inhalation Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison

center if individual's condition declines or if symptoms persist. If breathing has stopped,

give artificial respiration.

Ingestion IF SWALLOWED: call a poison control center or physician immediately. Do not induce

vomiting without medical advice. If vomiting occurs spontaneously, keep head below hips to prevent aspirating vomitus into lungs. If drowsy or unconscious, do not give anything by

mouth; place individual on the left side with head down.

Most important symptoms and effects

Symptoms Contact with eyes may cause stinging, tearing, redness, or swelling. Contact with skin may

result in redness and burning. If inhaled, symptoms may include, irritation of the nose, throat, and respiratory tract. Swallowing may result in gastrointestinal irritation (Nausea, Vomiting, and Diarrhea) and central nervous system depression (Dizziness, Drowsiness, Weakness, Fatigue, Nausea, Headache, Unconsciousness), temporary changes in mood / behavior, muscle weakness, loss of coordination, confusion, irregular heartbeat, elevated carbon monoxide levels in the blood, anesthesia, liver damage, and death. The product contains a small amount of sensitizing substance which may provoke an allergic reaction

among sensitive individuals in contact with skin.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Medical conditions aggravated by exposure: Pre-existing eye, skin or respiratory tract, or

impaired liver and/or kidney function conditions, as well as asthma and blood or cardiovascular disease. Inhalation of high concentrations of this material, as could occur in enclosed spaces or during deliberate abuse, may be associated with cardiac arrhythmias.

May cause sensitization of susceptible persons.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Regular foam, water fog, CO2, dry chemical.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Highly flammable liquid and vapor. Vapors are heavier than air and may travel along ground to ignition sources and flash back. This product contains halogenated solvents which inhibit flashing until the halogenated solvent has been evaporated away. The product may become combustible or flammable after this occurs. No flash to boiling point.

Hazardous Combustion Products Carbon monoxide; Carbon dioxide (CO2), Chlorine, Hydrogen chloride, Phosgene, Various hydrocarbons.

Explosion Data

Sensitivity to Static Discharge Prevent electrostatic charge build-up by using common bonding and ground techniques.

Page 3/10

ltem Numbers: 62530-1004 Page 3 of 10

ASP-008 - Angelus No.802 Spot Remover

Revision Date: 28-Feb-2022

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Never use welding or cutting torch on or near containers that are full or empty because product (even slight residue) can ignite explosively. Use water spray to cool fire-exposed containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear protective clothing as described in Section 8 of this safety data sheet. **Personal Precautions**

Environmental precautions

Environmental precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Persons not wearing protective equipment should leave area until cleanup is completed.

Eliminate all ignition sources. Ventilate area of leak or spill. Soak up and contain spill with

an inert (i.e. vermiculite, dry sand or earth) absorbent material.

Methods for Clean-Up Use non-sparking hand tools and explosion-proof electrical equipment. Sweep up absorbed

material and shovel into suitable containers for disposal. Clean up large spills with a

vacuum truck

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Use personal protective equipment as required. Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only non-sparking tools. Take

precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Store locked up. Do not store

above 49°C/120°F.

Packaging Materials Empty containers retain product residue and can be hazardous.

Incompatible Materials Do not store, pump or allow contact with any item made from aluminum. Contact with

aluminum parts in a pressurized fluid system may cause violent reactions. Strong oxidizing

agents. Peroxides. Polymerization catalysts.

Page 4/10

Page 4 of 10 Item Numbers: 62530-1004

ASP-008 - Angelus No.802 Spot Remover

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
VM&P Naphtha	=	TWA: 100 ppm	IDLH: 1000 ppm
8030-30-6		TWA: 400 mg/m ³ TWA: 500 ppm	TWA: 100 ppm
		TWA: 2000 mg/m ³	TWA: 400 mg/m ³
		(vacated) TWA: 100 ppm	_
		(vacated) TWA: 400 mg/m ³	
1-chloro-4(trifluoromethyl) benzene	TWA: 2.5 mg/m ³ F	TWA: 2.5 mg/m ³ F	-
98-56-6	_	TWA: 2.5 mg/m³ dust	
		(vacated) TWA: 2.5 mg/m ³	

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Make

emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. Provide sufficient ventilation to maintain exposure below TLV(s). Any use of this product at an elevated temperature process should be thoroughly evaluated to

establish and maintain safe operating conditions.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Chemical splash-proof goggles. Refer to 29 CFR 1910.133 for eye and face protection

regulations.

Skin and Body Protection Impervious gloves, clothes and boots. Refer to 29 CFR 1910.138 for appropriate skin and

body protection.

Respiratory Protection If TLV is exceeded, use a NIOSH/MSHA approved respirator for organic vapors. Refer to

29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid **Appearance** Clear liquid Odor Hydrocarbon Color Clear, Colorless **Odor Threshold** Not determined

Remarks • Method Property <u>Values</u>

Not determined Melting Point/Freezing Point Not determined

Boiling Point/Boiling Range 118-150 °C / 245-302 °F

14-18 °C / 57-64 Flash Point Slower than ethyl ether **Evaporation Rate**

Flammability (Solid, Gas) Flammability Limits in Air Not determined

Upper Flammability Limits

1.8% **Lower Flammability Limit** 38.5% **Vapor Pressure** 1.5-2 kPa @ 20°C (68°F) Vapor Density >1.00 (Air=1) **Relative Density** 8.0 @ 25 °C (77 °F)

Water Solubility Not determined Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** 320°C/608°F

Page 5/10

Page 5 of 10 Item Numbers: 62530-1004

ASP-008 - Angelus No.802 Spot Remover

Decomposition Temperature
Kinematic Viscosity
Not determined

Other Information

VOC Content 992.9 g/L

Density 6.7 lbs/gal @ 25°C (77.0°F)

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Excessive heat.

Incompatible Materials

Do not store, pump or allow contact with any item made from aluminum. Contact with aluminum parts in a pressurized fluid system may cause violent reactions. Strong oxidizing agents. Peroxides. Polymerization catalysts.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Can cause eye irritation.

Skin Contact May cause an allergic skin reaction. May be harmful in contact with skin. Causes mild skin

irritation.

Inhalation May cause irritation to the mucous membranes and upper respiratory tract.

Ingestion May cause gastrointestinal irritation, nausea, diarrhea, and vomiting.

Component Information

Chemical Name	ATEmix (oral)	ATEmix (dermal)	Inhalation LC50
VM&P Naphtha	> 5 g/kg (Rat)	> 3 g/kg (Rabbit)	-
8030-30-6			
1-chloro-4(trifluoromethyl) benzene	= 13 g/kg (Rat)	> 2 mL/kg (Rabbit)	= 33 mg/L (Rat) 4 h
98-56-6			
d-Limonene	= 4400 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
5989-27-5			
N-methyl-2-pyrrolidone	= 3914 mg/kg (Rat)	= 8 g/kg (Rabbit)	= 3.1 mg/L (Rat) 4 h
872-50-4		' '	

Page 6/10

Item Numbers: 62530-1004 Page 6 of 10

Revision Date: 28-Feb-2022 ASP-008 - Angelus No.802 Spot Remover

Information on physical, chemical and toxicological effects

Please see section 4 of this SDS for symptoms. **Symptoms**

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization May cause an allergic skin reaction.

Germ cell mutagenicity May cause genetic defects.

Carcinogenicity May cause cancer.

Chemical Name	ACGIH	IARC	NTP	OSHA
d-Limonene		Group 3		X
5989-27-5		·		

Legend

IARC (International Agency for Research on Cancer)
Group 3 IARC components are "not classifiable as human carcinogens"

Reproductive toxicity May damage fertility or the unborn child.

Aspiration hazard May be fatal if swallowed and enters airways.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 5,187.00 mg/kg ATEmix (dermal) 2,965.00 mg/kg ATEmix (inhalation-dust/mist) 155.00 mg/L ATEmix (inhalation-vapor) 113.00 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Crustacea
VM&P Naphtha	4700: 72 h Pseudokirchneriella	9.2: 96 h Lepomis macrochirus mg/L	
8030-30-6	subcapitata mg/L EC50	LC50 static	
1-chloro-4(trifluoromethyl) benzene		11.5 - 15.8: 48 h Lepomis	3.68: 48 h Daphnia magna mg/L
98-56-6		macrochirus mg/L LC50 static	EC50
d-Limonene		0.619 - 0.796: 96 h Pimephales	
5989-27-5		promelas mg/L LC50 flow-through	
		35: 96 h Oncorhynchus mykiss mg/L	
		LC50	
N-methyl-2-pyrrolidone	500: 72 h Desmodesmus	832: 96 h Lepomis macrochirus	4897: 48 h Daphnia magna mg/L
872-50-4	subspicatus mg/L EC50	mg/L LC50 static 4000: 96 h	EC50
		Leuciscus idus mg/L LC50 static	
		1400: 96 h Poecilia reticulata mg/L	
		LC50 static 1072: 96 h Pimephales	
		promelas mg/L LC50 static	

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Page 7 of 10 Item Numbers: 62530-1004

ASP-008 - Angelus No.802 Spot Remover

Mobility

Chemical Name	Partition Coefficient
1-chloro-4(trifluoromethyl) benzene 98-56-6	3.7
N-methyl-2-pyrrolidone 872-50-4	-0.46

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

<u>California Hazardous Waste Status</u>

This product contains one or more substances that are listed with the State of California as a hazardous waste

Chemical Name	California Hazardous Waste Status	
VM&P Naphtha 8030-30-6	Toxic of petroleum or coal tar origin Ignitable of petroleum or coal tar origin	
d-Limonene	Toxic	
5989-27-5		

14. TRANSPORT INFORMATION

Please see current shipping paper for most up to date shipping information, including Note

exemptions and special circumstances.

DOT

UN/ID No UN1263

Proper Shipping Name Paint related material

Hazard Class 3 **Packing Group** П

IATA

UN/ID No UN1263

Proper Shipping Name Paint related material

Hazard Class 3 П **Packing Group**

IMDG

UN/ID No UN1263

Proper Shipping Name Paint related material

Hazard Class 3

Packing Group

Marine Pollutant This material may meet the definition of a marine pollutant

Page 8/10

Page 8 of 10 Item Numbers: 62530-1004

ASP-008 - Angelus No.802 Spot Remover

15. REGULATORY INFORMATION

International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
VM&P Naphtha	X	X	X		X	Present	X	X
1-chloro-4(trifluoromethyl) benzene	X	X	Х	Present	X	Present	X	X
d-Limonene	X	X	X	Present	X	Present	X	X
N-methyl-2-pyrrolidone	X	Х	Х	Present	X	Present	X	X

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
N-methyl-2-pyrrolidone - 872-50-4	872-50-4	2	1.0

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
N-methyl-2-pyrrolidone - 872-50-4	Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
VM&P Naphtha 8030-30-6	Х	X	X
1-chloro-4(trifluoromethyl) benzene 98-56-6	Х		
N-methyl-2-pyrrolidone 872-50-4	Х	X	X

Page 9/10

Item Numbers: 62530-1004 Page 9 of 10

ASP-008 - Angelus No.802 Spot Remover

Revision Date: 28-Feb-2022

16. OTHER INFORMATION

NFPAHealth HazardsFlammabilityInstabilitySpecial Hazards220Not determinedHMISHealth HazardsFlammabilityPhysical hazardsPersonal Protection220Not determined

Issue Date:23-Nov-2015Revision Date:28-Feb-2022Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Item Numbers: 62530-1004 Page 10 of 10