62561-1004

# **Safety Data Sheet**

Issue Date: 23-Nov-2015 Revision Date: 28-Feb-2022 Version 1

### 1. IDENTIFICATION

Product Identifier

**Product Name** Angelus No. 870 Shoe Stretch

Other means of identification

SDS# ASP-010 **UN/ID No** UN1263

Recommended use of the chemical and restrictions on use

**Recommended Use** Shoe stretcher.

Details of the supplier of the safety data sheet

**Supplier Address** 

Angelus Shoe Polish Co. Florence Ave. Santa Fe Springs, CA 90670 Ph: 562-941-4242

Emergency Telephone Number

INFOTRAC 1-352-323-3500 (International) **Emergency Telephone (24 hr)** 

1-800-535-5053 (North America)

### 2. HAZARDS IDENTIFICATION

Appearance Transparent liquid Physical state Liquid Odor Slightly sweet, Alcohol

### Classification

Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 1
Flammable Liquids	Category 3

### **Hazards Not Otherwise Classified (HNOC)**

May be harmful if swallowed

### Signal Word Danger

# **Hazard statements**

Causes serious eye irritation Causes damage to organs Flammable liquid and vapor

Page 1 of 10 Item Numbers: 62561-1004

ASP-010 - Angelus No. 870 Shoe Stretch



### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Do not breathe dust/fume/gas/mist/vapors/spray

Do not eat, drink or smoke when using this product

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

<u>Precautionary Statements - Response</u> IF exposed: Call a POISON CENTER or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep cool

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Other hazards

Toxic to aquatic life with long lasting effects

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Isopropyl Alcohol	67-63-0	>15
Ethyl Alcohol	64-17-5	>20
Glycerol	56-81-5	6
Methanol	67-56-1	<1

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*

### 4. FIRST-AID MEASURES

### First Aid Measures

**General Advice** Provide this SDS to medical personnel for treatment.

**Eye Contact** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin **Skin Contact** 

with water/shower. Wash contaminated clothing before reuse. Get medical attention.

Page 2/10

Page 2 of 10 Item Numbers: 62561-1004

ASP-010 - Angelus No. 870 Shoe Stretch

Revision Date: 28-Feb-2022

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a poison center or doctor/physician if you feel unwell. If not breathing, give

artificial respiration. Oxygen should only be administered by qualified personnel.

**Ingestion** IF SWALLOWED: rinse mouth. Do not induce vomiting without medical advice. If drowsy or

unconscious, do not give anything by mouth; place individual on the left side with head

down. Immediately call a poison center or doctor/physician.

### Most important symptoms and effects

Symptoms Contact with eyes may cause stinging, tearing, redness, or swelling. Contact with skin may

result in redness and burning. If inhaled, symptoms may include, irritation of the nose, throat, and respiratory tract. Swallowing may result in gastrointestinal irritation (Nausea, Vomiting, and Diarrhea) and central nervous system depression (Dizziness, Drowsiness, Weakness, Fatigue, Nausea, Headache, Unconsciousness), Dizziness, shortness of breath, drunken behavior, visual disturbance, fatigue, unconsciousness, complete

blindness, and death.

### Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat as methyl alcohol poisoning. Treatment should include the following: Hemodialysis,

the intravenous administration of ethanol (10ml per hour) to interfere with the metabolism of methyl alcohol; and the administration of sodium bicarbonate to correct acidosis.

### 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Regular foam, water fog, CO2, dry chemical, Alcohol foam.

Unsuitable Extinguishing Media Not determined.

### Specific Hazards Arising from the Chemical

Flammable liquid and vapor. Vapors may travel or be moved by air currents and ignited by pilot lights, other flames, smoking, sparks, static discharges or other ignition sources at locations distant from product handling point. Vapors may settle in low or confined areas or travel a long distance to an ignition source and flash back explosively. This material may produce a floating fire hazard. Flame may be invisible. Approach fire with caution.

Hazardous Combustion Products Carbon monoxide. Carbon dioxide (CO2). Various hydrocarbons.

### **Explosion Data**

Sensitivity to Static Discharge Prevent electrostatic charge build-up by using common bonding and ground techniques.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Never use welding or cutting torch on or near containers that are full or empty because product (even slight residue) can ignite explosively. Cool fire exposed containers with water spray to prevent vapor pressure build up.

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal Precautions Wear protective clothing as described in Section 8 of this safety data sheet.

# Environmental precautions

Environmental precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 12 for additional Ecological Information.

Page 3/10

ltem Numbers: 62561-1004 Page 3 of 10

ASP-010 - Angelus No. 870 Shoe Stretch Revision Date: 28-Feb-2022

### Methods and material for containment and cleaning up

Methods for Containment Persons not wearing protective equipment should leave area until cleanup is completed.

Remove all sources of ignition. Prevent further leakage or spillage if safe to do so. Soak up and contain spill with an inert (i.e. vermiculite, dry sand or earth) absorbent material.

Methods for Clean-Up Sweep up and shovel into suitable containers for disposal. For waste disposal, see section

13 of the SDS.

### 7. HANDLING AND STORAGE

### Precautions for safe handling

thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapors/spray. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Ground/bond container and receiving equipment. Use explosion proof equipment. Use only non-sparking tools. Take precautionary measures against static discharges. Wear protective gloves/protective clothing and eye/face protection.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked

up. Do not store above 49°C/120°F.

Packaging Materials Empty containers retain product residue and can be hazardous.

Incompatible Materials Strong oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	Chemical Name ACGIH TLV OSHA PEL		NIOSH IDLH
Isopropyl Alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	
Ethyl Alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
64-17-5		TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		(vacated) TWA: 1900 mg/m <sup>3</sup>	_
Glycerol	-	TWA: 15 mg/m <sup>3</sup> mist, total	-
56-81-5		particulate	
		TWA: 5 mg/m <sup>3</sup> mist, respirable	
		fraction	
		(vacated) TWA: 10 mg/m <sup>3</sup> mist,	
		total particulate	
		(vacated) TWA: 5 mg/m <sup>3</sup> mist,	
		respirable fraction	
Methanol	STEL: 250 ppm	TWA: 200 ppm	IDLH: 6000 ppm
67-56-1	TWA: 200 ppm	TWA: 260 mg/m <sup>3</sup>	TWA: 200 ppm
	S*	(vacated) TWA: 200 ppm	TWA: 260 mg/m <sup>3</sup>
		(vacated) TWA: 260 mg/m <sup>3</sup>	STEL: 250 ppm
		(vacated) STEL: 250 ppm	STEL: 325 mg/m <sup>3</sup>
		(vacated) STEL: 325 mg/m <sup>3</sup>	_
		(vacated) S*	

Page 4/10

Item Numbers: 62561-1004 Page 4 of 10

ASP-010 - Angelus No. 870 Shoe Stretch Revision Date: 28-Feb-2022

### Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Ensure that

eyewash stations and safety showers are close to the workstation location. Provide sufficient ventilation to maintain exposure below TLV(s). Any use of this product at an elevated temperature process should be thoroughly evaluated to establish and maintain

(butyl acetate = 1)

safe operating conditions.

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Splash proof chemical safety goggles. Refer to 29 CFR 1910.133 for eye and face

protection regulations.

Skin and Body Protection Impervious gloves, clothes and boots. Refer to 29 CFR 1910.138 for appropriate skin and

body protection.

Respiratory Protection If TLV is exceeded, use a NIOSH/MSHA approved respirator for organic vapors; Refer to

29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state Liquid

Appearance Transparent liquid Odor Slightly sweet, Alcohol

Color Clear Odor Threshold Not determined

Property Values Remarks • Method

pHNot determinedMelting Point/Freezing PointNot determinedBoiling Point/Boiling RangeNo data

Flash Point 23.88 °C / 75 °F

Evaporation Rate N/A

Flammability (Solid, Gas) Not determined

Flammability Limits in Air

Upper Flammability Limits
Lower Flammability Limit
Vapor Pressure
Vapor Density

Not determined
No data
No data

**Relative Density** Not determined Water Solubility Not determined Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

**Other Information** 

VOC Content 389 g/L

**Density** 7.5 lbs/gal @ 25°C(77°F)

Page 5/10

Item Numbers: 62561-1004 Page 5 of 10

ASP-010 - Angelus No. 870 Shoe Stretch

### 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### **Chemical Stability**

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

### **Conditions to Avoid**

Keep away from heat, sparks and open flame.

### **Incompatible Materials**

Strong oxidizing agents.

<u>Hazardous Decomposition Products</u>
Carbon monoxide, Carbon dioxide (CO2), Various hydrocarbons,

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

**Product Information** 

**Eye Contact** Causes serious eye irritation.

**Skin Contact** Avoid contact with skin and clothing.

Inhalation Do not inhale.

Ingestion May be harmful if swallowed.

# Component Information

Chemical Name ATEmix (oral)		ATEmix (dermal)	Inhalation LC50		
Isopropyl Alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m <sup>3</sup> (Rat) 4 h		
Ethyl Alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat)4 h		
Glycerol 56-81-5	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 570 mg/m³ (Rat) 1 h		
Methanol 67-56-1	= 6200 mg/kg (Rat)	= 15800 mg/kg ( Rabbit )	= 22500 ppm (Rat) 8 h = 64000 ppm (Rat) 4 h		

### Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

Page 6/10

Page 6 of 10 Item Numbers: 62561-1004

ASP-010 - Angelus No. 870 Shoe Stretch

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

an alcoholic beverage. Isopropyl Alcohol (IPA) is an IARC Monograph Group 3 chemical.

IPA is a Group 1 when manufactured by the strong-acid process.

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl Alcohol 67-63-0		Group 3		Х
Ethyl Alcohol 64-17-5	ol A3 Group 1 Known		Known	Х

### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen
IARC (International Agency for Research on Cancer)
Group 1 - Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

NTP (National Toxicology Program)

Known - Known Carcinoo

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

STOT - single exposure

Causes damage to organs.

### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 3,748.00 mg/kg **ATEmix (dermal)** 9,908.00 mg/kg ATEmix (inhalation-vapor) 198.00 mg/L

### 12. ECOLOGICAL INFORMATION

Toxic to aquatic life with long lasting effects.

# Component Information

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	1400000: 96 h Lepomis macrochirus μg/L LC50 9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static	13299: 48 h Daphnia magna mg/L EC50
Ethyl Alcohol 64-17-5		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static 9268 - 14221: 48 h Daphnia magna mg/L LC50
Glycerol 56-81-5		51 - 57: 96 h Oncorhynchus mykiss mL/L LC50 static	500: 24 h Daphnia magna mg/L EC50
Methanol 67-56-1		28200: 96 h Pimephales promelas mg/L LC50 flow-through 18 - 20: 96 h Oncorhynchus mykiss mL/L LC50 static 19500 - 20700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static 13500 - 17600: 96 h Lepomis macrochirus mg/L LC50 flow-through	

# Persistence/Degradability

Not determined.

Page 7/10

Page 7 of 10 Item Numbers: 62561-1004

# ASP-010 - Angelus No. 870 Shoe Stretch

### **Bioaccumulation**

Not determined.

### **Mobility**

Chemical Name	Partition Coefficient
Isopropyl Alcohol	0.05
67-63-0	
Ethyl Alcohol	-0.32
64-17-5	
Glycerol	-1.76
56-81-5	
Methanol	-0.77
67-56-1	

### **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

### **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

### **US EPA Waste Number**

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methanol		Included in waste stream:		U154
67-56-1		F039		

### California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Isopropyl Alcohol	Toxic
67-63-0	Ignitable
Ethyl Alcohol	Toxic
64-17-5	Ignitable
Methanol	Toxic
67-56-1	Ignitable

# **14. TRANSPORT INFORMATION**

**Note** Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

**UN/ID No** UN1263

Proper Shipping Name Paint related material

Hazard Class 3 Packing Group III

<u>IATA</u>

UN/ID No UN1263

Proper Shipping Name Paint related material

Hazard Class 3
Packing Group III

Page 8/10

Item Numbers: 62561-1004 Page 8 of 10

ASP-010 - Angelus No. 870 Shoe Stretch Revision Date: 28-Feb-2022

IMDG

UN/ID No UN1263

Proper Shipping Name Paint related material

Hazard Class 3
Packing Group III

Marine Pollutant This material may meet the definition of a marine pollutant

### 15. REGULATORY INFORMATION

### International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Isopropyl Alcohol	X	X	X	Present	X	Present	X	X
Ethyl Alcohol	X	X	X	Present	X	Present	X	X
Glycerol	Х	Х	Х	Present	X	Present	X	X
Methanol	X	X	X	Present	X	Present	X	X

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### US Federal Regulations

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Chemical Name Hazardous Substances RQs		Reportable Quantity (RQ)
Methanol	5000 lb		RQ 5000 lb final RQ
67-56-1			RQ 2270 kg final RQ

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations. Part 372

	of chemicals which are subject to the reporting requi	il Regulations, Fait 372		
Chemical Name		CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl Alcohol - 67-63-0		67-63-0	>15	1.0
	Methanol - 67-56-1	67-56-1	_1	1 0

# **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### US State Regulations

# California Proposition 65

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65	
Ethyl Alcohol - 64-17-5	Carcinogen	
	Developmental	
Methanol - 67-56-1	Developmental	

Page 9/10

Item Numbers: 62561-1004 Page 9 of 10

### ASP-010 - Angelus No. 870 Shoe Stretch

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl Alcohol 67-63-0	X	X	Х
Ethyl Alcohol 64-17-5	Х	X	Х
Glycerol 56-81-5	Х	×	Х
Methanol 67-56-1	Х	×	X

### **16. OTHER INFORMATION**

<u>NFPA</u>	<b>Health Hazards</b>	Flammability	Instability	Special Hazards
	1	1	0	Not determined
<u>HMIS</u>	Health Hazards	Flammability	Physical hazards	Personal Protection
	1	1	0	Not determined

Issue Date:23-Nov-2015Revision Date:28-Feb-2022Revision Note:New format

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Page 10/10