MNZ1-700



Malen nach Zahlen Revision date: 28.02.2024 Issue date: 28.02.2024 Article No.: Print date: EN Page 1 / 7 28.02.2024 Version: 1.1 Malen nach Zahlen SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. **Product identifier** Article No. (manufacturer/supplier): MNZ1-700 Trade name/designation Malen nach Zahlen Basismasse weiss 1.2. Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses see as in techn. data sheet 1.3. Details of the supplier of the safety data sheet supplier (manufacturer/importer/downstream user/distributor) griwecolor GmbH Wieselbrunnen 2 Telephone: +49(0)7707 9904-0 D-78199 Bräunlingen-Döggingen Department responsible for information: Herr Grieshaber E-mail (competent person) info@griwecolor.de Emergency telephone number 1.4. Emergency telephone number +49 (0)7707 99040 Only available during office hours. 8.00 - 12.00 / 13.00 - 16.30 **SECTION 2: Hazards identification** Classification of the substance or mixture 2.1. Classification according to Regulation (EC) No 1272/2008 [CLP] The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP]. 2.2. Label elements The product is classified and labelled according to EC directives or corresponding national laws. Labelling according to Regulation (EC) No. 1272/2008 [CLP] Hazard pictograms Hazard statements not applicable **Precautionary statements** not applicable Hazard components for labelling not applicable Supplemental hazard information EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. Safety data sheet available on request. EUH210 2.3. Other hazards No information available. **SECTION 3: Composition/information on ingredients** 32 Mixtures **Description:** waterbased Dispersion Hazardous ingredients: Classification according to Regulation (EC) No 1272/2008 [CLP] EC No. REACH No.

griwecolor GmbH Wieselbrunnen 2 D-78199 Bräunlingen Döggingen Telefon +49 (0)7707 / 9904-0 info@griwecolor.de www.griwecolor.de

Item Numbers: 62763-1000, 62763-1010, 62763-1020, 62763-1030, 62763-1040

Page 1 of 7



Article No.:	MNZ1-700	Malen nach Zahlen
Print date:	28.02.2024	Revision date: 28.02.2024
Version:	1.1	Issue date: 28.02.2024

Malen nach Zahlen

CAS No.	Designation	weight-%
Index No.	classification: // Remark	
236-675-5	01-2119489379-17-xxxx	
13463-67-7	Titanium dioxide	12,5 - 25
022-006-00-2	Carc. 2 H351	

EN Page 2 / 7

Full text of classification: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Following skin contact

Take off immediately all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. **Indication of any immediate medical attention and special treatment needed** First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

The product itself does not burn.

Suitable extinguishing media

Not applicable

Unsuitable extinguishing media

Not applicable

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.:carbon monoxide, carbon dioxide, smoke, nitrogen oxides.

5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.

Additional information

Cool closed containers that are near the source of the fire. Do not allow water used to extinguish fire to enter drains, ground or waterways.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
 - See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.


6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Clean using cleansing agents. Do not use solvents.

6.4. Reference to other sections

griwecolor GmbH Wieselbrunnen 2 D-78199 Bräunlingen Döggingen Telefon +49 (0)7707 / 9904-0 info@griwecolor.de www.griwecolor.de

Item Numbers: 62763-1000, 62763-1010, 62763-1020, 62763-1030, 62763-1040





Article No.:MNZ1-700Malen nach ZahlenPrint date:28.02.2024Revision date: 28.02.2024Version:1.1Issue date: 28.02.2024

EN Page 3 / 7

Malen nach Zahlen

Observe protective provisions (see section 7 and 8).

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advices on safe handling

Avoid contact with skin, eyes and clothes. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store carefully closed containers upright to prevent any leaks.

Hints on joint storage

Not applicable.

Further information on storage conditions

Store in a well-ventilated and dry room at temperatures between 5 °C and 25 °C. Protect from sunlight. Take care of instructions on label. Protect against: Frost

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values not applicable

8.2. Exposure controls

Personal protection equipment Respiratory protection Not applicable.

Hand protection

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm; Breakthrough time: >480 min .

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin: . Recommended glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Eye/face protection

Wear closely fitting protective glasses in case of splashes. Recommended eye protection articles: Wear eye glasses with side protection according to EN 166.

Body protection

Wear dust-resistant protective clothing.

Protective measures

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	refer to label
Odour:	characteristic

griwecolor GmbH Wieselbrunnen 2 D-78199 Bräunlingen Döggingen Telefon +49 (0)7707 / 9904-0 info@griwecolor.de www.griwecolor.de

Item Numbers: 62763-1000, 62763-1010, 62763-1020, 62763-1030, 62763-1040

Page 3 of 7



Page 4 of 7

Article No.:	MNZ1-700	Malen nach Zahlen	
Print date:	28.02.2024	Revision date: 28.02.2024	EN
Version:	1.1	Issue date: 28.02.2024	Page 4 / 7

Malen nach Zahlen

	Odour threshold:	not applicable	
	Melting point/freezing point:	not applicable	
	Initial boiling point and boiling range:	100 °C	
		Source: water	
	Flammability:	not applicable	
	Lower and upper explosion limit: Lower explosion limit:	not applicable	
	Upper explosion limit:	not applicable	
	Flash point:	not applicable	
	Auto-ignition temperature:	not applicable	
	Decomposition temperature:	not applicable	
	pH at 20 °C:	7 - 8,8 / 100,0 weight-%	
	Viscosity at 20 °C:	thixotropic	
	Solubility(ies):		
	Water solubility at 20 °C:	miscible	
	Partition coefficient: n-octanol/water:	see section 12	
	Vapour pressure at 20 °C: Density and/or relative density:	not applicable	
	Density at 20 °C:	1,40 g/cm³	
	Relative vapour density:	not applicable	
	particle characteristics:	not applicable	
9.2.	Other information		
	solvent content:		
	Organic solvents:	0,0 weight-%	
SEC	TION 10: Stability and reactivity		
10.1.	Reactivity		
	This material is considered to be non-reactive u	under normal use conditions.	
10.2.	Chemical stability	dia anti-anti-anti-anti-anti-anti-anti-anti-	
	stable when applying the recommended regula section 7.	ations for storage and handling. Further information on correct storage: refer to	
10.3.	Possibility of hazardous reactions		
	Not applicable.		
10.4.	Conditions to avoid		
	Not applicable.		
10.5.	Incompatible materials		
10.0	not applicable		
10.6.	5. Hazardous decomposition products Does not decompose when used for intended uses.		
SEC	·		
	TION 11: Toxicological information		
11.1.	Information on hazard classes as defined in	Regulation (EC) No 1272/2008	
	Acute toxicity Based on available data, the classification crite	ria are not met	
	Based on available data, the classification criteria are not met.		
	Skin corrosion/irritation; Serious eye damage/eye irritation		


Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

griwecolor GmbH Wieselbrunnen 2 D-78199 Bräunlingen Döggingen Telefon +49 (0)7707 / 9904-0 info@griwecolor.de www.griwecolor.de

Item Numbers: 62763-1000, 62763-1010, 62763-1020, 62763-1030, 62763-1040

Page 4 of 7





Article No.:	MNZ1-700	Malen nach Zahlen
Print date:	28.02.2024	Revision date: 28.02.2024
Version:	1.1	Issue date: 28.02.2024

EN Page 5 / 7

Malen nach Zahlen

.

Based on available data, the classification criteria are not met.

. . .

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

. . . .

Based on available data, the classification criteria are not met.

STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Practical experience/human evidence

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

Overall assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP] Do not allow to enter into surface water or drains.

12.1. Toxicity

Based on available data, the classification criteria are not met.

Long-term Ecotoxicity

Toxicological data are not available.

- 12.2. Persistence and degradability
- Toxicological data are not available. 12.3. **Bioaccumulative potential** Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT and vPvB assessment The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

No information available.

12.7. Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of proposed waste codes/waste designations in accordance with EWC

080112 waste paint and varnish other than those mentioned in 08 01 11

Appropriate disposal / Package

griwecolor GmbH Wieselbrunnen 2 D-78199 Bräunlingen Döggingen Telefon +49 (0)7707 / 9904-0 info@griwecolor.de www.griwecolor.de



Article No.:	MNZ1-700	Malen nach Zahlen
Print date:	28.02.2024	Revision date: 28.02.2024
Version:	1.1	Issue date: 28.02.2024

EN Page 6 / 7

Malen nach Zahlen

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

SECTION 14: Transport information

This mixture is not classified as dangerous according to international transport regulations (ADR/RID, IMDG, ICAO/IATA).

No dangerous good in sense of this transport regulation.

- 14.1. UN number or ID number
 not applicable

 14.2. UN proper shipping name
 not applicable

 14.3. Transport hazard class(es)
 not applicable
- 14.4. Packing group

14.5. Environmental hazards Land transport (ADR/RID) Marine pollutant

not applicable not applicable

not applicable

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

Further information

Land transport (ADR/RID)

Tunnel restriction code

Sea transport (IMDG)

EmS-No.

not applicable

14.7. Maritime transport in bulk according to IMO instruments

No transport as bulk according IBC - Code.

SECTION 15: Regulatory information

15.1.	Safety, health a	nd environmental regulations/legislation spec	ific for the substance or mixture
	EU legislation		
	Directive 2010/7 VOC-value (in g/	7 <mark>5/EU on industrial emissions [Industrial Emis</mark> L): 30,3	sions Directive]
	National regula	tions	
		•	Directive (92/85/EEC) for expectant or nursing mothe 'juvenile work protection guideline' (94/33/EC).
15.2.	Chemical Safet For the followin	/ Assessment g substances of this mixture a chemical safe	y assessment has been carried out:
EC No. Designation REAC			
	236-675-5 13463-67-7	Titanium dioxide	01-2119489379-17-xxxx

SECTION 16: Other information

griwecolor GmbH Wieselbrunnen 2 D-78199 Bräunlingen Döggingen Telefon +49 (0)7707 / 9904-0 info@griwecolor.de www.griwecolor.de

Item Numbers: 62763-1000, 62763-1010, 62763-1020, 62763-1030, 62763-1040

Page 6 of 7

rs.



EN Page 7 / 7 Page 7 of 7

Article No.:	MNZ1-700	Malen nach Zahlen
Print date:	28.02.2024	Revision date: 28.02.2024
Version:	1.1	Issue date: 28.02.2024

Malen nach Zahlen

Full text of classification in section 3:			
Carc. 2 / H351 Carcinogenicity Suspected of causing cancer if inhaled.			
Abbreviations and a	0, 1		
ADD EVIATIONS and a	-	ernational Carriage of Dangerous Goods by Road	
OEL	Occupational Exposure Limit Value	emational Camage of Dangerous Coous by Road	
BLV	Biological Limit Value		
CAS	Chemical Abstracts Service		
CLP	Classification, Labelling and Packaging		
CMR	Carcinogenic, Mutagenic and Reprotoxic		
DIN	German Institute for Standardization / Ge		
DNEL	Derived No-Effect Level		
EAKV	European Waste Catalogue Directive		
EC	Effective Concentration		
EC	European Community		
EmS-No.	Emergency Response Procedures for SI	nips Carrving Dangerous Goods	
EN	European Standard		
EU	European Union		
EEC	European Economic Community		
IATA-DGR	International Air Transport Association -	Dangerous Goods Regulations	
IBC Code	International Code for the Construction a	and Equipment of Ships carrying Dangerous Chemicals in Bulk	
ICAO-TI	International Civil Aviation Organization	Technical Instructions for the Safe Transport of Dangerous	
	Goods by Air		
IMDG Code	International Maritime Code for Dangero	us Goods	
ISO	International Organization for Standardiz	ation	
LC	Lethal Concentration		
LD	Lethal Dose		
MARPOL	Maritime Pollution: The International Cor	nvention for the Prevention of Pollution from Ships	
OECD	Organisation for Economic Cooperation	and Development	
PBT	persistent, bioaccumulative, toxic		
PNEC	Predicted No Effect Concentration		
REACH	Registration, Evaluation, Authorisation a		
RID	Regulations concerning the International	Carriage of Dangerous Goods by Rail	
UN	United Nations		
VOC	Volatile Organic Compounds		
vPvB	very persistent and very bioaccumulative		
Data sources			

Data sources

Data arise from reference works and literature.

Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

* Data changed compared with the previous version

griwecolor GmbH Wieselbrunnen 2 D-78199 Bräunlingen Döggingen Telefon +49 (0)7707 / 9904-0 info@griwecolor.de www.griwecolor.de