63006-1005

MSDS

MATERIAL SAFETY DATA SHEET

RUPERT, GIBBON & SPIDER PO BOX 425, HEALDSBURG CA, 95448 TEL: (707) 433-9577 FAX: (707) 433-4906

No Flow

1. Product Identification

Product Name: No Flow Product Code: #790

2. Hazardous Ingredients

Exact percentages of composition have been withheld as a trade secret

Hydroxypropyl Methylcellulose

GHS classification:

Combustible dust

Skin sensitization - Category 1

Signal Word: WARNING



Pictogram:

Hazard Statements:

May form combustible dust concentrations in air May cause an allergic skin reaction.

ALBAFLOW® 2210

GHS Classification:

Skin irritation: Category 2

Specific target organ toxicity - single exposure: Category 3 (Respiratory system) Specific target organ toxicity - repeated exposure: Category 2 (Blood, Bone marrow,

Liver, spleen)

Aspiration hazard: Category 1 Acute aquatic toxicity: Category 2 Chronic aquatic toxicity: Category 1

Signal Word: Danger







Pictogram:

Hazard Statements: H304 May be fatal if swallowed and enters airways.

Diethylaminoethanol

GHS Classification:

Item Numbers: 63006-1005, 63006-1007 Page 1 of 3

Page 2 of 3

MSDS

MATERIAL SAFETY DATA SHEET

RUPERT, GIBBON & SPIDER PO BOX 425, HEALDSBURG CA, 95448 TEL: (707) 433-9577 FAX: (707) 433-4906

Acute toxicity - Oral Category 4 Acute toxicity - Dermal Category 3 Acute toxicity - Inhalation (Vapors) Category 3 Skin corrosion/irritation Category 1 Sub-category B Serious eye damage/eye irritation Category 1 Flammable Liquids Category 3

Signal Word: Danger



Hazard Statements:

Toxic if inhaled Toxic in contact with skin Harmful if swallowed Causes severe skin burns and eye damage Flammable liquid and vapor

3. Physical Data

Boiling Point: N/A Vapor Pressure: N/A Vapor Density: N/A

Solubility in Water: Soluble

Appearance & Odor: White to slightly off-white free flowing viscous liquid

Specific Gravity: N/A **Melting Point:** N/A **Evaporation Rate:** N/A

4. Fire and Explosive Data

Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and

Specific hazards arising from the chemical: Combustible material. Vapors may form explosive mixture with air. Vapors are heavier than air and may spread along floors.

Thermal decomposition can lead to release of irritating gases and vapours. Hazardous combustion products: Nitrogen oxides (NOx). Carbon oxides.

Sensitivity to Mechanical Impact: None.

Sensitivity to Static Discharge: yes.

Protective equipment and precautions for firefighters: As in any fire, wear selfcontained breathing apparatus pressure-demand, NIOSH (approved or equivalent) and full protective gear.

5. Reactivity Data

Stability: N/A

Incompatibility (materials to avoid): Oxidizing material Hazardous Decomposition Products: Same as wood or paper

Hazardous Polymerization: Will not occur

Conditions to Avoid: Avoid dust clouds or layersc

Page 2 of 3 Item Numbers: 63006-1005, 63006-1007

Page 3 of 3

MSDS

MATERIAL SAFETY DATA SHEET

RUPERT, GIBBON & SPIDER PO BOX 425, HEALDSBURG CA, 95448 TEL: (707) 433-9577 FAX: (707) 433-4906

6. Emergency and First Aid Procedures

Eye contact: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. If irritation persists, call a physician.

Skin contact: Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before re-use. If skin irritation persists, call a physician.

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician or Poison Control Centre immediately. **Ingestion:** Never give anything by mouth to an unconscious person. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Clean mouth with water and afterwards drink plenty of water. Call a physician or Poison Control Centre immediately.

7. Employee Protection Recommendations

Eye protection: Eye wash bottle with pure water, tightly fitting safety goggles Skin and body protection: Impervious clothing. Choose body protection according to the amount and concentration of the dangerous substance at the work place. Hygiene measures: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

8. Spill or Leak Procedures

Waste from residues: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

Notice to Reader

The information contained in this MSDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider Inc. urges each customer or recipient of this MSDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this MSDS.

Item Numbers: 63006-1005, 63006-1007 Page 3 of 3