

Safety Data Sheet

Issue Date: 23-Nov-2015

Revision Date: 05-May-2022

Version 1

1. IDENTIFICATION

Product Identifier**Product Name**

Angelus No. 732 Metallic Leather Paint

Other means of identification**SDS #**

ASP-016

Recommended use of the chemical and restrictions on use**Recommended Use**

Leather paint.

Details of the supplier of the safety data sheet**Supplier Address**

Angelus Shoe Polish Co.
12060 Florence Ave.
Santa Fe Springs, CA 90670 Ph:
562-941-4242

Emergency Telephone Number**Emergency Telephone (24 hr)**

INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear liquid Milky white
liquid Liquid of various colors

Physical State Liquid

Odor Minimal

Classification

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

3. COMPOSITION/INFORMATION ON INGREDIENTS

The product contains no substances which, at their given concentration, are considered to be hazardous to health

4. FIRST-AID MEASURES

First Aid Measures**General Advice**

Provide this SDS to medical personnel for treatment.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation occurs.

Skin Contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If irritation occurs: Get medical advice/attention.

ASP-016 - Angelus No. 732 Metallic Leather Paint

Revision Date: 05-May-2022

Inhalation	Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison center if individual's condition declines or if symptoms persist.
Ingestion	IF SWALLOWED: rinse mouth. Drink 1 or 2 glasses of water. Do not give anything by mouth to an unconscious person. Do not induce vomiting without medical advice. Call a poison center or doctor/physician if you feel unwell.

Most important symptoms and effects

Symptoms	Can cause eye irritation. Symptoms include stinging, tearing, redness and swelling. Can cause skin irritation with prolonged use. May cause nausea if ingested.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable or combustible. Material may splatter above 212F/100C. Polymer film can burn.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Personal Precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
Environmental Precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so. Absorb spill with inert material (e.g. vermiculite, sand or earth).
Methods for Clean-Up	Sweep up absorbed material and shovel into suitable containers for disposal. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE**Precautions for safe handling**

Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice.
--------------------------------	--

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.
Incompatible Materials	Strong oxidizing agents.

ASP-016 - Angelus No. 732 Metallic Leather Paint

Revision Date: 05-May-2022

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Exposure Guidelines**

The following information is given as general guidance

Appropriate engineering controls**Engineering Controls**

Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment**Eye/Face Protection**

Wear approved safety goggles; Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection

Gloves are recommended; Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection

Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties****Physical State
Appearance**

Liquid

Clear liquid Milky white liquid Liquid of

Odor

Minimal

Color

various colors

Clear to milky white Various colors

Odor Threshold

Not determined

Property**Values****Remarks • Method****pH**

Not determined

Melting Point/Freezing Point

Not determined

Boiling Point/Boiling Range

100 °C / 212 °F

Flash Point

Not determined

Evaporation Rate

Slower than ethyl ether

Flammability (Solid, Gas)

Not determined

Upper Flammability Limits

Not determined

Lower Flammability Limit

Not determined

Vapor Pressure

Not measured

Vapor Density

Not determined

Specific Gravity

Not determined

Water Solubility

Not determined

Solubility in other solvents

Not determined

Partition Coefficient

Not determined

Auto-ignition Temperature

Not determined

Decomposition Temperature

Not determined

Kinematic Viscosity

Not determined

Dynamic Viscosity

Not determined

Explosive Properties

Not determined

Oxidizing Properties

Not determined

VOC Content (%)

7% by weight

VOC Content

0.56 lbs/gal

ASP-016 - Angelus No. 732 Metallic Leather Paint

Revision Date: 05-May-2022

10. STABILITY AND REACTIVITY**Reactivity**

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Strong oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition may yield acrylic monomers.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure****Product Information****Eye Contact**

Avoid contact with eyes.

Skin Contact

Avoid contact with skin and clothing.

Inhalation

Do not inhale.

Ingestion

Do not taste or swallow.

Component Information**Information on physical, chemical and toxicological effects****Symptoms**

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Carcinogenicity**

Carcinogenic potential is unknown.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION**Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Persistence/Degradability

Not determined.

ASP-016 - Angelus No. 732 Metallic Leather Paint

Revision Date: 05-May-2022

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION**Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

Not regulated

IATA

Not regulated

IMDG

Not regulated

15. REGULATORY INFORMATION**US Federal Regulations****CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated under applicable state right-to-know regulations

ASP-016 - Angelus No. 732 Metallic Leather Paint

Revision Date: 05-May-2022

16. OTHER INFORMATION**NFPA****Health Hazards****Flammability****Instability****Special Hazards****HMIS****Health Hazards****Flammability****Physical Hazards****Personal Protection**

1

0

0

Not determined

1

0

0

Not determined

Issue Date:

23-Nov-2015

Revision Date:

05-May-2022

Revision Note:

New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Safety Data Sheet

Issue Date: 23-Nov-2015

Revision Date: 05-May-2022

Version 1

1. IDENTIFICATION

Product Identifier**Product Name** Angelus No. 733 Pearlescent Leather Paint**Other means of identification****SDS #** ASP-016**Recommended use of the chemical and restrictions on use****Recommended Use** Leather paint.**Details of the supplier of the safety data sheet****Supplier Address**Angelus Shoe Polish Co.
12060 Florence Ave.
Santa Fe Springs, CA 90670 Ph:
562-941-4242**Emergency Telephone Number****Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Clear liquid Milky white
liquid Liquid of various colors**Physical State** Liquid**Odor** Minimal**Classification**

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

3. COMPOSITION/INFORMATION ON INGREDIENTS

The product contains no substances which, at their given concentration, are considered to be hazardous to health

4. FIRST-AID MEASURES

First Aid Measures**General Advice**

Provide this SDS to medical personnel for treatment.

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation occurs.

Skin Contact

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If irritation occurs: Get medical advice/attention.

ASP-016 - Angelus No. 733 Pearlescent Leather Paint

Revision Date: 05-May-2022

Inhalation	Remove exposed individual(s) to fresh air for 20 minutes. Consult a physician / poison center if individual's condition declines or if symptoms persist.
Ingestion	IF SWALLOWED: rinse mouth. Drink 1 or 2 glasses of water. Do not give anything by mouth to an unconscious person. Do not induce vomiting without medical advice. Call a poison center or doctor/physician if you feel unwell.

Most important symptoms and effects

Symptoms	Can cause eye irritation. Symptoms include stinging, tearing, redness and swelling. Can cause skin irritation with prolonged use. May cause nausea if ingested.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Product is not flammable or combustible. Material may splatter above 212F/100C. Polymer film can burn.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

Personal Precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
Environmental Precautions	Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so. Absorb spill with inert material (e.g. vermiculite, sand or earth).
Methods for Clean-Up	Sweep up absorbed material and shovel into suitable containers for disposal. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE**Precautions for safe handling**

Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice.
--------------------------------	--

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.
Incompatible Materials	Strong oxidizing agents.

ASP-016 - Angelus No. 733 Pearlescent Leather Paint

Revision Date: 05-May-2022

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Exposure Guidelines**

The following information is given as general guidance

Appropriate engineering controls**Engineering Controls**

Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment**Eye/Face Protection**

Wear approved safety goggles; Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection

Gloves are recommended; Refer to 29 CFR 1910.138 for appropriate skin and body protection.

Respiratory Protection

Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties****Physical State
Appearance**

Liquid

Clear liquid Milky white liquid Liquid of

Odor

Minimal

Color

various colors

Clear to milky white Various colors

Odor Threshold

Not determined

Property**Values****Remarks • Method****pH**

Not determined

Melting Point/Freezing Point

Not determined

Boiling Point/Boiling Range

100 °C / 212 °F

Flash Point

Not determined

Evaporation Rate

Slower than ethyl ether

Flammability (Solid, Gas)

Not determined

Upper Flammability Limits

Not determined

Lower Flammability Limit

Not determined

Vapor Pressure

Not measured

Vapor Density

Not determined

Specific Gravity

Not determined

Water Solubility

Not determined

Solubility in other solvents

Not determined

Partition Coefficient

Not determined

Auto-ignition Temperature

Not determined

Decomposition Temperature

Not determined

Kinematic Viscosity

Not determined

Dynamic Viscosity

Not determined

Explosive Properties

Not determined

Oxidizing Properties

Not determined

VOC Content (%)

7% by weight

VOC Content

0.56 lbs/gal

ASP-016 - Angelus No. 733 Pearlescent Leather Paint

Revision Date: 05-May-2022

10. STABILITY AND REACTIVITY**Reactivity**

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children.

Incompatible Materials

Strong oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition may yield acrylic monomers.

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure****Product Information****Eye Contact**

Avoid contact with eyes.

Skin Contact

Avoid contact with skin and clothing.

Inhalation

Do not inhale.

Ingestion

Do not taste or swallow.

Component Information**Information on physical, chemical and toxicological effects****Symptoms**

Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Carcinogenicity**

Carcinogenic potential is unknown.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION**Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Persistence/Degradability

Not determined.

ASP-016 - Angelus No. 733 Pearlescent Leather Paint

Revision Date: 05-May-2022

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION**Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

Not regulated

IATA

Not regulated

IMDG

Not regulated

15. REGULATORY INFORMATION**US Federal Regulations****CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated under applicable state right-to-know regulations

ASP-016 - Angelus No. 733 Pearlescent Leather Paint

Revision Date: 05-May-2022

16. OTHER INFORMATION**NFPA****Health Hazards****Flammability****Instability****Special Hazards****HMIS****Health Hazards****Flammability****Physical Hazards****Personal Protection**

1

0

0

Not determined

1

0

0

Not determined

Issue Date:

23-Nov-2015

Revision Date:

05-May-2022

Revision Note:

New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet