

63449-1161

# Safety Data Sheet

Issue Date: 07-Aug-2017

Revision Date: 05-May-2022

Version 1

## 1. IDENTIFICATION

**Product Identifier****Product Name** Angelus Satin Acrylic Finisher 605**Other means of identification****SDS #** ASP-043**Product Code** 605**Recommended use of the chemical and restrictions on use****Recommended Use** Shoe and Leather Finish**Details of the supplier of the safety data sheet****Supplier Address**Angelus Shoe Polish Co.  
Florence Ave.  
Santa Fe Springs, CA 90670  
Ph: 562-941-4242**Emergency Telephone Number****Emergency Telephone (24 hr)** INFOTRAC 1-352-323-3500 (International)  
1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

**Appearance** Homogenous solution  
Clear/milky liquid**Physical state** Liquid**Odor** Minimal**Classification**

This chemical does not meet the hazardous criteria set forth by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200). However, this Safety Data Sheet (SDS) contains valuable information critical to the safe handling and proper use of this product. This SDS should be retained and available for employees and other users of this product.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

The product contains no substances which, at their given concentration, are considered to be hazardous to health. However, additional component information is available in subsequent sections of this SDS.

ASP-043 - Angelus Satin Acrylic Finisher 605

Revision Date: 05-May-2022

**4. FIRST AID MEASURES****First Aid Measures**

<b>General Advice</b>	Provide this SDS to medical personnel for treatment.
<b>Eye Contact</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
<b>Skin Contact</b>	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Get medical attention if irritation occurs.
<b>Inhalation</b>	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Call a physician if you feel unwell.
<b>Ingestion</b>	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Do not give anything by mouth to an unconscious person. Get medical advice/attention.

**Most important symptoms and effects**

<b>Symptoms</b>	May cause discomfort if swallowed.
-----------------	------------------------------------

**Indication of any immediate medical attention and special treatment needed**

<b>Notes to Physician</b>	Treat symptomatically.
---------------------------	------------------------

**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media** Not determined.

**Specific Hazards Arising from the Chemical**

Product is not flammable or combustible.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES****Personal precautions, protective equipment and emergency procedures**

<b>Personal Precautions</b>	Wear protective clothing as described in Section 8 of this safety data sheet.
-----------------------------	---

**Environmental precautions**

<b>Environmental precautions</b>	See Section 12 for additional Ecological Information.
----------------------------------	---

**Methods and material for containment and cleaning up**

<b>Methods for Containment</b>	Prevent further leakage or spillage if safe to do so. Soak up and contain spill with an inert (i.e. vermiculite, dry sand or earth) absorbent material.
<b>Methods for Clean-Up</b>	Sweep up absorbed material and shovel into suitable containers for disposal. Dispose of contents/container to an approved waste disposal plant. For waste disposal, see section 13 of the SDS.

ASP-043 - Angelus Satin Acrylic Finisher 605

Revision Date: 05-May-2022

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Advice on Safe Handling** Handle in accordance with good industrial hygiene and safety practice.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a cool, well-ventilated place.

**Incompatible Materials** Strong oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines** No exposure limits noted for ingredient(s). The following information is given as general guidance

### Appropriate engineering controls

**Engineering Controls** Showers  
Eyewash stations  
Ventilation systems.

### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Wear safety glasses with side shields (or goggles). Refer to 29 CFR 1910.133 for eye and face protection regulations.

**Skin and Body Protection** Wear protective gloves and protective clothing. Refer to 29 CFR 1910.138 for appropriate skin and body protection.

**Respiratory Protection** Refer to 29 CFR 1910.134 for respiratory protection requirements.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	Liquid	<b>Odor</b>	Minimal
<b>Appearance</b>	Homogenous solution Clear/milky liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Clear Milky		
<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks • Method</u></b>	
pH	Not determined		
Melting Point/Freezing Point	Not determined		
Boiling Point/Boiling Range	100 °C / 212 °F		
Flash Point	N/A		
Evaporation Rate	Slower than ethyl ether		
Flammability (Solid, Gas)	Not determined		
Flammability Limits in Air			
Upper Flammability Limits	Not determined		
Lower Flammability Limit	Not determined		
Vapor Pressure	Not measured		
Vapor Density	<1	(Air=1)	
Relative Density	Not determined		
Water Solubility	Not determined		

ASP-043 - Angelus Satin Acrylic Finisher 605

Revision Date: 05-May-2022

<b>Solubility in other solvents</b>	Not determined
<b>Partition Coefficient</b>	Not determined
<b>Auto-ignition Temperature</b>	Not determined
<b>Decomposition Temperature</b>	Not determined
<b>Kinematic Viscosity</b>	Not determined
<b>Dynamic Viscosity</b>	Not determined
<b>Explosive Properties</b>	Not determined
<b>Oxidizing Properties</b>	Not determined

**Other Information**

VOC Content 400.0 g/L

**10. STABILITY AND REACTIVITY****Reactivity**

Not reactive under normal conditions.

**Chemical Stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

<b>Hazardous Polymerization</b>	Hazardous polymerization does not occur.
---------------------------------	--

**Conditions to Avoid**

Keep out of reach of children.

**Incompatible Materials**

Strong oxidizing agents.

**Hazardous Decomposition Products**

Thermal decomposition may yield acrylic monomers.

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure****Product Information**

<b>Eye Contact</b>	May cause temporary irritation on eye contact.
--------------------	--

<b>Skin Contact</b>	Avoid contact with skin and clothing.
---------------------	---------------------------------------

<b>Inhalation</b>	Do not inhale.
-------------------	----------------

<b>Ingestion</b>	May cause irritation of gastrointestinal tract.
------------------	---

**Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
tributoxyethyl phosphate 78-51-3	= 3 g/kg ( Rat )	> 16 mL/kg ( Rabbit )	> 6.4 mg/L ( Rat ) 4 h
Alkyloxypolyethyleneoxyethanol 84133-50-6	= 2100 mg/kg ( Rat )	-	-
Sulfuric Acid, mono-C10-16-alkyl esters, sodium salts 68585-47-7	> 2000 mg/kg ( Rat )	-	-

ASP-043 - Angelus Satin Acrylic Finisher 605

Revision Date: 05-May-2022

**Information on physical, chemical and toxicological effects****Symptoms**

Please see section 4 of this SDS for symptoms.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Carcinogenicity**

Based on the information provided, this product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

**Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) &gt;5000.00 mg/kg

ATEmix (dermal) &gt;5000.00 mg/kg

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

**Component Information**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
tributoxyethyl phosphate 78-51-3		10.4 - 12.0: 96 h Pimephales promelas mg/L LC50 flow-through	
Alkyloxypolyethyleneoxyethanol 84133-50-6		3.2: 96 h Pimephales promelas mg/L LC50	3.2: 48 h water flea mg/L EC50

**Persistence/Degradability**

Not determined.

**Bioaccumulation**

Not determined.

**Mobility**

Chemical Name	Partition Coefficient
tributoxyethyl phosphate 78-51-3	3.65 - 4.78

**Other Adverse Effects**

Not determined

**13. DISPOSAL CONSIDERATIONS****Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

ASP-043 - Angelus Satin Acrylic Finisher 605

Revision Date: 05-May-2022

**14. TRANSPORT INFORMATION**

<b>Note</b>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
<b>DOT</b>	Not regulated
<b>IATA</b>	Not regulated
<b>IMDG</b>	Not regulated

**15. REGULATORY INFORMATION****International Inventories**

Chemical Name	TSCA	DSL/NDSL	EINECS/E LINC	ENCS	IECSC	KECL	PICCS	AICS
Carnuba Wax	X	X	X		X	Present	X	X
tributoxyethyl phosphate	X	X	X	Present	X	Present	X	X
Alkyloxypolyethyleneoxyethanol	X	X			X	Present	X	X
Sulfuric Acid, mono-C10-16-alkyl esters, sodium salts	X	X	X	Present	X	Present	X	X
Alkyl polyethylene glycol derivative	X	X			X	Present	X	X

**Legend:***TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINC - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS - Japan Existing and New Chemical Substances**IECSC - China Inventory of Existing Chemical Substances**KECL - Korean Existing and Evaluated Chemical Substances**PICCS - Philippines Inventory of Chemicals and Chemical Substances**AICS - Australian Inventory of Chemical Substances***US Federal Regulations****CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**US State Regulations****California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

This product does not contain any substances regulated under applicable state right-to-know regulations

ASP-043 - Angelus Satin Acrylic Finisher 605

Revision Date: 05-May-2022

**16. OTHER INFORMATION****NFPA****Health Hazards****Flammability****Instability****Special Hazards****HMIS****Health Hazards****Flammability****Physical hazards****Personal Protection**

1

0

0

Not determined

Not determined

Not determined

Not determined

Not determined

**Issue Date:**

07-Aug-2017

**Revision Date:**

05-May-2022

**Revision Note:**

New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**