

Precisely Right.

Report No.:

0164142909a 001

Page 1 of 20

Client: Test item(s):	DJECO 3 rue des Grands Augustins Paris, France Toys
Identification/ Model No(s):	GLITTER BOARDS - GLITTER DRESSES / DJ09500 BC1028281017530 GLITTER BOARDS - GLITTER BIRDS / DJ09501 BC1022030817530 GLITTER BOARDS - GLITTER ANIMALS / DJ09502 BC1028901017530 GLITTER BOARDS - GLITTER BUTTERFLIES / DJ09503 BC1036250318530 GLITTER BOARDS - CLEO POP AND ROCK / DJ09504 BC988980616530 GLITTER BOARDS - GOLD AND SILKEN/ DJ09505 BC1004190816530 GLITTER BOARDS - MERMAIDS LIGHTS / DJ09507 BC1036270318530 GLITTER BOARDS - TROPICO / DJ09509 BC1039730718530
Sample Receiving date:	2018-09-26
Testing Period:	2018-09-27 to 2018-09-30

Test Specification:

Please refer to "Test Result Summary List" on page 2 for details

Other information:

- (1) The provided age grade of the item(s) :
 - For age of over 9-15 years.(DJ09504,DJ09505)
 - For age of over 8-14 years. (DJ09509)
 - For age of over 7-13 years. (DJ09500, DJ09501, DJ09503, DJ09507)
 - For age of over 6-11 years. (DJ09502)

The appropriate age grade of the item(s) : For age of over 6 years.

The item(s) was/ were tested for the age of over 6 years.

- (2) Packaging provided: Yes
- (3) Information provided by customer:
- Sales Destination: US
- (4) Sample Size: 8 style x 4pcs
- (5) Section 4.29 and 5.13 Art Material has been excluded as per customer's request.

For and on behalf of TÜV Rheinland (Shenzhen) Co., Ltd.

Candy He/ Lab. Supervisor



2018-10-22

Date

Lucy Wang/ Senior Technical Executive

2018-10-22 Date

Name/Position

Name/Position

Test result is drawn according to the kind and extent of tests performed. This test report relates to the a.m. test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.

TÜV Rheinland (Shenzhen) Co., Ltd. 1F East & 2-4F, Cybio Technology Building No.1, No. 16 Kejibei 2nd Road,

- High-Tech Industry Park North Nanshan District, 518057, Shenzhen, China Item NuTreles: (\$6):155-6\$268.01, 1883; fp:3x: (86) 755 2603 7102 · Mail: service-gc@tuv.com · Web: www.tuv.com

Page 1 of 21



Page 2 of 20

Test Result Summary :

Test Specification:	Test result:
1 ASTM F963-17: Mechanical and physical (Excluding section 4.29 & 5.13 art materials)	PASS
2 ASTM F963-17: Flammability on solids and soft toys	PASS
3 ASTM F963-17 Sect. 4.3.5.1, CPSIA Sect. 101: Total lead content in paint and coating materials	PASS
4 ASTM F963-17 Sect. 4.3.5.2, CPSIA Sect. 101: Total lead content in substrate materials	PASS
5 CPSIA Section 108 as amended by 16 CFR 1307 : Phthalates	PASS
California Safe Drinking Water and Toxic Enforcement Act of 1986 (CA Prop 65): DEHP, BBP, DBP, DIDP, DnHP content	PASS
6 CPSIA Sect 103: Tracking label	PASS
7 CPSC 16 CFR 1500.48, 1500.49 Mechanical and Physical Test	PASS
8 Flammability Test of Rigid and Pliable Solids (Part 1500.3(C)(6)(VI) 16 C.F.R. U.S.A.)	PASS
9 Consumer Product Safety Commission (CPSC) 16 Code of Federal Regulations (CFR) 1303: Total Lead Content	PASS





Page 3 of 20

eir

Material List:

Item:

GLITTER BOARDS - GLITTER DRESSES / DJ09500 BC1028281017530 GLITTER BOARDS - GLITTER BIRDS / DJ09501 BC1022030817530 GLITTER BOARDS - GLITTER ANIMALS / DJ09502 BC1028901017530 GLITTER BOARDS - GLITTER BUTTERFLIES / DJ09503 BC1036250318530 GLITTER BOARDS - CLEO POP AND ROCK / DJ09504 BC988980616530 GLITTER BOARDS - GOLD AND SILKEN/ DJ09505 BC1004190816530 GLITTER BOARDS - MERMAIDS LIGHTS / DJ09507 BC1036270318530 GLITTER BOARDS - TROPICO / DJ09509 BC1039730718530

Material No.	Material	Color	Location		
M001	Whole Product	Multi-color	DJ09500, DJ09501, DJ09502, DJ09503, DJ09504, DJ09505, DJ09507, DJ09509		
M002	Coating	Black	Handle of brush (all items)		
M003	Plastic	Green	Tool (all items)		
M004	Plastic	Transparent	Container of glitter (all items)		
M005	Plastic	White	Lid of container of glitter (all items)		
M006	Plastic	Shiny hot pink	Glitter (DJ09500, DJ09502, DJ09504, DJ09505)		
M007	Plastic	Shiny green Glitter (DJ09500, DJ09503, D DJ09509)			
M008	Plastic	Golden	Glitter (DJ09500)		
M009	Plastic	Shiny cyan	Glitter (DJ09500, DJ09503, DJ09504, DJ09507)		
M010	Plastic	Shiny light pink	Glitter (DJ09500, DJ09501, DJ09503, DJ09505, DJ09507)		
M011	Plastic	Shiny purple	Glitter (DJ09500, DJ09501, DJ09502, DJ09503, DJ09504)		
M012	Plastic	Light golden	Glitter (DJ09501, DJ09502)		
M013	Plastic	Orange	Glitter (DJ09501, DJ09503)		
M014	Plastic	Pink	Glitter (DJ09501)		
M015	Plastic	Shiny dark pink	Glitter (DJ09501, DJ09503, DJ09507)		
M016	M016 Plastic		Glitter (DJ09502, DJ09504)		
M017	Plastic	Shiny deep purple	Glitter (DJ09502, DJ09507)		
M018	Plastic	Shiny blue	Glitter (DJ09502)		
M019	Plastic	Silvery	Glitter (DJ09504)		
M020	Plastic	Dull golden	Glitter (DJ09504, DJ09505		



Test R	eport No	· 01641	42909a	001
ICSUN	CPOIL NO		TZJUJ a	001

Page 4 of 20

M021	Plastic	Shiny grey/ green	Glitter (DJ09505)
M022	Plastic	Shiny dark red	Glitter (DJ09505)
M023	Plastic	Shiny light cyan	Glitter (DJ09507)
M024	Plastic	Shiny light brown	Glitter (DJ09507)
M025	Plastic	Shiny deep brown	Glitter (DJ09509)
M026	Plastic	Shiny deep grey	Glitter (DJ09509)
M027	Plastic	Shiny light blue	Glitter (DJ09509)
M028	Plastic	Shiny bright green	Glitter (DJ09509)
M029	Plastic	Shiny red	Glitter (DJ09509)
M030	Paper + plastic	Multi-color/ transparent	Surface of board (all items)
M031	Paper + adhesive	White, grey/ transparent	Board (all items)
M032	Plastic + printing + paper	Transparent/ multi-color/ white	Cover of booklet (all items)
M033	Rubber + Textile	Black	Elastic band of box
M034	Plastic + printing + paper	Transparent/ multi-color/ white	Box
M035	Paper + printing	White/ multi-color	Pages of booklet (with thread) (all items)
M036	Metal	Silvery	Joint of brush (all items)
M037	Natural Material	Beige	Brush (all items)
M038	Wood	Beige	Handle of brush (all items)





Page 5 of 20

1.ASTM F963-17: Mechanical and physical

Test result:

Test No:	T001
Material No:	M001
4. Safety requirements	
4.1 Material Quality (visual check)	Pass
4.7 Accessible edges	Pass
4.9 Accessible points	Pass
4.29 Art materials (#)	Not Conducted
5. Labeling requirements	
5.2 Age grading labeling	Pass
5.13 Art materials	Not Conducted
5.16 Promotional materials	Pass
6. Instructional literature	•
6.1 Definition and description	Pass
7. Producer's markings	
7.1 Name and address of the producer or the distributor	Pass

Use and Abuse Tests:

The submitted samples were undergone the use and abuse tests in accordance with FHSA 16 CFR and whichever is applicable the tested age grade.

Age Category	Impact Test	Flexure Test	Torque Test	Tension Test	Compression Test
0-18 Months 16 CFR 1500.51	10 x 4.5 ft	120 Arc 30 Cycles 10 lbs	2 in-Ibs	10 lbs	20 lbs
19-36 Months 16 CFR 1500.52	4 x 3 ft	120 Arc 30 Cycles 15 lbs	3 in-Ibs	15 lbs	25 lbs
37-96 Months 16 CFR 1500.53	4 x 3 ft	120 Arc 30 Cycles 15 lbs	4 in-lbs	15 lbs	30 lbs

The clause and/or sub-clause would be indicated only in the test report whichever applicable. The comprehensive result report is available upon request.





Page 6 of 20


2.ASTM F963-17: Flammability on solids and soft toys

Test result:

	Test No:	T001
	Material No:	M001
4.2	Flammability on solids and soft toys	Pass

The burning rate of the most severe part = 0.03 lnch/sec.

Note: Maximum permissible burning rate = 0.1 Inch/sec.







Page 7 of 20

3.ASTM F963-17 Sect. 4.3.5.1, CPSIA Sect. 101: Total lead content in paint and coating materials

Test method: CPSC-CH-E1003-09.1 (Microwave method)

Test result:

Test No.	Material No.	Test Parameter	Unit	RL Regulatory Requirement		Test Result
T001	M002	Lead Content	ppm	10	90	n.d.

Abbreviation: n.d. = Not Detected (< RL) RL = Reporting Limit ppm = parts per million





Page 8 of 20

4.ASTM F963-17 Sect. 4.3.5.2, CPSIA Sect. 101: Total lead content in substrate materials

Test method: CPSC-CH-E1001-08.3 and CPSC-CH-E1002-08.3 (Microwave method)

Test result:

Test No.	Material No.	Test Parameter	Unit	RL	Regulatory Requirement	Test Result
T001	M003 + M004 + M005	Lead Content	ppm	10	100	n.d.
T002	M006 + M007 + M008	Lead Content	ppm	10	100	n.d.
T003	M009 + M010 + M011	Lead Content	ppm	10	100	n.d.
T004	M012 + M013 + M014	Lead Content	ppm	10	100	n.d.
T005	M015 + M016 + M017	Lead Content	ppm	10	100	n.d.
T006	M018 + M019 + M020	Lead Content	ppm	10	100	n.d.
T007	M021 + M022 + M023	Lead Content	ppm	10	100	n.d.
T008	M024 + M025 + M026	Lead Content	ppm	10	100	n.d.
T009	M027 + M028 + M029	Lead Content	ppm	10	100	n.d.
T010	M030 + M031 + M032	Lead Content	ppm	10	100	n.d.
T011	M033 + M034	Lead Content	ppm	10	100	n.d.
T012	M035	Lead Content	ppm	10	100	n.d.
T013	M036	Lead Content	ppm	10	100	n.d.
T014	M037	Lead Content	ppm	10	100	n.d.
T015	M038	Lead Content	ppm	10	100	n.d.

Abbreviation: n.d. = Not Detected (< RL) RL = Reporting Limit ppm = parts per million





Page 9 of 20

5.Phthalates content

Test Method: Ref. to CPSC-CH-C1001-09.3

Test Result:

		Т	est No.	0	T001	T003
	Material No.			0	M002	M006 + M007 + M008
Test Parameter	CAS NO	Unit	RL	Result	Result	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	n.d.	0.006	n.d.
Dibutyl phthalate (DBP)	84-74-2	%	0.005	n.d.	0.014	n.d.
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	n.d.	n.d.	n.d.
Diisononyl phthalate (DINP)	28553-12-0, 68515-48-0	%	0.005	n.d.	n.d.	n.d.
Diisodecyl phthalate (DIDP)	26761-40-0, 68515-49-1	%	0.005	n.d.	n.d.	n.d.
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	n.d.	0.016	n.d.
Di-n-pentyl phthalate (DnPP)	131-18-0	%	0.005	n.d.	n.d.	n.d.
Di-n-hexyl phthalate (DnHP)	84-75-3	%	0.005	n.d.	n.d.	n.d.
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	n.d.	n.d.	n.d.
Conclusion: CPSIA Section 108 as amend	led by 16 CFR	1307		Pass	Pass	Pass
Conclusion: CA Prop 65 DEHP, BBP, DBF	P, DIDP and D	nHP co	ntent	Pass	Pass	Pass
		Т	est No.	T004	T005	T006
		Mate	rial No.	M009 + M010 + M011	M012 + M013 + M014	M015 + M016 + M017
Test Parameter	CAS NO	Unit	RL	Result	Result	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	n.d.	n.d.	n.d.
Dibutyl phthalate (DBP)	84-74-2	%	0.005	n.d.	n.d.	n.d.
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	n.d.	n.d.	n.d.
Diisononyl phthalate (DINP)	28553-12-0, 68515-48-0	%	0.005	n.d.	n.d.	n.d.
Diisodecyl phthalate (DIDP)	26761-40-0, 68515-49-1	%	0.005	n.d.	n.d.	n.d.
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	n.d.	n.d.	n.d.
Di-n-pentyl phthalate (DnPP)	131-18-0	%	0.005	n.d.	n.d.	n.d.
Di-n-hexyl phthalate (DnHP)	84-75-3	%	0.005	n.d.	n.d.	n.d.
			0.005	I		
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	n.d.	n.d.	n.d.
Dicyclohexyl phthalate (DCHP) Conclusion: CPSIA Section 108 as amend Conclusion: CA Prop 65 DEHP, BBP, DBF	led by 16 CFR	1307		n.d. Pass	n.d. Pass	n.d. Pass





Precisely Right.

Test Report No.: 0164142909a 001

Page 10 of 20

		Т	est No.	T007	T008	T009
		Mate	rial No.	M018 +	M021 +	M024 +
				M019 +	M022 +	M025 +
				M020	M023	M026
Test Parameter	CAS NO 117-81-7	Unit %	RL	Result n.d.	Result n.d.	Result
Diethylhexyl phthalate (DEHP)	-		0.005		-	n.d.
Dibutyl phthalate (DBP)	84-74-2	%	0.005	n.d.	n.d.	n.d.
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	n.d.	n.d.	n.d.
Diisononyl phthalate (DINP)	28553-12-0, 68515-48-0	%	0.005	n.d.	n.d.	n.d.
Diisodecyl phthalate (DIDP)	26761-40-0, 68515-49-1	%	0.005	n.d.	n.d.	n.d.
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	n.d.	n.d.	n.d.
Di-n-pentyl phthalate (DnPP)	131-18-0	%	0.005	n.d.	n.d.	n.d.
Di-n-hexyl phthalate (DnHP)	84-75-3	%	0.005	n.d.	n.d.	n.d.
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	n.d.	n.d.	n.d.
Conclusion: CPSIA Section 108 as amend				Pass	Pass	Pass
Conclusion: CA Prop 65 DEHP, BBP, DBP	P, DIDP and D	nHP co	ntent	Pass	Pass	Pass
		Т	est No.	T010	T011	T012
		Mate	rial No.	M027 +	M030 +	M033 +
				M028 + M029	M031 + M032	M034
Test Parameter	CAS NO	Unit	RL	Result	Result	Result
Diethylhexyl phthalate (DEHP)	117-81-7	%	0.005	n.d.	n.d.	n.d.
Dibutyl phthalate (DBP)	84-74-2	%	0.005	n.d.	n.d.	n.d.
Benzylbutyl phthalate (BBP)	85-68-7	%	0.005	n.d.	n.d.	n.d.
Diisononyl phthalate (DINP)	28553-12-0, 68515-48-0	%	0.005	n.d.	n.d.	n.d.
Diisodecyl phthalate (DIDP)	26761-40-0, 68515-49-1	%	0.005	n.d.	n.d.	n.d.
Diisobutyl phthalate (DIBP)	84-69-5	%	0.005	n.d.	n.d.	n.d.
Di-n-pentyl phthalate (DnPP)	131-18-0	%	0.005	n.d.	n.d.	n.d.
Di-n-hexyl phthalate (DnHP)	84-75-3	%	0.005	n.d.	n.d.	n.d.
Dicyclohexyl phthalate (DCHP)	84-61-7	%	0.005	n.d.	n.d.	n.d.
Conclusion: CPSIA Section 108 as amend	ed by 16 CFR	1307		Pass	Pass	Pass
Conclusion: CA Prop 65 DEHP, BBP, DBF	, DIDP and D	nHP co	ntent	Pass	Pass	Pass

Abbreviation: n.d. = not detected (< Reporting limit) RL = Reporting Limit % = percentage





Page 11 of 20

Remark:

Requirement of Consumer Product Safety Improvement Act 2008, section 108, as amendmed by 16 CFR 1307 is summarized below:

Parameter	Unit	Maximum Permissible Limit			
Accessible plasticized components in children's toy or childcare article:					
Dibutyl phthalate (DBP), Benzylbutyl phthalate (BBP), Diethylhexyl phthalate (DEHP), Diisononyl phthalate (DINP), Diisobutyl Phthalate (DIBP), Di-n-pentyl Phthalate (DPENP) (DnPP), Di-n-hexyl Phthalate (DHEXP) (DnHP), Dicyclohexyl Phthalate (DCHP)	%	0.1 (each)			

Requirement of Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):DEHP, BBP, DBP, DIDP and DnHP content

1,000ppm (0.1%) each as quoted from County of Alameda Case No. BG-07350969





Page 12 of 20

6.CPSIA Sect 103: Tracking label

Test Result:

Test No:	T001
Material No:	M001
Present On Product	Present





Precisely Right.

Test Report No.: 0164142909a 001

Page 13 of 20

7.CPSC 16 CFR 1500.48, 1500.49 Mechanical and Physical Test

Test result:

Test No.	Material No.	Description	Test Method	Result
T001	M001	16 CFR 1500.48	Requirement for sharp points (0- 96 months)	Pass
		16 CFR 1500.49	Requirement for sharp edges - metal or glass (0- 96 months)	Pass

Use and Abuse Tests:

The submitted samples were undergone the use and abuse tests in accordance with FHSA 16 CFR and whichever is applicable the tested age grade.

Age Category	ImpactTest	Flexure Test	Torque Test	Tension Test	Compression Test
0-18 Months 16 CFR 1500.51	10 x 4.5 ft	120 Arc 30 Cycles 10 lbs	2 in-Ibs	10 lbs	20 lbs
19-36 Months 16 CFR 1500.52	4 x 3 ft	120 Arc 30 Cycles 15 lbs	3 in-Ibs	15 lbs	25 lbs
37-96 Months 16 CFR 1500.53	4 x 3 ft	120 Arc 30 Cycles 15 lbs	4 in-lbs	15 lbs	30 lbs

8.Flammability Test of Rigid and Pliable Solids (Part 1500.3(C)(6)(VI) 16 C.F.R. U.S.A.)

Test result:

Test No.	Material No.	Burn rate (inch/second)	Result	
T001	M001	0.03	Pass	

Note: Maximum permissible burning rate = 0.1 inch/sec.





Page 14 of 20

9.Total lead

Test Method: CPSC-CH-E1003-09.1 (Microwave method)

Result:

Test No.	Material No.	Test Parameter	Unit	RL	Regulatory Requirement	Result
T001	M002	Lead Content	mg/kg	10	90	n.d.

Abbreviation: n.d. = not detected (< Reporting Limit) RL = Reporting Limit mg/kg = milligram per kilogram

Remark:

*1 The requirement is following 16 CFR Part 1303 for

(1) Paint and other similar surface-coating materials

(2) Lead-containing paint

(3) Toys and other articles intended for use by children and

(4) Furniture article.





Page 15 of 20

Sample Photos

















Page 16 of 20

Sample Photos

















Page 17 of 20

















Page 18 of 20

















Page 19 of 20

Sample Photos

















Page 20 of 20





- END -



General Terms and Conditions of Business of TÜV Rheinland in Greater China

Scope

- These General Terms and Conditions of Business of TUV Rheinland in Greater China is made between the client and one or more member entities of TUV Rheinland in Greater China as applicable as the case may be ("TUV Rheinland"). The following terms and conditions apply to agreed services including consultancy services, information, deliveries and similar services as well as ancillary services and other secondary obligations provided within the scope of contract performance. 1.1
- Any standard terms and conditions of the client of any nature shall not apply and shall hereby be expressly excluded. No standard contractual terms and conditions of the client shall form part of the contract even if TÜV Rheinland does not explicitly object to them. 1.3 2. Quotations
- Unless otherwise agreed, all quotations submitted by TÜV Rheinland can be changed by TÜV Rheinland without notice prior to its acceptance and confirmation by the other party.

Coming into effect and duration of contracts з

- Coming into effect and duration or contracts The contract shall come into effect for the agreed terms upon the quotation letter of TUV Rheinland or a separate contractual document being signed by both contracting parties, or upon the works requested by the client being carried out by TUV Rheinland. If the client instructs TUV Rheinland without receiving a quotation from TUV Rheinland (quotation), TUV by giving written notice of auch acceptance (including notice sent via electronic means) or by performing the requested services.
- The contract term starts upon the coming into effect of the contract in accordance with article 3.1 and shall continue for the term agreed in the contract. 3.2
- The contract provides for an extension of the contract term, the contract term will be extended by the term provided for in the contract unless terminated in writing by either party with a six-week notice prior to the end of the contractual term.
- Scope of services The scope of the services shall be decided solely by a unanimous declaration issued by both parties. If no such declaration exists, then the written confirmation of order by TÜV Rheinland shall be decisive. 4.1
- 4.2 The agreed services shall be performed in compliance with the regulations in force at the time the contract is entered into.
- $T\bar{U}V$ Rheinland is entitled to determine, in its sole discretion, the method and nature of the assessment unless otherwise agreed in writing or if mandatory provisions require a specific procedure to be followed. 4.3
- proceedure to be followed. On execution of the work there shall be no simultaneous assumption of any guarantee of the correctness (proper quality) and working order of either tested or examined parts nor of the installation as a whole and its upstream and/or downstream processes, organisations, use and application in accordance with regulations, nor of the systems on which the installation based. In particular, TWO Rheinland shall assume no responsibility for the construction, selection of materials and application in accordance with regulations unless these questions are expressly covered by the contract. 44
- In the case of inspection work, TÜV Rheinland shall not be responsible for the accuracy or checking of the safety programmes or safety regulations on which the inspections are based, unless otherwise expressly agreed in writing. 4.5

Performance periods/dates

- The contractually agreed periods/dates of performance are based on estimates of the work involved which are prepared in line with the details provided by the client. They shall only be binding if being confirmed as binding by TÜV Rheinland in writing. 5.1
- If binding periods of performance have been agreed, these periods shall not commence until the client has submitted all required documents to TÜV Rheinland. 5.2
- Articles 5.1 and 5.2 also apply, even without express approval by the client, to all extensions of agreed periods/dates of performance not caused by TÜV Rheinland. 5.3
- The client's obligation to cooperate
- The client shall guarantee that all cooperation required on its part, its agents or third parties will be provided in good time and at no cost to TÜV Rheinland. 61
- Len to voa lo ur neieminand. Design documents, supplies, auxiliary staff, etc. necessary for performance of the services shall be made available free of charge by the client. Moreover, collaborative action of the client must be undertaken in accordance with fegal provisions, standards, safety regulations and accident prevention instructions. 6.2
- The client shall bear any additional cost incurred on account of work having to be redone or being delayed as a result of late, incorrect or incomplete information provided by or lack of proper cooperation from the client. Even where a fixed or maximum price is agreed. TWV Rheinland shall be entitled to charge extra fees for such additional expense. 6.3

Invoicing of work

- If the scope of performance is not laid down in writing when the order is placed, invoicing shall be based on costs actually incurred. If no price is agreed in writing, invoicing shall be made in accordance with the price list of TUV Rheinland valid at the time of performance. 7.1
- Unless otherwise agreed, work shall be invoiced according to the progress of the work. 7.2
- If the execution of an order extends over more than one month and the value of the contract or the agreed fixed price exceeds $\mathfrak{C}_2,500,00$ requivalent value in local currency, TUV Rheinland may demand payments on account or in instalments. 7.3
- Pavment terms 8
- 8.1 All invoice amounts shall be due for payment without deduction on receipt of the invoice. No discounts shall be granted.
- Payments shall be made to the bank account of TÜV Rheinland as indicated on the invoice, stating the invoice and customer numbers. 8.2
- In cases of default of payment, TÜV Rheinland shall be entitled to claim default interest at the applicable short term loan interest rate publicly announced by a reputable commercial 8.3

- bank in the country where TÜV Rheinland is located. At the same time, TÜV Rheinland reserves the right to claim further same tim damages.
- Should the client default in payment of the invoice despite being granted a reasonable grace period, TÜV Rheinland shall be entitled to cancel the contract, withdraw the certificate, claim damages for non-performance and refuse to continue performance of the contract.
- The provisions set forth in article 8.4 shall also apply in cases involving returned cheques, cessation of payment, commencement of insolvency proceedings against the client's assets or cases in which the commencement of insolvency proceedings has been dismissed due to lack of assets.
- Objections to the invoices of TÜV Rheinland shall be submitted in writing within two weeks of receipt of the invoice. 8.6 8.7
- TÜV Rheinland shall be entitled to demand appropriate advance payments. 88
- payments. TÜV Filorinand shall be entitled to raise its fees at the beginning of a month if overheads and/or purchase costs have increased. In this case, TÜV Filorinand shall notify the client in writing of the rise in fees. This notification shall be issued one month-prior to the date on which the rise in fees shall come into effect (period of notice of changes in fees). If the rise in fees excludes under 5% per contractual year, the client is shall not have the right to terminate the contract. If the rise in fees excludes contract by the end of the period of notice of changes in fees. If the contract is not terminated, the changed fees shall be deemed to have been agreed upon by the time of the expiry of the notice period.
- 8.9 Only legally established and undisputed claims may be offset against claims by TÜV Rheinland. Acceptance
- Any part of the work ordered which is complete in itself may be presented by TÜV Rheinland for acceptance as an instalment. The client shall be obliged to accept it immediately.
- If the client fails to fulfil its acceptance obligation immediately, acceptance shall be deemed to have taken place 4 calendar weeks after completion of the work provided that TÜV Rheinland has specifically made the client aware of the aforementioned deadline upon completion of the work.
- Confidentiality
- For the purpose of these terms and conditions, "confidential information" means all information, documents, images, drawings, know-how, data, samples and project documentation which one party (the 'disclosing party') hands over, transfers or otherwise discloses to the other party (the "receiving party"). Confidential information also includes paper copies and electronic copies of such information. 10.1
- electronic copies of such information. 10.2 The disclosing party shall mark all confidential information disclosed in written form as confidential before passing it onto the receiving party. The same applies to confidential information transmitted by e-mail. If confidential information is disclosed orally, the receiving party shall be appropriately informed in advance and the disclosing party shall confirm in writing the confidentiality nature of the information within five working days of oral disclosure. Where the disclosing party fails to do so within the stipulated period, the receiving party shall information. Confidentially nature of the information garty shall information.
- 10.3 All confidential information which the disclosing party transmits or otherwise discloses to the receiving party during or otherwise discloses to the receiving performance of work by TÜV Rheinland:

a) may only be used by the receiving party for the purposes of performing the contract, unless expressly otherwise agreed in writing by the disclosing party;

otherwise agreed in writing by the disclosing party; b) may not be copied, distributed, published or otherwise disclosed by the receiving party, unless this is necessary for iffilling the purpose of the contract or TUV Rheinland is required to pass on confidential information, inspection reports or documentation to the government authonities, judicial court, accreditation tobels or third parties that are involved in the performance of the contract;

c) must be treated by the receiving party with the same level of confidentiality as the receiving party uses to protect its own confidential information, but never with a lesser level of confidentiality than that which is reasonably required.

- Condentianty that inta vince is easonably required. The receiving party may disclose any confidential information received from the disclosing party only to those of its employees who need this information to perform the services required for the contract. The receiving party undertakes to oblige these employees to observe the same level of secrecy as set forth in this confidentiality clause.
- 10.5 Information for which the receiving party can furnish proof that a) it was generally known at the time of disclosure or has become general knowledge without violation of this confidentiality clause by the receiving party; or
 - b) it was disclosed to the receiving party by a third party entitled to disclose this information; or

entitied to osciose inis information; or o) the receiving party already possessed this information prior to disclosure by the disclosing party; or d) the receiving party developed it itself, irrespective of disclosure by the disclosing party, shall not be deemed to constitute "confidential information" as defined in this confidentially clause.

- confidentially clause. All contidential information shall remain the property of the disclosing party. The receiving party hereby agrees to immediately (i) return all confidential information, including all copies, to the disclosing party, and/or (ii) on request by the disclosing party, to destroy all confidential information, including all copies, and confilm the destruction of this confidential information the disclosing party in writing, at any writhout special request after termination or expiry of the contract. This does not extend to include reports and certificates prepared for the client solely for the purpose of rulifiling the boligations under the contract. Which shall remain with the client. However, TUV Rheinland is entilled to make file that forms the basis for propenng these reports and certificates in order to evidence the correctness of its results and for general documentation purposes required by laws, regulations and the requirements of working procedures of TUV Rheinland. From the start of the contract and for a period of three years 10.6
- From the start of the contract and for a period of three years after termination or expiry of the contract, the receiving party shall maintain strict secrecy of all confidential information and 10.7

- shall not disclose this information to any third parties or use it for itself.
- 11. Copyrights TÜV Rheinland shall retain all exclusive copyrights in the expert reports, test results, calculations, presentations etc. prepared by TÜV Rheinland.
- 11 2
- The client may only use such expert reports, test results, calculations, presentations etc. prepared within the scope of the contract for the contractually agreed purpose. 11.3
- The client may use test reports, test results, expert reports, etc. only complete and unshortened. Any publication or duplication for advertising purposes needs the prior written approval of TÜV Rheinland.
- Liability of TÜV Rheinland
- Liability of TÛV Rheinland Lirrespective of the legal basis, in the event of a breach of contractual obligations or tort, the liability of TÛV Rheinland for all damages, losses and reimbursement of expenses caused by TÛV Rheinland, its legal representatives and/or employees shall be limited to: (i) in the case of a contract with a fixed overall lee, three times the overall lee for the entire contract; (ii) in the case of a contract for annually recurring services, the oblarged on a lime and material basis, a maximum of 20,000 Euro or equivalent amount in local currency; and (iv) in the case of a tramework agreement that provides for the possibility of placing individual orders, three times of the fee for the individual order under which the damages or losses have occurred. Notwitstanding the above, in the event that the total and accumulated liability calculated according to the foregoing provisions exceeds 2.5 Million Euro or equivalent amount in Rheinland shall be only limited to and shall not exceed the said 2.5 Million Euro or equivalent amount in local currency. The limitation of lability according to article 12.1 above shall not approx by to damages and or losses caused by malice, intent or pross negligence on the part of TÛV Rheinland or its vicarious agrents. Such limitation shall not apply to damages for a person's death, physical liny or lines.
- 12.2
- person's death, physical injury or lilness. In cases involving a fundamental breach of contract, TÜV Rheinland will be liable even where minor negligence is involved. For this purpose, a "fundamental breach" is breach of a material contractual obligation, the performance of which permits the due performance of the contract. Any claim for damages for a fundamental breach of contract shall be limited to the amount of damages reasonably foreseen as a possible consequence of such breach of contract at the time of the breach (reasonably foreseenbe damages), unless any of the circumstances described in article 12.2 applies. TÜV Bheinland shall not be liable for the contract. 12.3
- CIRCUTSEAFCES DESCRIPTION IN TRICE 12.2 ADJURS.
 124. TÜV Rheinland shall not be liable for the acts of the personnel made available by the client to support TÜV Rheinland in the performance of its services under the contract, unless such personnel made available is regarded as vicarious agent of TÜV Rheinland. If TÜV Rheinland is not liable for the acts of the personnel made available by the client under the foregoing provision, the client shall indemnify TÜV Rheinland against any claims made by third parties arising from or in connection with such personnel sacts.
- 12.5 The limitation periods for claims for damages shall be based on statutory provisions.
- 12.6 None of the provisions of this article 12 changes the burden of proof to the disadvantage of the client. 13.
- Partial invalidity, written form, place of jurisdiction and dispute resolution All amendments and supplements must be in writing in order to be effective. This also applies to amendments and supplements to this clause 13.1. 13.1
- 13.2 Should one or several of the provisions under the contract and/or these terms and conditions be or become ineffective, the contracting parties shall replace the invalid provision with a legally valid provision that comes closest to the content of the invalid provision in thegal and commercial terms.
- Unless otherwise stipulated in the contract, the governing law of the contract and these terms and conditions shall be chosen following the rules as below: 13.3
 - a) If TV Rheinland in question is legally registered and existing in the People's Republic of China, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of the People's Republic of China.

b) if TÜV Rheinland in question is legally registered and existing in Taiwan, the contracting parties hereby agree that the contract and these terms and conditions shall be governed by the laws of Taiwan.

if TÜV Rheinland in question is legally registered and sting in Hong Kong, the contracting parties hereby agree t the contract and these terms and conditions shall be rerned by the laws of Hong Kong.

Any dispute in connection with the contract and these terms and conditions or the execution thereof shall be settled friendly through negotiations.

Unless otherwise stipulated in the contract, if no settlement or no agreement in respect of the extension of the negotiation period can be reached within two months of the arising of the dispute, the dispute shall be submitted:

a) in the case of TÜV Rheinland in question being legally registered and existing in the People's Republic of China, to China International Economic and Trade Arbitration Commission (CIETAC) to be settled by arbitration under the submitted. The arbitration shall take place in Beijing, Shanghai, Shenzhen or Chongqing as appropriately chosen by the claiming party.

b) in the case of TÜV Rheinland in question being legally registered and existing in Taiwan, to Chinese Arbitration Association Taipei Branch to be arbitrated in accordance with its then current Rules of Arbitration. The arbitration shall take place in Taipei.

place in Taipei.
c) in the case of TÜV Rheinland being legally registered and existing in Hong Kong, to Hong Kong International Arbitration Centre (HKIAC) to be settled by arbitration under the HKIAC Administered Arbitration Rules in force when the Notice of Arbitration is submitted in accordance with these rules. The arbitration shall take place in Hong Kong.

The decision of the relevant arbitration tribunal shall be final and binding on both parties. The arbitration fee shall be borne by the losing party.

obruary 201