		64973-3010 Pogo 1 of			
₩6PStarterenderter Erenderter			<mark>_</mark> ec	ding [®] —	
Trade	name: Textile ma	rker ink (red) contain	ed in: edding 450	0, edding 4600	
Current	t version : 4.0.0, issued: 1	1 05 2021	Replaced version: 3	.0.0, issued: 06.05.2021	Region: GB
SEC	TION 1: Identifica	tion of the substanc	e/mixture and of	f the company/undertak	ling
1.1	Product identifier Trade name				
		ink (red) contain	ed in: eddina	4500, edding 4600	
1.2			•	uses advised against	
		uses of the substance o			
	Uses advised again No data available.	st			
1.3		olier of the safety data	sheet		
	Address edding International (Bookkoppel 7				
	D-22926 Ahrens Telephone no.	burg +49 (0) 41 02 / 80 8-0			
	Information provide +49 (0)4102 - 808-0	()			
	Advice on Safety Da sdb_info@umco.de	ata Sheet			
1.4	Emergency teleph For medical advice (i +49 (0)30 30686 790	n German and English):			
SEC	TION 2: Hazards i	dentification			
2.1	Classification of th	ne substance or mixtu	Ire		
I	Classification inform This product does not		nd labelling criteria gi	iven in the Regulation (EC) No	1272/2008 (CLP).
2.2	Label elements Not relevant				
2.3	Other hazards No data available.				
SEC	TION 3: <u>Composit</u>	ion/information on i	ingredie <u>nts</u>		
3.1	Substances	product is not a substance			
3.2	Mixtures				
	Chemical character Mixture (preparation)				
No	Hazardous ingredie	nts		Additional informatio	n
Nc	Substance name CAS / EC / Index / REACH no	Classification (EC) 127	2/2008 (CLP)	Additional informatio	n %
1	pyridine-2-thiol 1-c				
	3811-73-2 223-296-5	Acute Tox. 4; H302 Acute Tox. 3; H311		< 0.10	wt%
	-	Acute Tox. 4; H332			
	-	Aquatic Acute 1; H400 Eye Irrit. 2; H319			
		Skin Irrit. 2; H315			1 1

Trade name: Textile marker ink (red) contained in: edding 4500, edding 4600

Current version : 4.0.0, issued: 11.05.2021

Replaced version: 3.0.0, issued: 06.05.2021

Region: GB

eddin

		Aquatic Chronic 2; H411 Skin Sens. 1; H317 STOT RE 1; H372i			
2	propane-1,2-diol				
	57-55-6	-	<	2.50	wt%
	200-338-0				
	-				
	-				

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)	
1	-	-	M = 100	-	
No	No Route, target organ, concrete effect				

1 H372

inhalational; central nervous system; -

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air.

After skin contact

Wash off immediately with soap and water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

After ingestion

Rinse out mouth and give plenty of water to drink. Call a doctor immediately. Never give anything by mouth to an unconscious person. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed No data available.

4.3 Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide; Extinguishing powder; Foam; Water spray jet Unsuitable extinguishing media High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Nitrogen oxides (NOx)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Page 3 of 8



Trade name: Textile marker ink (red) contained in: edding 4500, edding 4600

Current version : 4.0.0, issued: 11.05.2021

Replaced version: 3.0.0, issued: 06.05.2021

For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary). If workplace exposure limits are exceeded, respiratory protection approved for this particular job must be worn.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Clean skin thoroughly after work; apply skin cream.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions Keep container tightly closed and dry in a cool, well-ventilated place.

Recommended storage temperature

Value < 50 °C

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Do not store together with: Alkalis; Acids

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	propane-1,2-diol	57-55-6		200-338-0	
	List of approved workplace exposure limits (WELs) / EH40				
	Propane-1,2-diol				
	vapour & particulates				
	WEL long-term (8-hr TWA reference period)	474	mg/m³	150	ppm
	List of approved workplace exposure limits (WELs) / EH40				
	Propane-1,2-diol particulates				
	WEL long-term (8-hr TWA reference period)	10	mg/m³		

8.2 Exposure controls



Trade name: Textile marker ink (red) contained in: edding 4500, edding 4600

Current version : 4.0.0, issued: 11.05.2021

Replaced version: 3.0.0, issued: 06.05.2021

Region: GB

addin

Appropriate engineering controls

No data available.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation			
liquid			
Form/Colour			
liquid			
red			
Odour			
odourless			
pH value Value	6.5 -	8.5	
Comments	undiluted	0.0	
	analiated		
Boiling point / boiling range	1		
Value		100	3 °
Melting point/freezing point			
Value		0	°C
Decomposition temperature			
No data available			
Flash point			
No data available			
Ignition temperature			
No data available			
Flammability			
No data available			
Lower explosion limit			
No data available			
Upper explosion limit			
No data available			



edding®

Trade name: Textile marker ink (red) contained in: edding 4500, edding 4600

Current version : 4.0.0, issued: 11.05.2021

Replaced version: 3.0.0, issued: 06.05.2021

Region: GB

Vapour pressure			
No data available Relative vapour density			
No data available			
Relative density Value		1.05	
Reference temperature		20	°C
Density			
No data available			
Solubility in water Comments	miscible		
Solubility No data available			
Partition coefficient n-octanol/water (log va No data available	alue)		
Viscosity		10.0	
Value Reference temperature		10.0 25	mPa*s °C
Туре	dynamic		
Particle characteristics No data available			
.2 Other information			
Other information			
No data available.			
ECTION 10: Stability and reactivity			
0.1 Reactivity No data available.			
0.2 Chemical stability Stable under recommended storage and I	nandling conditions (See secti	tion 7).
0.3 Possibility of hazardous reactions No data available.			
0.4 Conditions to avoid Temperatures > 50°C. Keep from freezing	l.		
0.5 Incompatible materials Alkalis; Acids			
0.6 Hazardous decomposition products None, if handled according to intended us	e.		
ECTION 11: Toxicological informatio	n		
1.1 Information on hazard classes as de	efined in Regulati	on (EC)) No 1272/2008
Acute oral toxicity			
No data available			
Acute dermal toxicity No data available			

Acute inhalational toxicity

No data available



edding

Trade name: Textile marker ink (red) contained in: edding 4500, edding 4600

Current version : 4.0.0, issued: 11.05.2021

Replaced version: 3.0.0, issued: 06.05.2021

Region: GB

Skin corrosion/irritation	
No data available	
Serious eye damage/irritation	
No data available	
Respiratory or skin sensitisation	
No data available	
Germ cell mutagenicity	
No data available	
Reproduction toxicity	
No data available	
Carcinogenicity	
No data available	
STOT - single exposure	
No data available	
STOT - repeated exposure	
No data available	
Aspiration hazard	
No data available	

11.2 Information on other hazards

Endocrine disrupting properties No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)	
No data available	
Toxicity to fish (chronic)	
No data available	
Toxicity to Daphnia (acute)	
No data available	
Toxicity to Daphnia (chronic)	
No data available	
Toxicity to algae (acute)	
No data available	
Toxicity to algae (chronic)	
No data available	
Bacteria toxicity	
No data available	

12.2 Persistence and degradability No data available.

12.3 Bioaccumulative potential No data available.

12.4 Mobility in soil

No data available.

Page 7 of 8



Trade name: Textile marker ink (red) contained in: edding 4500, edding 4600

Current version : 4.0.0, issued: 11.05.2021

Replaced version: 3.0.0, issued: 06.05.2021

Region: GB

- **12.5** Results of PBT and vPvB assessment No data available.
- **12.6 Endocrine disrupting properties** No data available.
- 12.7 Other adverse effects
 - No data available.
- 12.8 Other information Other information

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information No data available.

- **14.5** Environmental hazards Information on environmental hazards, if relevant, please see 14.1 - 14.3.
- **14.6** Special precautions for user No data available.
- 14.7 Maritime transport in bulk according to IMO instruments Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU regulations</u>

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.





Trade name: Textile marker ink (red) contained in: edding 4500, edding 4600

Current version : 4.0.0, issued: 11.05.2021

Replaced version: 3.0.0, issued: 06.05.2021

Region: GB

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances subject to restriction as listed in Annex XVII of the REACH regulation (EC) 1907/2006.

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances This product is not subject to Part 1 or 2 of Annex I.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

000010110/	
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H372i	Causes damage to organs through prolonged or repeated exposure if inhaled.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO

GmbH. Prod-ID 636339