



Total Quality. Assured.

Safety Data Sheet (SDS) Report**SDS number: SHAH01247704**

Applicant: Melissa & Doug. LLC, (Shenzhen office)
Unit 2H, Block 210 Tai Ran Industrial Zone ShenNan Xi Road,
Futian District Shenzhen

Issue Date: 2020-09-03

Sample Description:

The sample information was submitted and identified on client's behalf to be:

Product Name : Watercolor paint – black(pms black)/white(pms white)/blue(pms 2925/pmcs 814/pmcs cyan/pms process blue/pms reflex blue/light blue PMS 801)/brown(pms 139/pms 456/pms 469)/green(pms 355/pms 361/pms 369/pms 375/light green pms 802)/pink(pms 211/light pink pms 805)/purple(pms purple/pms violet/light purple 806)/yellow(pms yellow/light yellow pms 803/ocher pms 1235)/orange(pms 804/pms 021/pms 151)/red(pms 185/pms 483/pms 485/pms magenta/purple red pms 813)/gray

Physical State : Solid

Data Received : Aug 28, 2020

Data Reviewed : Sep 03, 2020

Service Requested:

Based on the information provided by the applicant, the Safety Data Sheet (SDS) was generated in accordance with requirements of Global Harmonized System (GHS), for details please refer to attached pages.

Authorized By:

On Behalf Of Regulatory Affairs in Intertek Testing Services Ltd., Shanghai

Anna Wang
Regulatory Consultant

This report shall not be reproduced except in full, without the written approval of the laboratory.

Intertek Health, Environmental &Regulatory Services (HERS)5th Floor,Building No.86,1198 QinZhou Road(North),Cao Hejing Development

Zone,ShangHai,China.

Tel: +86 021 53397917 ZIP: 200233

E-mail:hers@intertek.com

Safety Data Sheet

Watercolor paint – black(pms black)/white(pms white)/blue(pms 2925/pmcs 814/pmcs cyan/pms process blue/pms reflex blue/light blue PMS 801)/brown(pms 139/pms 456/pms 469)/green(pms 355/pms 361/pms 369/pms 375/light green pms 802)/pink(pms 211/light pink pms 805)/purple(pms purple/pms violet/light purple 806)/yellow(pms yellow/light yellow pms 803/ocher pms 1235)/orange(pms 804/pms 021/pms 151)/red(pms 185/pms 483/pms 485/pms magenta/purple red pms 813)/gray

Date of issue: 03/09/2020

Version: 1.0

according to the United Nations GHS (Rev. 7, 2017)

SDS number: SHAH01247704

SECTION 1: Identification**1.1. GHS Product identifier**

Product form : Mixture
 Trade name : Watercolor paint – black(pms black)/white(pms white)/blue(pms 2925/pmcs 814/pmcs cyan/pms process blue/pms reflex blue/light blue PMS 801)/brown(pms 139/pms 456/pms 469)/green(pms 355/pms 361/pms 369/pms 375/light green pms 802)/pink(pms 211/light pink pms 805)/purple(pms purple/pms violet/light purple 806)/yellow(pms yellow/light yellow pms 803/ocher pms 1235)/orange(pms 804/pms 021/pms 151)/red(pms 185/pms 483/pms 485/pms magenta/purple red pms 813)/gray
 Product code : 4120/4121

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Watercolor paint

1.4. Supplier's details

Melissa & Doug, LLC, (Shenzhen office)
 Unit 2H, Block 210 Tai Ran Industrial Zone ShenNan Xi Road, Futian District Shenzhen
 T 0086-712-3234990

1.5. Emergency phone number

0086-712-3234990

SECTION 2: Hazard identification**2.1. Classification of the substance or mixture****Classification according to the United Nations GHS**

Not classified

Adverse physicochemical, human health and environmental effects : To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice

2.2. GHS Label elements, including precautionary statements**Labelling according to the United Nations GHS**

No labelling applicable

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients**3.1. Substances**

Not applicable

3.2. Mixtures

Name	Product identifier	%
Water	(CAS-No.) 7732-18-5	32.856 – 55.266
Calcium carbonate	(CAS-No.) 471-34-1	31.182 – 42.579
Sorbitol	(CAS-No.) 50-70-4	7.805 – 10.657
C.I. Pigment Yellow 74	(CAS-No.) 6358-31-2	0 – 8.72
C.I.Pigment Red 170	(CAS-No.) 2786-76-7	0 – 7.81
Titanium dioxide	(CAS-No.) 13463-67-7	0 – 6.98
Carbon Black	(CAS-No.) 1333-86-4	0 – 6.96

03/09/2020

EN (English)

1/8

MSDS for #67160 - DELX WTRCLR PAINT ST
 Watercolor paint - black (pms black)/white (pms white)/blue (pms 2925/pms 814/pms cyan/pms process blue/pms reflex blue/light blue
 PMS 801)/brown (pms 139/pms 456/pms 469)/green (pms 355/pms 361/pms 369/pms 375/light green pms 802)/pink (pms 211/light pink pms
 805)/purple (pms purple/pms violet/light purple 806)/yellow (pms yellow/light yellow pms 803/ocher pms 1235)/orange (pms 804/pms 021/pms
 151)/red (pms 185/pms 483/pms 485/pms magenta/purple red pms 813)/gray

Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

C.I. PIGMENT RED 57:1	(CAS-No.) 5281-04-9	0 – 6.5
Arabic gum	(CAS-No.) 9000-01-5	4.054 – 5.669
C.I. Pigment Green 7	(CAS-No.) 1328-53-6	0 – 5.5
C.I. Pigment Blue 15:3	(CAS-No.) 147-14-8	0 – 5.1
phenoxyethanol	(CAS-No.) 122-99-6	0.493 – 0.673

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
 First-aid measures after skin contact : Wash skin with plenty of water.
 First-aid measures after eye contact : Rinse eyes with water as a precaution.
 First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

No additional information available

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective actions for fire-fighters

Protective equipment for firefighters : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up : Mechanically recover the product.
 Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
 Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

MSDS for #67160 - DELX WTRCLR PAINT ST
 Watercolor paint/black(pms black)/white(pms white)/blue(pms 2925/pmcs 814/pmcs cyan/pms process blue/pms reflex blue/light blue
 PMS 801)/brown(pms 139/pms 456/pms 469)/green(pms 355/pms 361/pms 369/pms 375/light green pms 802)/pink(pms 211/light pink pms
 805)/purple(pms purple/pms violet/light purple 806)/yellow(pms yellow/light yellow pms 803/ocher pms 1235)/orange(pms 804/pms 021/pms
 151)/red(pms 185/pms 483/pms 485/pms magenta/purple red pms 813)/gray

Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Calcium carbonate (471-34-1)

USA - ACGIH - Occupational Exposure Limits

ACGIH TWA (mg/m ³)	10 mg/m ³
--------------------------------	----------------------

Titanium dioxide (13463-67-7)

USA - ACGIH - Occupational Exposure Limits

Local name	Titanium dioxide
ACGIH TWA (mg/m ³)	10 mg/m ³
Remark (ACGIH)	TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2020

Carbon Black (1333-86-4)

USA - ACGIH - Occupational Exposure Limits

Local name	Carbon black
ACGIH TWA (mg/m ³)	3 mg/m ³ (inhalable particulate matter)
Remark (ACGIH)	TLV® Basis: Bronchitis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
Regulatory reference	ACGIH 2020

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
 Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves
 Eye protection : Safety glasses
 Skin and body protection : Wear suitable protective clothing
 Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Solid
Colour	: Multicolor
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability (solid, gas)	: Non flammable.
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available

MSDS for #67160 - DELX WTRCLR PAINT ST
 Watercolor paint/black(pms black)/white(pms white)/blue(pms 2925/pmcs 814/pmcs cyan/pms process blue/pms reflex blue/light blue
 PMS 801)/brown(pms 139/pms 456/pms 469)/green(pms 355/pms 361/pms 369/pms 375/light green pms 802)/pink(pms 211/light pink pms
 805)/purple(pms purple/pms violet/light purple 806)/yellow(pms yellow/light yellow pms 803/ocher pms 1235)/orange(pms 804/pms 021/pms
 151)/red(pms 185/pms 483/pms 485/pms magenta/purple red pms 813)/gray

Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

pH solution	: Not available
Viscosity, kinematic (calculated value) (40 °C)	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Solubility	: Not available
Particle size	: Not available
Particle size distribution	: Not available
Particle shape	: Not available
Particle aspect ratio	: Not available
Particle specific surface area	: Not available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Based on available data, the classification criteria are not met.
Acute toxicity (dermal)	: Based on available data, the classification criteria are not met.
Acute toxicity (inhalation)	: Based on available data, the classification criteria are not met.

Calcium carbonate (471-34-1)	
LD50 oral rat	6450 mg/kg
Carbon Black (1333-86-4)	
LD50 oral rat	> 15400 mg/kg
Arabic gum (9000-01-5)	
LD50 oral rat	> 16 g/kg
C.I. Pigment Green 7 (1328-53-6)	
LD50 oral rat	> 5000 mg/kg
C.I. Pigment Blue 15:3 (147-14-8)	
LD50 oral rat	> 10000 mg/kg
phenoxyethanol (122-99-6)	
LD50 oral rat	1850 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

MSDS for #67160 - DELX WTRCLR PAINT ST
 Watercolor paint – black(pms black)/white(pms white)/blue(pms 2925/pmcs 814/pmcs cyan/pms process blue/pms reflex blue/light blue
 PMS 801)/brown(pms 139/pms 456/pms 469)/green(pms 355/pms 361/pms 369/pms 375/light green pms 802)/pink(pms 211/light pink pms
 805)/purple(pms purple/pms violet/light purple 806)/yellow(pms yellow/light yellow pms 803/ocher pms 1235)/orange(pms 804/pms 021/pms
 151)/red(pms 185/pms 483/pms 485/pms magenta/purple red pms 813)/gray

Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

Skin corrosion/irritation	: Based on available data, the classification criteria are not met.
Serious eye damage/irritation	: Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Reproductive toxicity	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.

Calcium carbonate (471-34-1)

NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
----------------------------	--

Aspiration hazard	: Based on available data, the classification criteria are not met.
-------------------	---

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Based on available data, the classification criteria are not met.
Hazardous to the aquatic environment, long-term (chronic)	: Based on available data, the classification criteria are not met.

Calcium carbonate (471-34-1)

LC50 fish 1	> 100 mg/l
EC50 other aquatic organisms 1	> 100 mg/l waterflea

Carbon Black (1333-86-4)

ErC50 (algae)	> 10000 mg/l 72 hours OECD 201
---------------	--------------------------------

C.I. Pigment Green 7 (1328-53-6)

LC50 fish 1	752.4 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
-------------	--

phenoxyethanol (122-99-6)

LC50 fish 1	344 mg/l
EC50 Daphnia 1	> 500 mg/l
EC50 72h algae (1)	> 500 mg/l

12.2. Persistence and degradability

Watercolor paint – black(pms black)/white(pms white)/blue(pms 2925/pmcs 814/pmcs cyan/pms process blue/pms reflex blue/light blue
 PMS 801)/brown(pms 139/pms 456/pms 469)/green(pms 355/pms 361/pms 369/pms 375/light green pms 802)/pink(pms 211/light pink
 pms 805)/purple(pms purple/pms violet/light purple 806)/yellow(pms yellow/light yellow pms 803/ocher pms 1235)/orange(pms 804/pms
 021/pms 151)/red(pms 185/pms 483/pms 485/pms magenta/purple red pms 813)/gray

Persistence and degradability	No additional information available
-------------------------------	-------------------------------------

12.3. Bioaccumulative potential

Watercolor paint – black(pms black)/white(pms white)/blue(pms 2925/pmcs 814/pmcs cyan/pms process blue/pms reflex blue/light blue
 PMS 801)/brown(pms 139/pms 456/pms 469)/green(pms 355/pms 361/pms 369/pms 375/light green pms 802)/pink(pms 211/light pink
 pms 805)/purple(pms purple/pms violet/light purple 806)/yellow(pms yellow/light yellow pms 803/ocher pms 1235)/orange(pms 804/pms
 021/pms 151)/red(pms 185/pms 483/pms 485/pms magenta/purple red pms 813)/gray

Bioaccumulative potential	No additional information available
---------------------------	-------------------------------------

MSDS for #67160 - DELX WTRCLR PAINT ST
 Watercolor paint – black(pms black)/white(pms white)/blue(pms 2925/pmcs 814/pmcs cyan/pms process blue/pms reflex blue/light blue
 PMS 801)/brown(pms 139/pms 456/pms 469)/green(pms 355/pms 361/pms 369/pms 375/light green pms 802)/pink(pms 211/light pink pms
 805)/purple(pms purple/pms violet/light purple 806)/yellow(pms yellow/light yellow pms 803/ocher pms 1235)/orange(pms 804/pms 021/pms
 151)/red(pms 185/pms 483/pms 485/pms magenta/purple red pms 813)/gray

Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

Calcium carbonate (471-34-1)	
BCF fish 1	(no bioaccumulation)
Partition coefficient n-octanol/water (Log Kow)	-2.12
C.I. Pigment Green 7 (1328-53-6)	
BCF fish 1	0.51 – 74
C.I. Pigment Blue 15:3 (147-14-8)	
BCF fish 1	0.3 – 11
Partition coefficient n-octanol/water (Log Kow)	6.6 (at 25 °C)
12.4. Mobility in soil	
Watercolor paint – black(pms black)/white(pms white)/blue(pms 2925/pmcs 814/pmcs cyan/pms process blue/pms reflex blue/light blue PMS 801)/brown(pms 139/pms 456/pms 469)/green(pms 355/pms 361/pms 369/pms 375/light green pms 802)/pink(pms 211/light pink pms 805)/purple(pms purple/pms violet/light purple 806)/yellow(pms yellow/light yellow pms 803/ocher pms 1235)/orange(pms 804/pms 021/pms 151)/red(pms 185/pms 483/pms 485/pms magenta/purple red pms 813)/gray	
Mobility in soil	No additional information available

12.5. Other adverse effects

Ozone : Not classified
 Other adverse effects : No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with IMDG / IATA / UN RTDG

UN RTDG	IMDG	IATA
14.1. UN number		
Not regulated for transport		
14.2. UN Proper Shipping Name		
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
Not regulated	Not regulated	Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
No supplementary information available		

14.6. Special precautions for user

- UN RTDG
 No data available
 - IMDG
 No data available

03/09/2020

EN (English)

6/8

MSDS for #67160 - DELX WTRCLR PAINT ST
 Watercolor paint/black(pms black)/white(pms white)/blue(pms 2925/pmcs 814/pmcs cyan/pms process blue/pms reflex blue/light blue
 PMS 801)/brown(pms 139/pms 456/pms 469)/green(pms 355/pms 361/pms 369/pms 375/light green pms 802)/pink(pms 211/light pink pms
 805)/purple(pms purple/pms violet/light purple 806)/yellow(pms yellow/light yellow pms 803/ocher pms 1235)/orange(pms 804/pms 021/pms
 151)/red(pms 185/pms 483/pms 485/pms magenta/purple red pms 813)/gray

Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

- IATA

No data available

14.7. Transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

National regulations

Water (7732-18-5)

Listed on the AICS (Australian Inventory of Chemical Substances)
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
 Listed on KECL/KECI (Korean Existing Chemicals Inventory)
 Listed on NZIoC (New Zealand Inventory of Chemicals)
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
 Listed on INSQ (Mexican National Inventory of Chemical Substances)
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

Calcium carbonate (471-34-1)

Listed on the AICS (Australian Inventory of Chemical Substances)
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
 Listed on the Japanese ISHL (Industrial Safety and Health Law)
 Listed on KECL/KECI (Korean Existing Chemicals Inventory)
 Listed on NZIoC (New Zealand Inventory of Chemicals)
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
 Listed on INSQ (Mexican National Inventory of Chemical Substances)
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

Sorbitol (50-70-4)

Listed on the AICS (Australian Inventory of Chemical Substances)
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
 Listed on the Japanese ISHL (Industrial Safety and Health Law)
 Listed on KECL/KECI (Korean Existing Chemicals Inventory)
 Listed on NZIoC (New Zealand Inventory of Chemicals)
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
 Listed on INSQ (Mexican National Inventory of Chemical Substances)
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

C.I. Pigment Yellow 74 (6358-31-2)

Listed on the AICS (Australian Inventory of Chemical Substances)
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
 Listed on the Japanese ISHL (Industrial Safety and Health Law)
 Listed on KECL/KECI (Korean Existing Chemicals Inventory)
 Listed on NZIoC (New Zealand Inventory of Chemicals)
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
 Listed on INSQ (Mexican National Inventory of Chemical Substances)
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

C.I.Pigment Red 170 (2786-76-7)

Listed on the AICS (Australian Inventory of Chemical Substances)
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
 Listed on the Japanese ISHL (Industrial Safety and Health Law)
 Listed on KECL/KECI (Korean Existing Chemicals Inventory)
 Listed on NZIoC (New Zealand Inventory of Chemicals)
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
 Listed on INSQ (Mexican National Inventory of Chemical Substances)
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

Titanium dioxide (13463-67-7)

Listed on the AICS (Australian Inventory of Chemical Substances)
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
 Listed on the Japanese ISHL (Industrial Safety and Health Law)
 Listed on KECL/KECI (Korean Existing Chemicals Inventory)
 Listed on NZIoC (New Zealand Inventory of Chemicals)
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
 Listed on INSQ (Mexican National Inventory of Chemical Substances)
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

MSDS for #67160 - DELX WTRCLR PAINT ST
 Watercolor paint - black(pms black)/white(pms white)/blue(pms 2925/pmcs 814/pmcs cyan/pms process blue/pms reflex blue/light blue
 PMS 801)/brown(pms 139/pms 456/pms 469)/green(pms 355/pms 361/pms 369/pms 375/light green pms 802)/pink(pms 211/light pink pms
 805)/purple(pms purple/pms violet/light purple 806)/yellow(pms yellow/light yellow pms 803/ocher pms 1235)/orange(pms 804/pms 021/pms
 151)/red(pms 185/pms 483/pms 485/pms magenta/purple red pms 813)/gray

Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

Carbon Black (1333-86-4)

Listed on the AICS (Australian Inventory of Chemical Substances)
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
 Listed on the Japanese ISHL (Industrial Safety and Health Law)
 Listed on KECL/KECI (Korean Existing Chemicals Inventory)
 Listed on NZIoC (New Zealand Inventory of Chemicals)
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
 Listed on INSQ (Mexican National Inventory of Chemical Substances)
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

Arabic gum (9000-01-5)

Listed on the AICS (Australian Inventory of Chemical Substances)
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
 Listed on the Japanese ISHL (Industrial Safety and Health Law)
 Listed on KECL/KECI (Korean Existing Chemicals Inventory)
 Listed on NZIoC (New Zealand Inventory of Chemicals)
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
 Listed on INSQ (Mexican National Inventory of Chemical Substances)
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

C.I. Pigment Green 7 (1328-53-6)

Listed on the AICS (Australian Inventory of Chemical Substances)
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
 Listed on the Japanese ISHL (Industrial Safety and Health Law)
 Listed on KECL/KECI (Korean Existing Chemicals Inventory)
 Listed on NZIoC (New Zealand Inventory of Chemicals)
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

C.I. Pigment Blue 15:3 (147-14-8)

Listed on the AICS (Australian Inventory of Chemical Substances)
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
 Listed on the Japanese ISHL (Industrial Safety and Health Law)
 Listed on KECL/KECI (Korean Existing Chemicals Inventory)
 Listed on NZIoC (New Zealand Inventory of Chemicals)
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
 Listed on INSQ (Mexican National Inventory of Chemical Substances)
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

SECTION 16: Other information

Issue date : 03/09/2020
 Revision date : 03/09/2020

Abbreviations and acronyms:

IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
SDS	Safety Data Sheet
NOAEL	No Observed Adverse Effect Level
EC50	Median effective concentration

SDS UN

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.