



Total Quality. Assured.

**Safety Data Sheet (SDS) Report****SDS number: SHAH01259467**

Applicant: Melissa & Doug. LLC, (Shenzhen office )  
Unit 2H, Block 210 Tai Ran Industrial Zone ShenNan Xi Road,  
Futian District Shenzhen

Issue Date: 2020-10-27

## Sample Description:

The sample information was submitted and identified on client's behalf to be:

Product Name : Poster paint(ready mix) – black(pms black)/white(pms white)/blue(pms cyan/pms process blue/pms reflex blue/pms 072/pms 290/pms 299/pms 306/pms 291)/brown(pms 464/pms 463/pms 471)/gray(pms 7543)/green(pms 348/pms 354/pms 355/pms 356/pms 368)/orange(pms 021/pms 1375)/pink(pms 210/pms 211/pink flesh pms 489)/purple(pms purple/pms 2583/pms 2597/pms 2645)/red(pms 185/pms 485)/yellow(pms yellow/pms 113/pms 134)

Physical State : Liquid

Data Received : Oct 20, 2020

Data Reviewed : Oct 27, 2020

## Service Requested:

Based on the information provided by the applicant, the Safety Data Sheet (SDS) was generated in accordance with requirements of Global Harmonized System (GHS), for details please refer to attached pages.

## Authorized By:

On Behalf Of Regulatory Affairs in Intertek Testing Services Ltd., Shanghai

Anna Wang  
Regulatory Consultant

This report shall not be reproduced except in full, without the written approval of the laboratory.

**Intertek Health, Environmental &Regulatory Services (HERS)**5<sup>th</sup> Floor,Building No.86,1198 QinZhou Road(North),Cao Hejing Development

Zone,ShangHai,China.

Tel: +86 021 53397917 ZIP: 200233

E-mail:hers@intertek.com

**Safety Data Sheet**

**Poster paint(ready mix) – black(pms black)/white(pms white)/blue(pms cyan/pms process blue/pms reflex blue/pms 072/pms 290/pms 299/pms 306/pms 291)/brown(pms 464/pms 463/pms 471)/gray(pms 7543)/green(pms 348/pms 354/pms 355/pms 356/pms 368)/orange(pms 021/pms 1375)/pink(pms 210/pms 211/pink flesh pms 489)/purple(pms purple/pms 2583/pms 2597/pms 2645)/red(pms 185/pms 485)/yellow (pms yellow/pms 113/pms 134)**

Date of issue: 27/10/2020

according to the United Nations GHS (Rev. 7, 2017)

Version: 1.0

SDS number: SHAH01259467

**SECTION 1: Identification****1.1. GHS Product identifier**

Product form : Mixture  
 Trade name : Poster paint(ready mix) – black(pms black)/white(pms white)/blue(pms cyan/pms process blue/pms reflex blue/pms 072/pms 290/pms 299/pms 306/pms 291)/brown(pms 464/pms 463/pms 471)/gray(pms 7543)/green(pms 348/pms 354/pms 355/pms 356/pms 368)/orange(pms 021/pms 1375)/pink(pms 210/pms 211/pink flesh pms 489)/purple(pms purple/pms 2583/pms 2597/pms 2645)/red(pms 185/pms 485)/yellow(pms yellow/pms 113/pms 134)

**1.2. Other means of identification**

No additional information available

**1.3. Recommended use of the chemical and restrictions on use**

Use of the substance/mixture : Pigment

**1.4. Supplier's details**

Melissa & Doug, LLC, (Shenzhen office )  
 Unit 2H, Block 210 Tai Ran Industrial Zone ShenNan Xi Road, Futian District Shenzhen

**1.5. Emergency phone number**

No additional information available

**SECTION 2: Hazard identification****2.1. Classification of the substance or mixture****Classification according to the United Nations GHS**

Not classified

Adverse physicochemical, human health and environmental effects : To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice

**2.2. GHS Label elements, including precautionary statements****Labelling according to the United Nations GHS**

No labelling applicable

**2.3. Other hazards which do not result in classification**

No additional information available

**SECTION 3: Composition/information on ingredients****3.1. Substances**

Not applicable

**3.2. Mixtures**

Name	Product identifier	%
Water	(CAS-No.) 7732-18-5	72.824 – 75.559
Sorbitol	(CAS-No.) 50-70-4	12.543 – 13.032
Calcium carbonate	(CAS-No.) 471-34-1	9.2 – 9.64
Titanium dioxide	(CAS-No.) 13463-67-7	≤ 3.2
FD & C Yellow no. 5	(CAS-No.) 12225-21-7	≤ 1.82
FD&C Red no.33	(CAS-No.) 3567-66-6	≤ 1.8
Carbon Black	(CAS-No.) 1333-86-4	≤ 1.375

MSDS for #67161 - POSTER PAINT  
 Poster paint(ready mix) – black(pms black)/white(pms white)/blue(pms cyan/pms process blue/pms reflex  
 blue/pms 072/pms 290/pms 299/pms 306/pms 291)/brown(pms 464/pms 463/pms 471)/gray(pms  
 7543)/green(pms 348/pms 354/pms 355/pms 356/pms 368)/orange(pms 021/pms 1375)/pink(pms 210/pms  
 211/pink flesh pms 489)/purple(pms purple/pms 2583/pms 2597/pms 2645)/red(pms 185/pms 485)/yellow  
 (pms yellow/pms 113/pms 134)  
 Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

FD & C Blue no. 1	(CAS-No.) 68921-42-6	≤ 1.08
Carboxymethyl cellulose sodium salt	(CAS-No.) 9004-32-4	0.932 – 0.969
2-phenoxyethanol	(CAS-No.) 122-99-6	0.5
Alcohols, C12-14-secondary, ethoxylated	(CAS-No.) 84133-50-6	0.131 – 0.305
Poly(dimethylsiloxane)	(CAS-No.) 63148-62-9	0.006 – 0.015

#### SECTION 4: First-aid measures

##### 4.1. Description of necessary first-aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
 First-aid measures after skin contact : Wash skin with plenty of water.  
 First-aid measures after eye contact : Rinse eyes with water as a precaution.  
 First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

##### 4.2. Most important symptoms/effects, acute and delayed

No additional information available

##### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

#### SECTION 5: Fire-fighting measures

##### 5.1. Suitable extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

##### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

##### 5.3. Special protective actions for fire-fighters

Protective equipment for fire-fighters : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

#### SECTION 6: Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

###### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

###### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

##### 6.2. Environmental precautions

Avoid release to the environment.

##### 6.3. Methods and materials for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.  
 Other information : Dispose of materials or solid residues at an authorized site.

#### SECTION 7: Handling and storage

##### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.  
 Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

##### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

MSDS for #67161 - POSTER PAINT  
 Poster paint(ready mix) - black(pms black)/white(pms white)/blue(pms cyan/pms process blue/pms reflex  
 blue/pms 072/pms 290/pms 299/pms 306/pms 291)/brown(pms 464/pms 463/pms 471)/gray(pms  
 7543)/green(pms 348/pms 354/pms 355/pms 356/pms 368)/orange(pms 021/pms 1375)/pink(pms 210/pms  
 211/pink flesh pms 489)/purple(pms 2583/pms 2597/pms 2645)/red(pms 185/pms 485)/yellow  
 (pms yellow/pms 113/pms 134)  
 Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Calcium carbonate (471-34-1)

##### USA - ACGIH - Occupational Exposure Limits

ACGIH TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
--------------------------------	----------------------

#### Titanium dioxide (13463-67-7)

##### USA - ACGIH - Occupational Exposure Limits

Local name	Titanium dioxide
ACGIH TWA (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
Remark (ACGIH)	TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
ACGIH chemical category	Not Classifiable as a Human Carcinogen
Regulatory reference	ACGIH 2020

#### Carbon Black (1333-86-4)

##### USA - ACGIH - Occupational Exposure Limits

Local name	Carbon black
ACGIH TWA (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup> (inhalable particulate matter)
Remark (ACGIH)	TLV® Basis: Bronchitis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans
Regulatory reference	ACGIH 2020

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.  
 Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves  
 Eye protection : Safety glasses  
 Skin and body protection : Wear suitable protective clothing  
 Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

### 8.4. Exposure limit values for the other components

No additional information available

## SECTION 9: Physical and chemical properties

### 9.1. Basic physical and chemical properties

Physical state	: Liquid
Colour	: Not available
Odour	: Not available
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non-flammable
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: Not available

27/10/2020

EN (English)

3/9

Item Numbers: 67161-1009

MSDS for #67161 - POSTER PAINT  
**Poster paint(ready mix) – black(pms black)/white(pms white)/blue(pms cyan/pms process blue/pms reflex blue/pms 072/pms 290/pms 299/pms 306/pms 291)/brown(pms 464/pms 463/pms 471)/gray(pms 7543)/green(pms 348/pms 354/pms 355/pms 356/pms 368)/orange(pms 021/pms 1375)/pink(pms 210/pms 211/pink flesh pms 489)/purple(pms purple/pms 2583/pms 2597/pms 2645)/red(pms 185/pms 485)/yellow (pms yellow/pms 113/pms 134)**  
**Safety Data Sheet**

according to the United Nations GHS (Rev. 7, 2017)

Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
pH solution	: Not available
Viscosity, kinematic (calculated value) (40 °C)	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20 °C	: Not available
Solubility	: Not available
Particle size	: Not available
Particle size distribution	: Not available
Particle shape	: Not available
Particle aspect ratio	: Not available
Particle specific surface area	: Not available

#### 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Based on available data, the classification criteria are not met.
Acute toxicity (dermal)	: Based on available data, the classification criteria are not met.
Acute toxicity (inhalation)	: Based on available data, the classification criteria are not met.

Carboxymethyl cellulose sodium salt (9004-32-4)	
LD50 oral rat	27000 mg/kg
LC50 Inhalation - Rat	> 5800 mg/m <sup>3</sup> (Exposure time: 4 h)
Calcium carbonate (471-34-1)	
LD50 oral rat	6450 mg/kg
Sorbitol (50-70-4)	
LD50 oral rat	15900 mg/kg

MSDS for #67161 - POSTER PAINT  
**Poster paint(ready mix) – black(pms black)/white(pms white)/blue(pms cyan/pms process blue/pms reflex blue/pms 072/pms 290/pms 299/pms 306/pms 291)/brown(pms 464/pms 463/pms 471)/gray(pms 7543)/green(pms 348/pms 354/pms 355/pms 356/pms 368)/orange(pms 021/pms 1375)/pink(pms 210/pms 211/pink flesh pms 489)/purple(pms purple/pms 2583/pms 2597/pms 2645)/red(pms 185/pms 485)/yellow (pms yellow/pms 113/pms 134)**  
 Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

<b>Titanium dioxide (13463-67-7)</b>	
LD50 oral rat	> 10000 mg/kg
LD50 dermal rat	> 10000 mg/kg
<b>Carbon Black (1333-86-4)</b>	
LD50 oral rat	> 15400 mg/kg
<b>2-phenoxyethanol (122-99-6)</b>	
LD50 oral rat	1850 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

Skin corrosion/irritation	: Based on available data, the classification criteria are not met.
Serious eye damage/irritation	: Based on available data, the classification criteria are not met.
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met.
Germ cell mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Reproductive toxicity	: Based on available data, the classification criteria are not met.
STOT-single exposure	: Based on available data, the classification criteria are not met.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Based on available data, the classification criteria are not met.
Hazardous to the aquatic environment, long-term (chronic)	: Based on available data, the classification criteria are not met.

<b>Calcium carbonate (471-34-1)</b>	
LC50 fish 1	> 100 mg/l
EC50 other aquatic organisms 1	> 100 mg/l waterflea
EC50 96h algae (1)	22000 mg/l Source: Ecological Structure Activity Relationships

<b>Carbon Black (1333-86-4)</b>	
EC50 72h algae (1)	> 10000 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
ErC50 (algae)	> 10000 mg/l 72 hours OECD 201

<b>2-phenoxyethanol (122-99-6)</b>	
LC50 fish 1	344 mg/l
EC50 Daphnia 1	> 500 mg/l
EC50 72h algae (1)	> 500 mg/l

### 12.2. Persistence and degradability

**Poster paint(ready mix) – black(pms black)/white(pms white)/blue(pms cyan/pms process blue/pms reflex blue/pms 072/pms 290/pms 299/pms 306/pms 291)/brown(pms 464/pms 463/pms 471)/gray(pms 7543)/green(pms 348/pms 354/pms 355/pms 356/pms 368)/orange(pms 021/pms 1375)/pink(pms 210/pms 211/pink flesh pms 489)/purple(pms purple/pms 2583/pms 2597/pms 2645)/red(pms 185/pms 485)/yellow(pms yellow/pms 113/pms 134)**

Persistence and degradability	No additional information available
-------------------------------	-------------------------------------

MSDS for #67161 - POSTER PAINT  
**Poster paint(ready mix) – black(pms black)/white(pms white)/blue(pms cyan/pms process blue/pms reflex blue/pms 072/pms 290/pms 299/pms 306/pms 291)/brown(pms 464/pms 463/pms 471)/gray(pms 7543)/green(pms 348/pms 354/pms 355/pms 356/pms 368)/orange(pms 021/pms 1375)/pink(pms 210/pms 211/pink flesh pms 489)/purple(pms purple/pms 2583/pms 2597/pms 2645)/red(pms 185/pms 485)/yellow(pms yellow/pms 113/pms 134)**  
 Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

### 12.3. Bioaccumulative potential

Poster paint(ready mix) – black(pms black)/white(pms white)/blue(pms cyan/pms process blue/pms reflex blue/pms 072/pms 290/pms 299/pms 306/pms 291)/brown(pms 464/pms 463/pms 471)/gray(pms 7543)/green(pms 348/pms 354/pms 355/pms 356/pms 368)/orange(pms 021/pms 1375)/pink(pms 210/pms 211/pink flesh pms 489)/purple(pms purple/pms 2583/pms 2597/pms 2645)/red(pms 185/pms 485)/yellow(pms yellow/pms 113/pms 134)

Bioaccumulative potential	No additional information available
---------------------------	-------------------------------------

### Calcium carbonate (471-34-1)

BCF fish 1	(no bioaccumulation)
------------	----------------------

Partition coefficient n-octanol/water (Log Kow)	-2.12
---	-------

### 12.4. Mobility in soil

Poster paint(ready mix) – black(pms black)/white(pms white)/blue(pms cyan/pms process blue/pms reflex blue/pms 072/pms 290/pms 299/pms 306/pms 291)/brown(pms 464/pms 463/pms 471)/gray(pms 7543)/green(pms 348/pms 354/pms 355/pms 356/pms 368)/orange(pms 021/pms 1375)/pink(pms 210/pms 211/pink flesh pms 489)/purple(pms purple/pms 2583/pms 2597/pms 2645)/red(pms 185/pms 485)/yellow(pms yellow/pms 113/pms 134)

Mobility in soil	No additional information available
------------------	-------------------------------------

### Calcium carbonate (471-34-1)

Mobility in soil	4.971 Source: Quantitative Structure Activity Relation
------------------	--

### 12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
-------------------------	---

## SECTION 14: Transport information

In accordance with IMDG / IATA / UN RTDG

UN RTDG	IMDG	IATA
<b>14.1. UN number</b>		
Not regulated for transport		
<b>14.2. UN Proper Shipping Name</b>		
Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>		
Not regulated	Not regulated	Not regulated
Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>		
Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No

MSDS for #67161 - POSTER PAINT  
 Poster paint(ready mix) - black(pms black)/white(pms white)/blue(pms cyan/pms process blue/pms reflex  
 blue/pms 072/pms 290/pms 299/pms 306/pms 291)/brown(pms 464/pms 463/pms 471)/gray(pms  
 7543)/green(pms 348/pms 354/pms 355/pms 356/pms 368)/orange(pms 021/pms 1375)/pink(pms 210/pms  
 211/pink flesh pms 489)/purple(pms purple/pms 2583/pms 2597/pms 2645)/red(pms 185/pms 485)/yellow  
 (pms yellow/pms 113/pms 134)  
 Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

No supplementary information available

#### 14.6. Special precautions for user

**- UN RTDG**

No data available

**- IMDG**

No data available

**- IATA**

No data available

#### 14.7. Transport in bulk according to IMO instruments

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations specific for the product in question

##### National regulations

##### Water (7732-18-5)

Listed on the AICS (Australian Inventory of Chemical Substances)  
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
 Listed on KECL/KECI (Korean Existing Chemicals Inventory)  
 Listed on NZIoC (New Zealand Inventory of Chemicals)  
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
 Listed on INSQ (Mexican National Inventory of Chemical Substances)  
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

##### Carboxymethyl cellulose sodium salt (9004-32-4)

Listed on the AICS (Australian Inventory of Chemical Substances)  
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
 Listed on the Japanese ISHL (Industrial Safety and Health Law)  
 Listed on KECL/KECI (Korean Existing Chemicals Inventory)  
 Listed on NZIoC (New Zealand Inventory of Chemicals)  
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
 Listed on INSQ (Mexican National Inventory of Chemical Substances)  
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

##### Calcium carbonate (471-34-1)

Listed on the AICS (Australian Inventory of Chemical Substances)  
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
 Listed on the Japanese ISHL (Industrial Safety and Health Law)  
 Listed on KECL/KECI (Korean Existing Chemicals Inventory)  
 Listed on NZIoC (New Zealand Inventory of Chemicals)  
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
 Listed on INSQ (Mexican National Inventory of Chemical Substances)  
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

##### Sorbitol (50-70-4)

Listed on the AICS (Australian Inventory of Chemical Substances)  
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
 Listed on the Japanese ISHL (Industrial Safety and Health Law)  
 Listed on KECL/KECI (Korean Existing Chemicals Inventory)  
 Listed on NZIoC (New Zealand Inventory of Chemicals)  
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
 Listed on INSQ (Mexican National Inventory of Chemical Substances)  
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

##### Titanium dioxide (13463-67-7)

Listed on the AICS (Australian Inventory of Chemical Substances)  
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
 Listed on the Japanese ISHL (Industrial Safety and Health Law)  
 Listed on KECL/KECI (Korean Existing Chemicals Inventory)  
 Listed on NZIoC (New Zealand Inventory of Chemicals)  
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
 Listed on INSQ (Mexican National Inventory of Chemical Substances)  
 Listed on the TCSI (Taiwan Chemical Substance Inventory)



MSDS for #67161 - POSTER PAINT  
**Poster paint(ready mix) – black(pms black)/white(pms white)/blue(pms cyan/pms process blue/pms reflex  
 blue/pms 072/pms 290/pms 299/pms 306/pms 291)/brown(pms 464/pms 463/pms 471)/gray(pms  
 7543)/green(pms 348/pms 354/pms 355/pms 356/pms 368)/orange(pms 021/pms 1375)/pink(pms 210/pms  
 211/pink flesh pms 489)/purple(pms purple/pms 2583/pms 2597/pms 2645)/red(pms 185/pms 485)/yellow  
 (pms yellow/pms 113/pms 134)**  
 Safety Data Sheet

according to the United Nations GHS (Rev. 7, 2017)

**FD & C Yellow no. 5 (12225-21-7)**

Listed on the AICS (Australian Inventory of Chemical Substances)  
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
 Listed on the Japanese ISHL (Industrial Safety and Health Law)  
 Listed on KECL/KECI (Korean Existing Chemicals Inventory)  
 Listed on NZIoC (New Zealand Inventory of Chemicals)  
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

**FD&C Red no.33 (3567-66-6)**

Listed on the AICS (Australian Inventory of Chemical Substances)  
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
 Listed on the Japanese ISHL (Industrial Safety and Health Law)  
 Listed on KECL/KECI (Korean Existing Chemicals Inventory)  
 Listed on NZIoC (New Zealand Inventory of Chemicals)  
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
 Listed on INSQ (Mexican National Inventory of Chemical Substances)  
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

**Carbon Black (1333-86-4)**

Listed on the AICS (Australian Inventory of Chemical Substances)  
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
 Listed on the Japanese ISHL (Industrial Safety and Health Law)  
 Listed on KECL/KECI (Korean Existing Chemicals Inventory)  
 Listed on NZIoC (New Zealand Inventory of Chemicals)  
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
 Listed on INSQ (Mexican National Inventory of Chemical Substances)  
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

**FD & C Blue no. 1 (68921-42-6)**

Listed on the AICS (Australian Inventory of Chemical Substances)  
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
 Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory  
 Listed on the Japanese ISHL (Industrial Safety and Health Law)  
 Listed on NZIoC (New Zealand Inventory of Chemicals)  
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

**Alcohols, C12-14-secondary, ethoxylated (84133-50-6)**

Listed on the AICS (Australian Inventory of Chemical Substances)  
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
 Listed on KECL/KECI (Korean Existing Chemicals Inventory)  
 Listed on NZIoC (New Zealand Inventory of Chemicals)  
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
 Japanese Pollutant Release and Transfer Register Law (PRTR Law)  
 Listed on INSQ (Mexican National Inventory of Chemical Substances)  
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

**Poly(dimethylsiloxane) (63148-62-9)**

Listed on the AICS (Australian Inventory of Chemical Substances)  
 Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)  
 Listed on KECL/KECI (Korean Existing Chemicals Inventory)  
 Listed on NZIoC (New Zealand Inventory of Chemicals)  
 Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)  
 Listed on INSQ (Mexican National Inventory of Chemical Substances)  
 Listed on the TCSI (Taiwan Chemical Substance Inventory)

**SECTION 16: Other information**

Issue date : 27/10/2020  
 Revision date : 27/10/2020

Abbreviations and acronyms:

MSDS for #67161 - POSTER PAINT  
**Poster paint(ready mix) – black(pms black)/white(pms white)/blue(pms cyan/pms process blue/pms reflex  
 blue/pms 072/pms 290/pms 299/pms 306/pms 291)/brown(pms 464/pms 463/pms 471)/gray(pms  
 7543)/green(pms 348/pms 354/pms 355/pms 356/pms 368)/orange(pms 021/pms 1375)/pink(pms 210/pms  
 211/pink flesh pms 489)/purple(pms purple/pms 2583/pms 2597/pms 2645)/red(pms 185/pms 485)/yellow  
 (pms yellow/pms 113/pms 134)**

**Safety Data Sheet**

according to the United Nations GHS (Rev. 7, 2017)

IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
SDS	Safety Data Sheet
NOAEL	No Observed Adverse Effect Level
EC50	Median effective concentration

SDS UN

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*