81702-XXXX

MSDS for #81702 - LICHIDA I EPEN FLEX

SAFETY DATA SHEET		According to EC Direct	According to EC Directive 91/155/EEC				
Trade name: #4300 LE PEN and #4800 LE PEN FLEX							
Serial No.	210105	Revision Date	Jan.05.2021				
Version	1.0	Print Date	Jan.05.2021				

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING Identification of the product

Product name

:#4300 Le Pen / #4800 Le Pen Flex

Company/undertaking identification

Company	: UCHIDA OF AMERICA, CORP.	
	3535 Del Amo Blvd., Torrance, CA 90503	
Telephone	: +1-800-541-5877	
Telefax	: +1-800-229-7017	
Emergency telephone number	: +1-800-541-5877	

Use of the substance/preparation

: For Markers.

2. HAZARDS IDENTIFICATION

Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS#	Content (wt%)
Ethylene Glycol	Trade Secret	< 45.0
Diethylene Glycol	Trade Secret	< 10.0
DMSO	Trade Secret	< 5.0
N, N'-Bis (polyoxy ethylene)-		
p-toluene sulfonic acid amide	Trade Secret	< 5.0
Triethanolamine	Trade Secret	< 3.0
Nonionic Surfactant (Not contain Nonyl phenol)	Trade Secret	< 2.0
Coloring Dyes	Trade Secret	<20.0
Purified Water	Trade Secret	residual part

4. FIRST AID MEASURES

Inhalation

No hazardous volatile material is present, so unless extra ordinary prolonged inhalation, dangerous cases are usually nothing.

Skin contact

Immediately rinse through with soap and water.

Eye contact

Immediately rinse the stained eye with plenty of water, and call on a physician.

Ingestion

They may be discarded the same as ordinary waste.

Item Numbers: 81702-1020, 81702-2020, 81702-2020, 81702-2530, 81702-3010, 81702-3020, 81702-3140, 81702-3390, 81702-3710, 81702-3720, 81702-5010, 81702-5040, 81702-5080, 81702-5080, 81702-5910, 8170

MSDS for #81702 - LICHIDA | EPEN FLEX

According to EC Directive 91/155/EEC

SAFETY DATA SHEET

1.0

210105

Serial No. Version

Trade name: #4300 LE PEN and #4800 LE PEN FLEX **Revision** Date

Jan.05.2021

page. 2/3

Print Date

Jan.05.2021

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, foam, powder, and carbon dioxide.

Specific hazards during fire fighting

Owing too much water, these inks are not in flammable, but the evaporation residue is combustible. Accordingly if the solid-state ink residues are burning, pouring of a plenty of water the most effective to extinguish.

Special protective equipment for fire fighters

Employ protective equipment commonly used in the event of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear suitable clothing and gloves.

Environmental precautions

At room temperature, no volatile materials are present in these inks.

Methods for cleaning up

Wipe the material with cloth and wash water.

7. HANDLING AND STORAGE

Handling

Wear suitable protective clothing and gloves.

Storage

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up. It is preferable to storage ink in a cool and well ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protective equipment

At room temperature, no volatile materials are present in these inks.

- Hand protection
- protective gloves

Eye protection

safety glasses with side-shields

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form	liquid	
Colour	coloured	
Odour	non	
Safety data		
pH value	not available	
Boiling point/range	ca. 100°C	
Solubility in water	soluble	
Density	ca. 1.0 to 1.1 g/cm3	
Volatile	30 to 60 %	

Item Numbers: 81702-1020, 81702-2020, 81702-2020, 81702-3010, 81702-3020, 81702-3140, 81702-3390, 81702-3710, 81702-370, 81702-5040, 81702-5000, 81702-5000, 81702-5000, 81702-5000, 81702-5000, 81702-5000, 81702-5000, 81702-5000, 81702-5000, 81702-5000, 81702 6190, 81702-7010, 81702-8000, 81702-8210

MSDS for #81702 - LICHIDA I EPEN FLEX

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

Page 3 of 3

page. 3/3

Serial No. Version

210105 1.0

Trade name: #4300 LE PEN and #4800 LE PEN FLEX Revision Date Print Date

Jan.05.2021 Jan.05.2021

10. STABILITY AND REACTIVITY

Materials to avoid

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up. It is preferable to storage ink in a cool and well ventilated place.

Hazardous reactions

no

11. TOXICOLOGICAL INFORMATION

Acute toxicity

The main components of these inks are Diethylene glycol, and several additives. Diethylene Glycol causes some damage to kidney.

12. ECOLOGICAL INFORMATION

Ecotoxic effects

Quantitative data on the ecological effect of this product are not available. Further ecologic data

Do not allow entrance in waters, wastewater, or soil.

13. DISPOSAL CONSIDERATIONS

Product

Disposal according to local authority regulations.

Packaging

Disposal according to local authority regulations.

14. TRANSPORT INFORMATION

Not available.

15. REGULATORY INFORMATION

Not available.

16. OTHER INFORMATION

Keep out reach of baby or children. For further information, please contact us.