81908-XXXX

ECLECTIC IN THE HOME & ON THE JOB PRODUCTS

SAFETY DATA SHEET

UNICORN SPIT (ALL COLORS)

Section 1. Identification	
Product name	: UNICORN SPIT (ALL COLORS)
Product code	: 13000200
Relevant identified uses of	of the substance or mixture and uses advised against
Identified uses	
Gel Stain & Glaze - Consu	mer Use
Supplier's details	: Eclectic Products LLC 990 Owen Loop North Eugene, OR 97402 541-484-9621
Responsible name	: Regulatory Affairs
Emergency telephone number (with hours of operation)	: INFOTRAC 1-800-535-5053 001-352-323-3500 24 hours per day, 7 days per week.

Section 2. Hazarus identification	
OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	: Not classified.
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Hazards not otherwise classified	: None known.

Section 3. Composition/information on ingredients

Substance/mixture

```
: Mixture
```

Ingredient name	%	CAS number
propane-1,2-diol glass, oxide, chemicals	<10 ≤3	57-55-6 65997-17-3
Any concentration shown as a range is to protect confidentiality or is due to ba	tch variation.	

1997 NUEDERS \$1908/1924 & 1908-1929 & 1908-2024, 81908-25956, 52909 & 504, 81908-2508, 81908-3384, 81908-3614, 81908-3618, 81908-3618, 81908-3714, 81908-3718, 81908-4064, 819

Section 3. Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures	
Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	 Remove person to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	Wash out mouth with water. Remove person to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health ef	<u>fects</u>
---------------------------	--------------

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/	symptoms
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

dical attention and special treatment needed, if necessary	
 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. 	
: No specific treatment.	
: No action shall be taken involving any personal risk or without suitable training.	
	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.

Section 5. Fire-fighting measures

Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protect	ctive equipment and emergency procedures
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ontainment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling	
Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
propane-1,2-diol glass, oxide, chemicals	AIHA WEEL (United States, 10/2011). Notes: 2004 Revised Document TWA: 10 mg/m³ 8 hours. NIOSH REL (United States, 10/2016). TWA: 3 f/cc 10 hours. TWA: 3 f/cc 10 hours. Form: Fibers of spec length TWA: 5 mg/m³ 10 hours. Form: Total ACGIH TLV (United States, 3/2017). TWA: 5 mg/m³ 8 hours. Form: Inhalable fraction
	TWA: 1 f/cc 8 hours. Form: Respirable fibers: length greater than 5 uM; aspect ratio equal to or greater than 3:1 as determined by the membrane filter method at 400-450X magnification (4-mm objective) phase contrast illumination.
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
ndividual protection meas	<u>Ires</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Section 8. Exposure controls/personal protection

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

<u>Appearance</u>		
Physical state	1	Liquid.
Color	1	Various
Odor	1	Jasmine-like. Lemon-like.
Odor threshold	1	Not available.
рН	1	Not available.
Melting point	1	Not available.
Boiling point	1	>100°C (>212°F)
Flash point	1	Not available.
Evaporation rate	1	<1 (ether (anhydrous) = 1)
Flammability (solid, gas)	1	Not available.
Lower and upper explosive (flammable) limits	÷	Not available.
Vapor pressure	:	2.7 kPa (20 mm Hg) [room temperature]
Vapor density	1	>1 [Air = 1]
Relative density	1	1.01 to 1.17
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	1	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Not available.
Flow time (ISO 2431)	:	Not available.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	 Under normal conditions of storage and use, hazardous decomposition products should not be produced.

0927 2017 5 31929 1024 8189 1234 8189 1234 8189 1234 81908 2598 1308 2598 1308 2508 81908 3384 81908 3388 81908 3618 81908 3618 81908 3714 81908 3714 81908 3718 81908 4064 8190

Section 11. Toxicological information

Information on toxicological effects Acute toxicity

Product/ingredient name	Result	S	pecies	Do	se	Exposure
propane-1,2-diol	LD50 Dermal	R	Rabbit	208	00 mg/kg	_
	LD50 Oral	R	Rat	20 g	/kg	-
glass, oxide, chemicals	LD50 Oral		Rat		0 mg/kg	
Irritation/Corrosion	·					
Product/ingredient name	Result	Specie	s Sc	ore	Exposure	Observation
propane-1,2-diol	Eyes - Mild irritant	Rabbit	-		24 hours 500	-
					milligrams	
	Eyes - Mild irritant	Rabbit	-		100	-
					milligrams	
	Skin - Mild irritant	Human	-		168 hours	-
					500	
					milligrams	
	Skin - Moderate irritant	Human	-		72 hours 104	-
					milligrams	
					Intermittent	
	Skin - Mild irritant	Womar	า -		96 hours 30	-
					Percent	

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Classification

Product/ingredient name	OSHA	IARC	NTP
glass, oxide, chemicals	-	3	-

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely : Routes of entry anticipated: Dermal, Inhalation. routes of exposure

Potential acute health effects

1997. UCHERS \$1989. 1924 \$1898 1239 \$1898 1239 \$1898 2298. 5998 3504. 81908-2508. 81908-3384. 81908-3384. 81908-3614. 81908-3618. 81908-3714. 81908-3718. 81908-4064. 81908-4064. 81908 40

Section 11. Toxicological information

Eye contact	No known significant effects or critical hazards.	
Inhalation	No known significant effects or critical hazards.	
Skin contact	No known significant effects or critical hazards.	
Ingestion	No known significant effects or critical hazards.	
Symptoms related to the phy	al, chemical and toxicological characteristics	
Eye contact	No specific data.	
Inhalation	No specific data.	
Skin contact	No specific data.	
Ingestion	No specific data.	
Delayed and immediate effect	<u>and also chronic effects from short and long term exposure</u>	
Short term exposure		
Potential immediate	Not available.	
effects		
Potential delayed effects	Not available.	
Long term exposure		
Potential immediate effects	Not available.	
Potential delayed effects	Not available.	
Potential chronic health effe		
Not available.	<u>2</u>	
General	No known significant effects or critical hazards.	
Carcinogenicity	No known significant effects or critical hazards.	
Mutagenicity	No known significant effects or critical hazards.	
Teratogenicity	No known significant effects or critical hazards.	
Developmental effects	No known significant effects or critical hazards.	
Fertility effects	No known significant effects or critical hazards.	

Numerical measures of toxicity

4	Acute toxicity estimates	
	Route	ATE value
	Oral	140706.3 mg/kg

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
propane-1,2-diol	EC50 19000 mg/l Acute EC50 >110 ppm Fresh water Acute LC50 1000 mg/l Marine water	Algae Daphnia - Daphnia magna Crustaceans - Chaetogammarus marinus - Young	96 hours 48 hours 48 hours
	Acute LC50 710000 µg/l Fresh water	Fish - Pimephales promelas	96 hours

Persistence and degradability

1997 NUEDIFES 1998/1924 81908-1929 81998-2024, 81908-2928, 2928, 2929 3504, 81908-2508, 81908-3384, 81908-3364, 81908-3618, 81908-3618, 81908-3714, 81908-3718, 81908-4064, 81908-

Section 12. Ecological information

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
propane-1,2-diol	-1.07	-	low

Mobility in soil

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-	-
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL and the IBC Code

1997 2007 5 81908/1924 81808-1923 81908-2024, 81908-2026, 81908-2026, 81908-2508, 81908-3584, 81908-3614, 81908-3618, 81908-3614, 81908-3714, 81908-3718, 81908-4064, 81908-4064, 81908-5084, 81908-50

Section 15. Regulatory information

U.S. Federal regulations	:
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Not listed
<u>SARA 302/304</u>	

Composition/information on ingredients

No products were found.

Not applicable.
ſ

SARA 311/312

Classification : Not applicable.

Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
propane-1,2-diol	<10	No.	No.	Yes.	No.	No.
glass, oxide, chemicals	≤3	No.	No.	No.	Yes.	No.

State regulations

Massachusetts

: The following components are listed: FIBROUS GLASS

: None of the components are listed.

: The following components are listed: PROPYLENE GLYCOL; 1,2-PROPANEDIOL

: The following components are listed: 1,2-PROPANEDIOL

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

New York

New Jersey Pennsylvania

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia	: All components are listed or exempted.
Canada	: All components are listed or exempted.
China	: Not determined.
Europe	: Not determined.

1997 2007 5 51929/1924 81908-1929 1839 1924 2018 1908-25956 5008 81908-2508, 81908-2508, 81908-3384, 81908-3618, 81908-3618, 81908-3714, 81908-3718, 81908-4064, 81908-4064, 81908-5084, 8

Section 15. Regulatory information

Japan	: Japan inventory (ENCS): Not determined. Japan inventory (ISHL): Not determined.
Malaysia	: Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: Not determined.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: All components are listed or exempted.
Viet Nam	: Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

	Classification	Justification
Not classified.		
History		·
Date of issue/Date of revision	: 2/6/2019	
Version	: 1.04	

Den burgers 81908/024 81908-1223 81908-2024, 81908-2026, 81908-2508, 81908-2508, 81908-3384, 81908-33618, 81908-3618, 81908-3618, 81908-3714, 81908-3718, 81908-4064, 81908-4064, 81908-5084, 81908-5084, 81908-5084, 81908-5084, 81908-5084, 81908-5084, 81908-5084, 81908-8384, 81908-8234, 81908-8234, 81908-8234, 81908-83618, 81908-83714, 81908-4064, 81908-4064, 81908-5084, 81908-5084, 81908-3084, 81908-3084, 81908-5084, 81908-5084, 81908-5084, 81908-5084, 81908-3384, 81908-83618, 81908-83618, 81908-83714, 81908-83714, 81908-84064, 81908-4064, 81908-5084, 81908-5084, 81908-5084, 81908-8384, 81908-83618, 81908-83618, 81908-83618, 81908-83618, 81908-83618, 81908-83618, 81908-83618, 81908-84064, 81908-84064, 81908-508, 81908-5084, 81908-5084, 81908-8344, 81908-83618, 81908-8234, 81908-8234, 81908-836188, 81908-83618, 81908-83618, 81908-83618, 819

Section 16. Other information

Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	IATA = International Air Transport Association
	IBC = Intermediate Bulk Container
	IMDG = International Maritime Dangerous Goods
	LogPow = logarithm of the octanol/water partition coefficient
	MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
References	: Not available.

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

1917 1017 15 51925/1924 6187 1236 51925/1924 61908-2596 5109 5504, 81908-2598, 81908-3584, 81908-3544, 81908-3618, 81908-3618, 81908-3714, 81908-3718, 81908-4064,