

MSDS for #81934 - NICKER POSTER COLORS

SAFETY DATA SHEET

(Required under OSHA's Hazard Communication Standard 29 CFR 1910.1200)

(PC40ML/130ML Group 9)

Page 1 of 3

Section 1. Identification

Manufacturer's Name: NICKER COLOUR CO.,LTD.	Telephone Number: +81-(0)3-6362-5234 (Japan)
Address: 2-20-16, Yanagibashi, Taito-ku, TOKYO 111-0052, JAPAN	FAX Number: +81-(0)3-6362-5236 (Japan)
Product Name: Nicker Poster Colour 40ML/130ML, Group 9 (2 Colors: Please see the attached Color List)	

Section 2. Hazard(s) identification

This products are approved by ACMI (The Art & Creative Material Institute, Inc.),
and carries the "AP" seal of non-toxic approval in USA.
This products are not considered hazardous in normal use as required under OSHA's
Hazardous Communication Standard 29 CFR 1910.1200.

Section 3. Composition / information on ingredients

Silica (crystalline) (14808-60-7), Titanium dioxide (13463-67-7), Pigments, Resin, Additive, Water

Section 4. First-Aid measures

- Inhalation : If he/she has subjective and objective symptoms, move him/her to a place fresh air,
and consult a doctor.
- Skin Contact : Wash with soap and water.
- Eye Contact : Wash the eyes immediately with large amounts of running water for over 15 minutes,
and see a doctor for medical advice.
- Ingestion : If the victim stops breathing, wipe away any remaining material in the mouth and
clear the airway and administer artificial respiration.

Section 5. Fire-fighting measures

- Suitable extinguishing media : In case of fire, use water spray, foam or dry chemical powder.
- For safety reasons unsuitable extinguishing media : None
- Protective equipment : No special measures required

Section 6. Accidental release measure

- Person-related safety precautions : No relevant information found.
- Measures for environmental protection : No relevant information found.
- Measures for cleaning/collecting : Sweep up, place in a bag and hold for waste disposal.

Section 7. Handling and storage

- Handling : In the case of stuck to the skin, rinse with running water and soap.
- Storage : Avoid high temperature, fire, direct rays of the sun, and a powerful oxidizing agent.

Section 8. Exposure controls / personal protection

- General protective and hygienic measures : Unnecessary in normal use
- Breathing equipment : Unnecessary in normal use
- Protection of hands : Unnecessary in normal use
- Eye protection : Unnecessary in normal use
- Skin protection : Unnecessary in normal use

N.A.: Not Applicable

N.D.: Not Determined

October 29, 2024

(PC40ML/130ML Group 9)

Page 2 of 3

Section 9. Physical and chemical properties

- Boiling point / boiling range : ca.100°C
- Flash point : No data
- Melting point : ca. 0°C
- Solubility:
 - water solubility : Soluble
 - fat solubility (solvent – oil to be specified) : Insoluble
- Relative density : 1 < g/cm³ (at 25°C)

Section 10. Stability and reactivity

- Conditions to avoid:
 - High temperature, Direct sunlight, Fire
- Materials to avoid:
 - Strong acid and base
- Hazardous decomposition products:
 - No dangerous decomposition products known

Section 11. Toxicological information

This product is approved by ACMI (The Art & Creative Material Institute, Inc.),
and carries the "AP" seal of non-toxic approval in USA.

Section 12. Ecological information

No relevant information found.

Section 13. Disposal Considerations

Incinerate under safe conditions or dispose of in accordance with local regulations.

Section 14. Transport information

- DOT : Not applicable
- IATA : Not applicable
- IMO : Not applicable

Section 15. Regulatory information

TSCA: All ingredients used to manufacture this product are listed on TSCA Inventory.

Section 16. Other information, including date of preparation or last revision.

HMIS Code:

Health - 1 Flammability - 0 Reactivity - 0 Personal Protection - N.A.

Date of revision: October 28, 2024

This information herein is given good faith, but no warranty, expressed or implied is made.

October 29, 2024

(PC40ML/130ML Group 9)

Page 3 of 3

Color List

< Nicker Poster Colour 40ML/130ML, Group 9 >

Permanent Yellow	PC40ML/130ML #031	Emerald Green	PC40ML/130ML #033
------------------	-------------------	---------------	-------------------