Safety Data Sheet

Date of issue:2017-04-01 Revision Date:-

1. Identification of the mixture and of the company

Product name	Ink for MILDLINER(WKT7-MR·MP·MOR·MY·MG·MBG·MBL·MDB·MVI·MGR·MSB· MGO·ME·MMZ·MVE)
Company	: ZEBRA CO., LTD.
	2-9 Higashi-gokencho Shinjuku-ku Tokyo JAPAN
TEL:	+81-3-3268-1193
FAX:	+81-3-3268-1197
Emergency telephone	: +81-3-3268-1193
	This phone number is available only during office hours: 9 a.m. to half past 5 p.m. (Japan time)
Product use	: Infill Ink for writing implement

2. Hazards identification

GHS classification

Flammable liquids Not classified	
Pyrophoric liquids Not classified	
Self-heating mixtures Not classified	
Corrosive to metals Not classified	
Health hazards	
Acute toxicity-Oral Not classified	
Acute toxicity-Dermal Not classified	
Acute toxicity-Inhalation:vapour Not classified	
Acute toxicity-Inhalation: mist Classification not possible	
Skin corrosion / irritation Category 3	
Serious eye damage / eye irritation Category 2	
Respiratory or skin sensitization Classification not possible/Cate	ory 1
Germ cell mutagenicity Classification not possible	
Carcinogenicity Classification not possible	
Reproductive toxicity Classification not possible	
Specific target organ toxicity (Singel exposure) Classification not possible	
Specific target organ toxicity(Repeated exposure) Classification not possible	
Aspiration hazard Classification not possible	
Environmental hazards	
Hazardous to the aquatic environment(acute) Not classified	
Hazardous to the aquatic environment(chronic) Not classified	
GHS label elements	
Pictograms or Symbol	
Exclamation mark	



- 1 -

Item Numbers: 82329-1029, 82329-1049, 82329-2500, 82329-3010, 82329-3040, 82329-3060, 82329-3280, 82329-4010, 82329-4510, 82329-500, 82329-500, 8200, 8

Signal Word

Warning

Hazard statement

- Causes mild skin irritation
- •May cause an allergic skin reaction
- ·Causes serious eye irritation
- Precautionary Statements

Prevention

- •Read label and Material Safety Data Sheet before use.
- Avoid breathing dust/vapours
- ·Contaminated work clothing should not be allowed out of the workplace
- •Wear protective gloves/eye protection.
- •Wash hand throughly after handling
- •Avoid release to the environment

Response

- •IF ON SKIN: Wash with soap and water
- If skin irritation or a rash occurs: Get medical advice/attention
- •Wash contaminated clothing before reuse
- •IF IN EYES: Rinse continuously with water for several minutes.
- Remove contact lenses if present and easy to do . Continue rinsing
- ·If eye irritation persists : Get medical advice/attention

Storage

•Store in a well ventilated place. Keep cool and container tightly closed.

Disposal

• Dispose of contents/container to in accordance with local government regulation.

3. Composition/information on ingredients Mixture

Component and Amount

			Reference Number in Gazetted List in Japan		
Component	Amount	CAS No.	(Japanese Chemical Substances Control Act)		
Pigment Dispersions	30-55%	Nondisclosure	Nondisclosure(registered)		
Glycerol	15-25%	56-81-5	(2)-242		
Water	30-45%	7732-18-5	—		
Additives	0-1%	Nondisclosure	Nondisclosure(registered)		

4. First-aid measures

After inhalation:

Call a doctor/physician if you feel unwell.

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

After skin contact:

Wash with soap and water

If skin irritation or a rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Call a doctor/physician if you feel unwell.

After eye contact:

Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do . Continue rinsing If eye irritation persists : Get medical advice/attention

Item Numbers: 82329-1029, 82329-1049, 82329-2500, 82329-3010, 82329-3040, 82329-3060, 82329-3280, 82329-4010, 82329-4510, 82329-500, 82329-500, 8200,

After ingestion:

Call a doctor/physician if you feel unwell. Protection of the person who takes first aid

Nothing in particular.

5. Fire-fighting measures

Suitable Extinguishing media

Carbon dioxide, dry chemical powder, water fog, foam

Prohibition extinguishing media for safety reason

Water spray (straight)

Specific hazards

This product is not combustible.But evaporated residue is combustible.

May produce toxic fumes if burning.

Specific fire fighting procedures

If safe to do so, move undamaged containers from the fire area.

If can't move the container , cool containers and surrounding with spray water.

Cool containers with large quantities of water until well after extinguished the fire.

Special protective equipment for fire-fighters

Fire-fighting should be performed from the windward side.

Respiratory protection, and other suitable protective equipment

6. Accidental release measures

Personal precautions

The pollution area should be established as off limits without concerned persons.

Protective equipment and emergency measure

Do not touch the leakage or its damaged container without suitable protection.

Do not walk through the leakage.

Keep sufficient ventilation if the area is indoor.

Remove ignition sources.

Environmental precautions

Keep away from drains, and prevent from releasing to the environment.

Methods for cleaning up

Use non-flammable absorbent materials, and put them in airtight container.

Dispose of absorbent in accordance with law.

Prevention of secondary disaster

Remove nearby ignition source and hot surface.

7. Handling and storage

Handling

Technical measures

Do suitable equipment measures and use suitable protection that refer to

"8. Exposure control/ personal protection".

Local exhaust ventilation and general ventilation

Use local exhaust ventilation and general ventilation that refer to

"8. Exposure control/ personal protection".

Caution

When handling do not use high temperature articles, spark and fire.

Handle container with care, do not make it turn over, drop, give impact and drag.

Item Numbers: 82329-1029, 82329-1049, 82329-2500, 82329-3010, 82329-3040, 82329-3060, 82329-3080, 82329-4010, 82329-4510, 82329-5000, 82329-5010, 82329-5000, 82329-500, 82329-5000, 82329-500, 8200,

Do not breathe, contact and swallow.

Maintain air concentrations below exposure limit using exhaust ventilation.

Do not eat, drink or smoke when using this product.

Wash hand throughly after handling.

Use only outdoors or in awell-ventilated area.

Avoid release to the environment.

Avoid contact

Refer to section 10 about stability and reactivity.

Storage

Incompatible materials

Refer to section 10 about stability and reactivity.

Storage condition

Store away from heat/sparks/open flames - No smoking

Store in a well ventilated place. Keep cool and container tightly closed.

Store locked up.

The Containers

Use the container that our company filled up when ship products

8. Exposure control/ personal protection

Exposure limit values

	Permissible c	Administrative levels	
Chemical name	The Japan Society for Occupational Health		Ministry of Health, Labour and Welfare(JAPAN)
Glycerol	Not established	10mg/m3 (mist, TWA, 2009)	Not established

Equipment measures

Put up local exhaust ventilation.Use explosion-proof electrical/ventilating/lighting.

Take precautionary measures against static discharge.

Put up emergency eyewash and shower in case of storage or handling about this product.

Protection

Respiratory protection

If necessary use suitable respiratory protection.

Hand protection

Use suitable protective gloves.

Eye protection

Use suitable eye protection.

Skin/body protection

If necessary use suitable face protection.

Hygiene measures

Do not eat ,drink or smoke when using this product. Wash thoroughly after handling.

9. Physical and chemical properties

Appearance	Coloring Liquid
Odour	Peculiar odour
рH	5.0-7.5
Melting point / Coagulating point	No data available
Boiling point	Over 100°C

Item Numbers: 82329-1029, 82329-1049, 82329-2500, 82329-3010, 82329-3040, 82329-3060, 82329-3280, 82329-4010, 82329-4510, 82329-500, 82329-500, 8200,

Flash point	No data availa			
Explosive limit UEL	No data available			
Explosive limit LEL No data available				
Vapour pressure				
Vapour density	No data available			
Specific gravity	No data available			
Water solubility	No data available			
Partition coefficient n-octanol/water	No data availa			
Ignition point	No data availa No data availa			
Decomposition point	no data avalla			
10. Stability and reactivity				
Chemical stability	This product	is stable in normal condition.		
Materials to Avoid	No data availa	able		
Conditions to avoid	No data availa	able		
Incompatible materials	No data availa			
Hazardous decomposition products	No data availa			
Acute toxicity-Dermal Acute toxicity-Inhalation : vapour Acute toxicity-Inhalation : mist Skin corrosion / irritation Serious eye damage / eye irritation Respiratory or skin sensitization Germ cell mutagenicity Carcinogenicity Reproductive toxicity Specific target organ toxicity(Singel exposure) Specific target organ toxicity(Repeated exposure) Aspiration hazard		Not classified Not classified Classification not possible Category 3 Category 2 Classification not possible / Category 1 Classification not possible Classification not possible Classification not possible Classification not possible Classification not possible Classification not possible Classification not possible		
12. Ecological information Hazardous to the aquatic environmen Hazardous to the aquatic environmen		Not classified Not classified		
Degradability		No data is available		
		No data is available		
Bioaccumulative potential Mobility in soil		No data is available		

Waste residues

Disposal must be made according to official regulations. Avoid release to the environment.

Item Numbers: 82329-1029, 82329-1049, 82329-2500, 82329-3010, 82329-3040, 82329-3060, 82329-3280, 82329-4010, 82329-4510, 82329-5000, 82329-5000, 82329-5000, 82329-5000, 82329-5000, 82329-5000, 82329-500, 8200, 8

Contaminated container and packaging

Do not flush into the sewer.

Remove all contents when you dispose of empty containers.

14. Transport information

The contents are as follows when transport only ink

International regulation

IMDG(maritime transport)	
UN No.	Not applicable
Class	-
Packing Group	_
Marine Pollutant	_

ICAO/IATA(air transport)

UN No.	Not applicable
Class	-
Packing Group	_
Special precautions	

Prevent from falling, stumbling and doing damage when the container loading..

Avoid acute vibration and friction for container.

If there are some indications of hazard in transporting like acute leak in transporting,

take emergency measures and report the accident at once to disaster management agency.

Avoid transport with foods or feeds.

Above regulations are applied to transport of writing instruments filled with the ink.

15. Regulatory information(Japan)

Industrial Safety and Health Act

Article 57-2 paragraph (1) "notifiable substances" Not applicable
Order for Enforcement Article 1, 6, 9-3 Appended Table 1 item(IV) dangerous substances •inflammable substances Not applicable
Poisonous and Deleterious Substances Control Law
Article 2 Appended Table 1 and 2 Not applicable
Act on confirmation, etc. of Release Amounts of Specific Chemical Substances

in the Environment and Promotion of Improvements to the Management There of

Article 2 Class I, I Designated Chemical Substances

	※ 1	※ 2	※ 3
Sodium alpha-dodecan-1-yl-omega-(sulfonatooxy)poly(oxyethylene)	1.2%	1.5%	Not applicable

※1 MR·MG·MDB

※2 MVI·MGR·MSB·MGO·ME·MMZ·MVE

※3 Except ※1, 2 color

Fire Service Law

Article 2 paragraph (7) hazardous material Appended Table 1 Not applicable

Item Numbers: 82329-1029, 82329-1049, 82329-2500, 82329-3010, 82329-3040, 82329-3060, 82329-3060, 82329-4010, 82329-4510, 82329-5000, 82329-5010, 82329-5000, 82329-500, 8200, 8

Ship Safety Act

Regulations for the carriage and storage of dangerous goods in ship Article 2, 3

dangerous goods public notice Appended Table 1

Not applicable

Civil Aviation Law

Ordinance for Enforcement Article 194 dangerous goods public notice Appended Table 1 Not applicable

16. Other information

In this sheet, the contents of ingredients and the value of physical and chemical properties are not guaranteed performance.

The information contained in this sheet is based on the data available at now.

But this shall not constitute a guarantee for any specific or classification.

Please be alert to handling this product because chemicals shall have unknown hazards.

This sheet may be revised when we get new information.

The information is assumed in the case of large-scale handling on business operations.

They cannot be always applicable to general use of writing instruments.

Reference

Globally Harmonized System of Classification and Labelling of Chemicals (GHS) second revised edition 2007 Recommendation of Occupational Exposure Limits(2009–2010) by The Japan Society for Occupational Health 2009 TLVs and BEIs by ACGIH

Item Numbers: 82329-1029, 82329-1049, 82329-2500, 82329-3010, 82329-3040, 82329-3060, 82329-3280, 82329-4510, 82329-4510, 82329-5000, 82329-5000, 82329-500, 8200, 8