



## Safety Data Sheet

**"11/56M"**

Revision date: 30.08.2019

Product code: 1063401

Page 1 of 8

**1. Identification****Product identifier**

"11/56M"

**Recommended use of the chemical and restrictions on use****Use of the substance/mixture**

Reserved for industrial and professional use.

Sector of uses [SU]:

- Articles for printing and writing:
- Pens


**Details of the supplier of the safety data sheet**

Company name:	Stabilo International GmbH	
Street:	Schwanweg 1	
Place:	D-90562 Heroldsberg	
Post-office box:	Postfach 1	
	D-90560 Heroldsberg	
Telephone:	+49 (0)911567-0	Telefax: +49 (0)911567-4444
e-mail:	info@stabilo.com	
Contact person:	Tobias Fendt	Telephone: +49 (0)911-567-1260
e-mail:	tobias.fendt@stabilo.com	
Internet:	http://www.stabilo.com/	
<b>Emergency phone number:</b>	+49 (0)89-19240 (Germany)	

**2. Hazard(s) identification****Classification of the chemical****Regulation (EC) No. 1272/2008**

Serious eye damage/eye irritation: Eye Dam. 1

Hazardous to the aquatic environment: Aquatic Chronic 2

**Label elements****Regulation (EC) No. 1272/2008****Signal word:** Danger**Pictograms:****Hazard statements**

Causes serious eye damage

Toxic to aquatic life with long lasting effects

**Precautionary statements**

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Collect spillage.

Dispose of contents/container to an appropriate recycling or disposal facility.



## Safety Data Sheet

"11/56M"

Revision date: 30.08.2019

Product code: 1063401

Page 2 of 8

**Hazards not otherwise classified**

No information available.

**3. Composition/information on ingredients****Mixtures****Hazardous components**

CAS No	Components	Quantity
12237-63-7	C.I. PIGMENT RED 169	9.99 %
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one	0.04 %

Full text of H and EUH statements: see section 16.

**4. First-aid measures****Description of first aid measures****General information**

When in doubt or if symptoms are observed, get medical advice.  
 Never give anything by mouth to an unconscious person or a person with cramps.  
 If unconscious place in recovery position and seek medical advice.

**After inhalation**

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary.

**After contact with skin**

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

**After ingestion**

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. If swallowed, rinse mouth with water (only if the person is conscious).  
 Call a physician immediately.  
 Put victim at rest, cover with a blanket and keep warm.  
 Do NOT induce vomiting.

**Most important symptoms and effects, both acute and delayed**

No information available.

**Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**5. Fire-fighting measures****Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

Full water jet

**Specific hazards arising from the chemical**

Non-flammable. Burning produces heavy smoke.  
 Hazardous decomposition products: carbon black. Danger of serious damage to health by prolonged



## Safety Data Sheet

"11/56M"

Revision date: 30.08.2019

Product code: 1063401

Page 3 of 8

exposure.

Use appropriate respiratory protection.

### **Special protective equipment and precautions for fire-fighters**

In case of fire: Wear self-contained breathing apparatus.

### **Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

## 6. Accidental release measures

### **Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Do not breathe gas/fume/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Keep away from sources of ignition - No smoking. Ventilate affected area.

Avoid breathing dust/fume/gas/mist/vapors/spray.

@0601.B060004

### **Environmental precautions**

Do not allow to enter into surface water or drains. Do not allow to enter into surface water or drains.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### **Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### **Reference to other sections**

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

## 7. Handling and storage

### **Precautions for safe handling**

#### **Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fume/vapour/spray. Avoid contact with skin, eyes and clothes. Avoid: Inhalation of vapours or spray/mists. When using do not eat, drink or smoke. Personal protection equipment (PPE): see section 8

Never use pressure to empty container. Keep/Store only in original container.

Do not allow to enter into surface water or drains.

#### **Advice on protection against fire and explosion**

No special fire protection measures are necessary.

### **Conditions for safe storage, including any incompatibilities**

#### **Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only.

Provide adequate ventilation as well as local exhaust at critical locations. Store in accordance with:

Betriebssicherheitsverordnung (BetrSichV).

#### **Hints on joint storage**

Do not store together with: Oxidising agent, Strong acid, Strong alkali

#### **Further information on storage conditions**

Notice the directions for use on the label.

storage temperature of °C 10 up to °C 40.

Keep container tightly closed in a cool, well-ventilated place. Protect from sunlight. Keep away from sources



## Safety Data Sheet

"11/56M"

Revision date: 30.08.2019

Product code: 1063401

Page 4 of 8

of ignition - No smoking. Store in a place accessible by authorized persons only. Always close containers tightly after the removal of product.

## 8. Exposure controls/personal protection

### Control parameters

#### Exposure limits

CAS No.	Substance	ppm	mg/m <sup>3</sup>	f/cc	Category	Origin
7429-90-5	Aluminum (total)	-	10		TWA (8 h)	REL
7429-90-5	Aluminum Metal (as Al) Respirable fraction	-	5		TWA (8 h)	PEL

#### Exposure controls



#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fume/vapour/spray. Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

#### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Environmental exposure controls

Do not allow to enter into surface water or drains.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Physical state:	Liquid	
Color:	"Pinkmetallic"	
pH-Value:		8

#### Changes in the physical state

Melting point/freezing point:	not determined
-------------------------------	----------------



## Safety Data Sheet

"11/56M"

Revision date: 30.08.2019

Product code: 1063401

Page 5 of 8

Initial boiling point and boiling range:	100 °C
Flash point:	not determined
<b>Flammability</b>	
Solid:	not applicable
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
<b>Auto-ignition temperature</b>	
Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	not determined
<b>Oxidizing properties</b>	
Not oxidising.	
Vapor pressure:	23 hPa
(at 20 °C)	
Density (at 20 °C):	1,1 g/cm <sup>3</sup>
Water solubility:	easily soluble
<b>Solubility in other solvents</b>	
not determined	
Partition coefficient:	not determined
Viscosity / dynamic:	11 mPa·s
(at 20 °C)	
Vapor density:	not determined
Evaporation rate:	not determined
Solvent content:	0,8%
<b>Other information</b>	
Solid content:	8,3%

**10. Stability and reactivity****Reactivity**

No hazardous reaction when handled and stored according to provisions.

**Chemical stability**

The product is stable under storage at normal ambient temperatures.

**Possibility of hazardous reactions**

Exothermic reaction with: Oxidising agent, Strong acid, Strong alkali

**Conditions to avoid**

In case of warming: Formation of: Hazardous decomposition products

**Incompatible materials**

No information available.

**Hazardous decomposition products**

No known hazardous decomposition products.

**11. Toxicological information****Information on toxicological effects**


**Safety Data Sheet**
**"11/56M"**

Revision date: 30.08.2019

Product code: 1063401

Page 6 of 8

**Acute toxicity**

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
12237-63-7	C.I. PIGMENT RED 169				
	oral	LD50 > 5000 mg/kg	Rat	Study report (1975)	other: As mentioned below
	dermal	LD50 > 2500 mg/kg	Rat	Study report (1973)	other: As mentioned below
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one				
	oral	LD50 670 mg/kg	Rat	Study report (1988)	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rat	Study report (1994)	OECD Guideline 402
	inhalation vapour	ATE 0,5 mg/l			
	inhalation aerosol	ATE 0,05 mg/l			

Carcinogenicity (OSHA): No ingredient of this mixture is listed.

Carcinogenicity (IARC): No ingredient of this mixture is listed.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

**Additional information on tests**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

**Further information**

There are no data available on the mixture itself.

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Reference to other sections: 2, 3

**12. Ecological information****Ecotoxicity**

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Persistence and degradability**

The product has not been tested.

**Bioaccumulative potential**

The product has not been tested.

**Mobility in soil**

The product has not been tested.

**Other adverse effects**

No information available.

**Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

**13. Disposal considerations****Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

**Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the



## Safety Data Sheet

**"11/56M"**

Revision date: 30.08.2019

Product code: 1063401

Page 7 of 8

substance itself.

**14. Transport information****Special precautions for user**

No information available.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

not applicable

**15. Regulatory information****U.S. Regulations****National regulatory information**

SARA Section 311/312 Hazards:

Aluminum (fume or dust) (7429-90-5): Fire hazard

C.I. PIGMENT RED 169 (12237-63-7): Immediate (acute) health hazard

SARA Section 313 Toxic release inventory:

Aluminum (fume or dust) (7429-90-5): De minimis limit = 1.0 %, Reportable threshold = Standard

**State Regulations****Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)**

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

**Additional information**

Observe in addition any national regulations!

**16. Other information**

Revision date: 30.08.2019

Revision No: 1,0

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

**Classification for mixtures and used evaluation method according to GHS**

Classification	Classification procedure
Eye Dam. 1; H318	Calculation method
Aquatic Chronic 2; H411	Calculation method

**Relevant H statements (full text)**

H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H330	Fatal if inhaled
H400	Very toxic to aquatic life



## Safety Data Sheet

**"11/56M"**

Revision date: 30.08.2019

Product code: 1063401

Page 8 of 8

H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
EUH208	Contains 1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

**Other data**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*