# 🙆 STABILO®

# Safety Data Sheet

Stabilo International GmbH

# "11/55M"

Revision date: 10.11.2020

Product code: 1062850

Page 1 of 7

# 1. Identification

# Product identifier

"11/55M"

### Recommended use of the chemical and restrictions on use

Use of the substance/mixture

Reserved for industrial and professional use.

Sector of uses [SU]: - Articles for printing and writing:

# - Pens

# Details of the supplier of the safety data sheet

Company name:	Stabilo International GmbH	
Street:	Schwanweg 1	
Place:	D-90562 Heroldsberg	
Post-office box:	Postfach 1	
	D-90560 Heroldsberg	
Telephone:	+49 (0)911567-0	Telefax:+49 (0)911567-4444
e-mail:	info@stabilo.com	
Contact person:	Tobias Fendt	Telephone:+49 (0)911-567-1260
e-mail:	tobias.fendt@stabilo.com	
Internet:	http://www.stabilo.com/	
Emergency phone number:	+49 (0)89-19240 (Germany)	

## 2. Hazard(s) identification

# Classification of the chemical

Regulation (EC) No. 1272/2008

Hazardous to the aquatic environment: Aquatic Chronic 3

## Label elements

#### Regulation (EC) No. 1272/2008

#### Hazard statements

Harmful to aquatic life with long lasting effects

## Precautionary statements

Avoid release to the environment.

Return contents/container to the point of sale or to a special waste collection point.

# Hazards not otherwise classified

No information available.

# 3. Composition/information on ingredients

#### **Mixtures**

#### Hazardous components

CAS No	Components	Quantity
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one	0.04 %

Full text of H and EUH statements: see section 16.

#### 4. First-aid measures

Revision No: 1,1 - Replaces version: 1

USA - EN

Print date: 10.11.2020

# 🖢 STABILO®

## Safety Data Sheet

Stabilo International GmbH

## "11/55M"

Revision date: 10.11.2020

Product code: 1062850

Page 2 of 7

Page 2 of 7

## Description of first aid measures

## General information

When in doubt or if symptoms are observed, get medical advice. Never give anything by mouth to an unconscious person or a person with cramps. If unconscious place in recovery position and seek medical advice.

#### After inhalation

Provide fresh air.

#### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

## After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

@0401.B040030

#### Most important symptoms and effects, both acute and delayed

No information available.

#### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### 5. Fire-fighting measures

#### Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

Full water jet

#### Specific hazards arising from the chemical

Non-flammable.

#### Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Use personal protection equipment.

#### Environmental precautions

Do not allow to enter into surface water or drains.

#### Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Reference to other sections

Safe handling: see section 7 Personal protection equipment (PPE): see section 8 Disposal: see section 13

#### 7. Handling and storage

#### Precautions for safe handling

Revision No: 1,1 - Replaces version: 1

USA - EN

Print date: 10.11.2020

## Safety Data Sheet

# "11/55M" Product code: 1062850

Revision date: 10.11.2020

e) STABILO

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion No special fire protection measures are necessary.

#### Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

#### Further information on storage conditions

Notice the directions for use on the label.

storage temperature of °C 10 up to °C 40.

Keep container tightly closed in a cool, well-ventilated place. Protect from sunlight. Keep away from sources of ignition - No smoking. Store in a place accessible by authorized persons only. Always close containers tightly after the removal of product.

## 8. Exposure controls/personal protection

### Control parameters

#### **Exposure limits**

CAS No.	Substance	ppm	mg/m³	f/cc	Category	Origin
7429-90-5	Aluminum (total)	-	10		TWA (8 h)	REL
7429-90-5	Aluminum Metal (as Al) Respirable fraction	-	5		TWA (8 h)	PEL

#### Exposure controls



#### Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

#### Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

Eye/face protection

Wear eye protection/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Overall (Natural fibres (e.g. cotton))

Print date: 10.11.2020

Item Numbers: 82331-6510

Page 3 of 7

Page 3 of 7

Page 3 of 7

#### Stabilo International GmbH

0		R
(2-)	STA	
L'		

# Safety Data Sheet

Revision date: 10.11.2020	<b>"11/55M"</b> Product code: 1062850	Page 4 of 7
Respiratory protection In case of inadequate ventilation wea Environmental exposure controls Do not allow to enter into surface wa	ar respiratory protection.	
9. Physical and chemical properties		
Information on basic physical and chemic	al properties	
Physical state: Color:	Liquid "Violett"	
pH-Value:	7,1 - 9,6	
Changes in the physical state		
Melting point/freezing point:	not determined	
Initial boiling point and boiling range:	not determined	
Flash point:	not determined	
Flammability Solid: Gas:	not applicable not applicable	
Explosive properties The product is not: Explosive.		
Lower explosion limits: Upper explosion limits:	not determined not determined	
<b>Auto-ignition temperature</b> Solid: Gas: Decomposition temperature:	not applicable not applicable not determined	
Oxidizing properties Not oxidising.		
Vapor pressure:	not determined	
Density (at 20 °C):	not determined	
Water solubility: Solubility in other solvents not determined	easily soluble	
Partition coefficient:	not determined	
Vapor density:	not determined	
Evaporation rate:	not determined	
Other information		
Solid content:	not determined	
10. Stability and reactivity		

## **Reactivity**

No hazardous reaction when handled and stored according to provisions.

## Chemical stability

The product is stable under storage at normal ambient temperatures.

# Possibility of hazardous reactions

Revision No: 1,1 - Replaces version: 1

USA - EN

Print date: 10.11.2020

#### Stabilo International GmbH

# **E** STABILO<sup>®</sup>

# Safety Data Sheet

## "11/55M"

Revision date: 10.11.2020

Product code: 1062850

Page 5 of 7

No known hazardous reactions.

# Conditions to avoid

none/none

# Incompatible materials

No information available.

<u>Hazardous decomposition products</u> No known hazardous decomposition products.

#### 11. Toxicological information

## Information on toxicological effects

#### Acute toxicity

CAS No	Components	Components						
	Exposure route	Method						
2634-33-5	-5 1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one							
	oral	LD50 mg/kg	670	Rat	Study report (1988)	OECD Guideline 401		
	dermal	LD50 mg/kg	> 2000	Rat	Study report (1994)	OECD Guideline 402		
	inhalation vapour	ATE	0,5 mg/l					
	inhalation aerosol	ATE	0.05 mg/l					

Carcinogenicity (OSHA): Carcinogenicity (IARC): Carcinogenicity (NTP): No ingredient of this mixture is listed. No ingredient of this mixture is listed. No ingredient of this mixture is listed.

#### Further information

There are no data available on the mixture itself. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Reference to other sections: 2, 3

#### 12. Ecological information

#### **Ecotoxicity**

The product is not: Ecotoxic.

#### Persistence and degradability

The product has not been tested.

#### **Bioaccumulative potential**

The product has not been tested.

#### Mobility in soil

The product has not been tested.

#### Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### 13. Disposal considerations

## Waste treatment methods

Revision No: 1,1 - Replaces version: 1

USA - EN

Print date: 10.11.2020

Item Numbers: 82331-6510

Page 5 of 7

# 🙆 STABILO®

## **Safety Data Sheet**

Stabilo International GmbH

# "11/55M"

Revision date: 10.11.2020

Product code: 1062850

Page 6 of 7

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# 14. Transport information

## Special precautions for user

No information available.

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

### 15. Regulatory information

#### U.S. Regulations

#### National regulatory information

SARA Section 311/312 Hazards:

Aluminum (fume or dust) (7429-90-5): Fire hazard

SARA Section 313 Toxic release inventory:

Aluminum (fume or dust) (7429-90-5): De minimis limit = 1.0 %, Reportable threshold = Standard

#### State Regulations

#### Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

#### Additional information

Observe in addition any national regulations!

#### 16. Other information

Revision date:	10.11.2020	
Revision No:	1,1	
bbreviations and acronyms		
CLP: Classification, labelling	j and Packaging	
REACH: Registration, Evalu	ation and Authorization of Chemicals	
GHS: Globally Harmonised	System of Classification, Labelling and Packaging of (	Chemicals
UN: United Nations		
CAS: Chemical Abstracts S	ervice	
DNEL: Derived No Effect Le	vel	
DMEL: Derived Minimal Effe	ect Level	
PNEC: Predicted No Effect	Concentration	
ATE: Acute toxicity estimate		
LC50: Lethal concentration,	50%	
LD50: Lethal dose, 50%		
LL50: Lethal loading, 50%		
EL50: Effect loading, 50%		
EC50: Effective Concentration	on 50%	
ErC50: Effective Concentra	ion 50%, growth rate	
NOEC: No Observed Effect	Concentration	
BCF: Bio-concentration fact	or	
PBT: persistent, bioaccumu	ative, toxic	
No. 4.4. Deplementary 4		

Revision No: 1,1 - Replaces version: 1

USA - EN

Stablio International GmbH



# Safety Data Sheet

# "11/55M"

Revision date: 10.11.2020

Product code: 1062850

Page 7 of 7

vPvB: very persistent, very bioaccumulative

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GHS

Classification	Classification procedure	
Aquatic Chronic 3; H412	Calculation method	

#### Relevant H statements (full text)

H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H330	Fatal if inhaled
H400	Very toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
EUH208	Contains 1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one. May produce an
	allergic reaction.

## Other data

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)