



Safety Data Sheet

"11/40M"

Revision date: 28.08.2019

Product code: 1060319

Page 1 of 8

1. Identification**Product identifier**

"11/40M"

Recommended use of the chemical and restrictions on use**Use of the substance/mixture**

Reserved for industrial and professional use.

Sector of uses [SU]:

- Articles for printing and writing:
- Pens

Details of the supplier of the safety data sheet

Company name: Stabilo International GmbH

Street: Schwanweg 1

Place: D-90562 Heroldsberg

Post-office box: Postfach 1

D-90560 Heroldsberg

Telephone: +49 (0)911567-0

e-mail: info@stabilo.com

Contact person: Tobias Fendt

e-mail: tobias.fendt@stabilo.com

Internet: http://www.stabilo.com/

Telefax: +49 (0)911567-4444

Telephone: +49 (0)911-567-1260

Emergency phone number:

+49 (0)89-19240 (Germany)

2. Hazard(s) identification**Classification of the chemical****Regulation (EC) No. 1272/2008**

Hazardous to the aquatic environment: Aquatic Chronic 3

Label elements**Regulation (EC) No. 1272/2008****Hazard statements**

Harmful to aquatic life with long lasting effects

Precautionary statements

Avoid release to the environment.

Dispose of contents/container to an appropriate recycling or disposal facility.

Hazards not otherwise classified

No information available.

3. Composition/information on ingredients**Mixtures****Hazardous components**

CAS No	Components	Quantity
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one	0.04 %

Full text of H and EUH statements: see section 16.

4. First-aid measures



Safety Data Sheet

Stabilo International GmbH

"11/40M"

Revision date: 28.08.2019

Product code: 1060319

Page 2 of 8

Description of first aid measures**General information**

When in doubt or if symptoms are observed, get medical advice.
Never give anything by mouth to an unconscious person or a person with cramps.
If unconscious place in recovery position and seek medical advice.

After inhalation

Provide fresh air. Medical treatment necessary. Remove casualty to fresh air and keep warm and at rest.
If breathing is irregular or stopped, administer artificial respiration.

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. Immediately remove any contaminated clothing, shoes or stockings.
After contact with skin, wash immediately with plenty of water and soap.
Do not wash with: Solvents/Thinner

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. If swallowed, rinse mouth with water (only if the person is conscious).
Call a physician immediately.
Put victim at rest, cover with a blanket and keep warm.
Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures**Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings. alcohol resistant foam, Carbon dioxide (CO₂),
Extinguishing powder, Water mist

Unsuitable extinguishing media

Full water jet

Specific hazards arising from the chemical

Non-flammable. Burning produces heavy smoke.
Hazardous decomposition products: carbon black. Danger of serious damage to health by prolonged exposure.
Use appropriate respiratory protection.

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus. Use water spray/stream to protect personnel and to cool endangered containers.
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.



Safety Data Sheet

Stabilo International GmbH

"11/40M"

Revision date: 28.08.2019

Product code: 1060319

Page 3 of 8

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Keep away from sources of ignition - No smoking. Ventilate affected area.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into surface water or drains.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Collect in closed and suitable containers for disposal. Disposal: see section 13

Clean with detergents. Avoid solvent cleaners.

Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

7. Handling and storage**Precautions for safe handling****Advice on safe handling**

Avoid contact with skin, eyes and clothes. Avoid: Inhalation of vapours or spray/mists. When using do not eat, drink or smoke. Personal protection equipment (PPE): see section 8

Never use pressure to empty container. Keep/Store only in original container.

Do not allow to enter into surface water or drains.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container tightly closed. Store in accordance with: Betriebssicherheitsverordnung (BetrSichV).

Hints on joint storage

Do not store together with: Oxidising agent, Strong acid, Strong alkali

Further information on storage conditions

Notice the directions for use on the label.

storage temperature of °C 10 up to °C 40.

Keep container tightly closed in a cool, well-ventilated place. Protect from sunlight. Keep away from sources of ignition - No smoking. Store in a place accessible by authorized persons only. Always close containers tightly after the removal of product.

8. Exposure controls/personal protection**Control parameters**

Safety Data Sheet

"11/40M"

Revision date: 28.08.2019

Product code: 1060319

Page 4 of 8

Exposure limits

CAS No.	Substance	ppm	mg/m ³	f/cc	Category	Origin
7429-90-5	Aluminum (total)	-	10		TWA (8 h)	REL
7429-90-5	Aluminum Metal (as Al) Respirable fraction	-	5		TWA (8 h)	PEL

Exposure controls**Appropriate engineering controls**

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Eye/face protection

Wear eye protection/face protection. Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Wear suitable gloves. Replace when worn. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. See information supplied by the manufacturer. Use protective skin cream before handling the product.

Skin protection

Wear suitable protective clothing. Overall (Natural fibres (e.g. cotton))

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Respiratory protection necessary at: exceeding exposure limit values.

Use suitable breathing apparatus.

Environmental exposure controls

Do not allow to enter into surface water or drains.

9. Physical and chemical properties**Information on basic physical and chemical properties**

Physical state:	Liquid
Color:	"Kupfer"
pH-Value:	7,4 - 9,6
Changes in the physical state	
Melting point/freezing point:	not determined
Initial boiling point and boiling range:	100 °C



Safety Data Sheet

Stabilo International GmbH

"11/40M"

Revision date: 28.08.2019

Product code: 1060319

Page 5 of 8

Flash point:	not determined
Flammability	
Solid:	not applicable
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature	
Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	not determined
Oxidizing properties	
Not oxidising.	
Vapor pressure: (at 20 °C)	23 hPa
Density (at 20 °C):	1,2 g/cm ³
Water solubility:	easily soluble
Solubility in other solvents	
not determined	
Partition coefficient:	not determined
Viscosity / dynamic: (at 20 °C)	8-10 mPa·s
Vapor density:	not determined
Evaporation rate:	not determined
Solvent content:	0,8%
Other information	
Solid content:	38,6%

10. Stability and reactivity**Reactivity**

No hazardous reaction when handled and stored according to provisions.

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

Exothermic reaction with: Oxidising agent, Strong acid, Strong alkali

Conditions to avoid

In case of warming: Formation of: Hazardous decomposition products

Incompatible materials

No information available.

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information**Information on toxicological effects**



Safety Data Sheet

"11/40M"

Revision date: 28.08.2019

Product code: 1060319

Page 6 of 8

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
2634-33-5	1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one				
	oral	LD50 670 mg/kg	Rat	Study report (1988)	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rat	Study report (1994)	OECD Guideline 402
	inhalation vapour	ATE 0,5 mg/l			
	inhalation aerosol	ATE 0,05 mg/l			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitizing effects

Contains 1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA): No ingredient of this mixture is listed.

Carcinogenicity (IARC): No ingredient of this mixture is listed.

Carcinogenicity (NTP): No ingredient of this mixture is listed.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

There are no data available on the mixture itself.

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Reference to other sections: 2, 3

12. Ecological information**Ecotoxicity**

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.

Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. There are no data available on the mixture itself.

The classification was carried out according to the calculation method of the Preparations Directive



Safety Data Sheet

Stabilo International GmbH

"11/40M"

Revision date: 28.08.2019

Product code: 1060319

Page 7 of 8

(1999/45/EC).

Do not allow to enter into surface water or drains.

13. Disposal considerations**Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains.

Dispose according to legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

Dispose according to legislation.

14. Transport information**Special precautions for user**

No information available.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

15. Regulatory information**U.S. Regulations****National regulatory information**

SARA Section 311/312 Hazards:

Aluminum (fume or dust) (7429-90-5): Fire hazard

SARA Section 313 Toxic release inventory:

Aluminum (fume or dust) (7429-90-5): De minimis limit = 1.0 %, Reportable threshold = Standard

State Regulations**Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)**

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

Additional information

Observe in addition any national regulations!

16. Other information

Revision date: 28.08.2019

Revision No: 1,0

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%



Safety Data Sheet

"11/40M"

Revision date: 28.08.2019

Product code: 1060319

Page 8 of 8

Classification for mixtures and used evaluation method according to GHS

Classification	Classification procedure
Aquatic Chronic 3; H412	Calculation method

Relevant H statements (full text)

H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H330	Fatal if inhaled
H400	Very toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
EUH208	Contains 1,2-benzisothiazol-3(2H)-one, 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

Other data

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)