83429-1014

# SAFETY DATA SHEET



**Revision Number** 1

Revision date 24-Oct-2023

## 1. Identification

Product identifier

Product Name CO-14 Solar Rainbow

Other means of identification

Product Code(s) FG00850

UN number or ID number UN3082

Synonyms 35554E

Recommended use of the chemical and restrictions on use

Recommended use Restrictions on use

Details of the supplier of the safety data sheet

**Manufacturer Address** 

American Art Clay Co Inc 6060 Guion Road Indianapolis, IN 46254-1222 USA Toll Free: 1-800-999-5456 CustomerCare@Amaco.com

Emergency telephone number

Emergency Telephone U.S. Poison Control 1-800-222-1222

## 2. Hazard(s) identification

## Classification

Skin sensitization Category 1

Hazards not otherwise classified (HNOC)

Not applicable

Label elements

Hazard statements

Warning

Page 1/13

Page 1 of 13

Revision date 24-Oct-2023

H317 - May cause an allergic skin reaction



Physical state Liquid

## **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Wear protective gloves

## **Precautionary Statements - Response**

Specific treatment (see .? on this label)
IF ON SKIN: Wash with plenty of water and soap
If skin irritation or rash occurs: Get medical advice/attention
Wash contaminated clothing before reuse

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Other information

No information available.

# 3. Composition/information on ingredients

Not applicable.

## Mixture

| Chemical name                             | CAS No     | Weight-% |
|---|------------|----------|
| Water                                     | 7732-18-5  | 40 - 60  |
| Bismuth Trioxide                          | 1304-76-3  | 10 - 20  |
| Quartz                                    | 14808-60-7 | 10 - 20  |
| Nepheline syenite                         | 37244-96-5 | 10 - 20  |
| Manganese                                 | 7439-96-5  | 3 - <5   |
| Calcium molybdate                         | 7789-82-4  | 1 - <3   |
| Kaolin                                    | 1332-58-7  | 1 - <3   |
| Limestone                                 | 1317-65-3  | 1 - <3   |
| Sodium carboxymethyl cellulose            | 9004-32-4  | 0.1 - 1  |
| Smectite-group minerals                   | 12199-37-0 | 0.1 - 1  |
| Aluminum oxide (Al2O3)                    | 1344-28-1  | 0.1 - 1  |
| Iron oxide (Fe2O3)                        | 1309-37-1  | 0.1 - 1  |
| Polyphosphoric acids, sodium salts        | 68915-31-1 | 0.1 - 1  |
| Barium oxide                              | 1304-28-5  | 0.1 - 1  |
| 1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol | 4719-04-4  | 0.1 - 1  |
| Titanium dioxide                          | 13463-67-7 | <0.1     |
| Mica                                      | 12001-26-2 | <0.1     |
| Silica, cristobalite                      | 14464-46-1 | <0.1     |
| Ethanolamine                              | 141-43-5   | <0.1     |

Page 2 / 13

Item Numbers: 83429-1014 Page 2 of 13

Revision date 24-Oct-2023

## 4. First-aid measures

**Description of first aid measures** 

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

**Ingestion** Rinse mouth.

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

# 5. Fire-fighting measures

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

**Unsuitable extinguishing media** Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Item Numbers: 83429-1014 Page 3 of 13

Revision date 24-Oct-2023

## 7. Handling and storage

## Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

## Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep containers tightly closed in a dry, cool and well-ventilated place.

## 8. Exposure controls/personal protection

## Control parameters

**Exposure Limits** 

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

| Chemical name          | ACGIH TLV                              | OSHA PEL   | NIOSH                                    |
|------------------------|--|--|--|
| Quartz                 | TWA: 0.025 mg/m³ respirable            | TWA: 50 μg/m <sup>3</sup>                                    | IDLH: 50 mg/m³ respirable dust           |
| 14808-60-7             | particulate matter                     | (vacated) TWA: 0.1 mg/m <sup>3</sup>                         | TWA: 0.05 mg/m³ respirable               |
|                        |  | respirable dust  | dust                                     |
|                        |  | : (250)/(%SiO2 + 5) mppcf                                    |  |
|                        |  | TWA respirable fraction : (10)/(%SiO2 + 2) mg/m <sup>3</sup> |  |
|                        |  | TWA respirable fraction                                      |  |
| Manganese              | TWA: 0.02 mg/m³ respirable             | (vacated) TWA: 1 mg/m³ fume                                  | IDLH: 500 mg/m <sup>3</sup>              |
| 7439-96-5              | particulate matter                     | (vacated) TWA: Triig/III Turie (vacated) STEL: 3 mg/m³ fume  | TWA: 1 mg/m³ fume                        |
| 7 100 00 0             | TWA: 0.1 mg/m <sup>3</sup> inhalable   | (vacated) Ceiling: 5 mg/m <sup>3</sup>                       | STEL: 3 mg/m <sup>3</sup>                |
|                        | particulate matter                     | Ceiling: 5 mg/m³ fume  | C : : 0g,                                |
| Calcium molybdate      | TWA: 10 mg/m <sup>3</sup> Mo inhalable | TWA: 15 mg/m³ total dust                                     | IDLH: 5000 mg/m <sup>3</sup> Mo          |
| 7789-82-4              | particulate matter                     | (vacated) TWA: 10 mg/m³ Mo                                   |  |
|                        | TWA: 3 mg/m³ Mo respirable             |  |  |
|                        | particulate matter                     |  |  |
| Kaolin                 | TWA: 2 mg/m³ particulate               | TWA: 15 mg/m <sup>3</sup> total dust                         | TWA: 10 mg/m³ total dust                 |
| 1332-58-7              | matter containing no asbestos          | TWA: 5 mg/m <sup>3</sup> respirable                          | TWA: 5 mg/m <sup>3</sup> respirable dust |
|                        | and <1% crystalline silica,            | fraction   |  |
|                        | respirable particulate matter          | (vacated) TWA: 10 mg/m³ total                                |  |
|                        |  | dust<br>(vacated) TWA: 5 mg/m³                               |  |
|                        |  | respirable fraction  |  |
| Limestone              | _                                      | TWA: 15 mg/m³ total dust                                     | TWA: 10 mg/m³ total dust                 |
| 1317-65-3              |  | TWA: 5 mg/m³ respirable                                      | TWA: 5 mg/m³ respirable dust             |
|                        |  | fraction   |  |
|                        |  | (vacated) TWA: 15 mg/m³ total                                |  |
|                        |  | dust   |  |
|                        |  | (vacated) TWA: 5 mg/m <sup>3</sup>                           |  |
|                        |  | respirable fraction  |  |
| Aluminum oxide (Al2O3) | TWA: 1 mg/m³ respirable                | TWA: 15 mg/m³ total dust                                     | -  |
| 1344-28-1              | particulate matter                     | TWA: 5 mg/m³ respirable                                      |  |
|                        |  | fraction   |  |
|                        |  | (vacated) TWA: 10 mg/m³ total                                |  |
|                        |  | dust<br>(vacated) TWA: 5 mg/m³                               |  |
|                        |  | respirable fraction  |  |
|                        | l .                                    | respirable fraction  |  |

Page 4/13

Revision date 24-Oct-2023

| Iron oxide (Fe2O3)   | TWA: 5 mg/m³ respirable     | TWA: 10 mg/m³ fume                        | IDLH: 2500 mg/m³ Fe dust and             |
|----------------------|-----------------------------|---|--|
| 1309-37-1            | particulate matter          | TWA: 15 mg/m³ total dust                  | fume                                     |
|                      | ·                           | TWA: 5 mg/m3 respirable                   | TWA: 5 mg/m <sup>3</sup> Fe dust and     |
|                      |                             | fraction                                  | fume                                     |
|                      |                             | (vacated) TWA: 10 mg/m <sup>3</sup> fume  |  |
|                      |                             | and total dust Iron oxide                 |  |
|                      |                             | (vacated) TWA: 5 mg/m <sup>3</sup>        |  |
|                      |                             | respirable fraction regulated             |  |
|                      |                             | under Rouge                               |  |
| Barium oxide         | TWA: 0.5 mg/m³ Ba           | TWA: 0.5 mg/m³ Ba regulated               | IDLH: 50 mg/m³ Ba                        |
| 1304-28-5            |                             | under CAS 7440-39-3                       | TWA: 0.5 mg/m <sup>3</sup> except Barium |
|                      |                             | (vacated) TWA: 0.5 mg/m³ Ba               | sulfate Ba                               |
| Titanium dioxide     | TWA: 10 mg/m³               | TWA: 15 mg/m³ total dust                  | IDLH: 5000 mg/m <sup>3</sup>             |
| 13463-67-7           |                             | (vacated) TWA: 10 mg/m³ total             | TWA: 2.4 mg/m <sup>3</sup> CIB 63 fine   |
|                      |                             | dust                                      | TWA: 0.3 mg/m <sup>3</sup> CIB 63        |
|                      |                             |   | ultrafine, including engineered          |
|                      |                             |   | nanoscale                                |
| Mica                 | TWA: 0.1 mg/m³ respirable   | (vacated) TWA: 3 mg/m <sup>3</sup>        | IDLH: 1500 mg/m <sup>3</sup>             |
| 12001-26-2           | particulate matter          | respirable dust <1% Crystalline           | TWA: 3 mg/m³ containing <1%              |
|                      |                             | silica                                    | Quartz respirable dust                   |
|                      |                             | TWA: 20 mppcf <1% Crystalline             |  |
|                      |                             | silica                                    |  |
| Silica, cristobalite | TWA: 0.025 mg/m³ respirable | TWA: 50 μg/m <sup>3</sup>                 | IDLH: 25 mg/m³ respirable dust           |
| 14464-46-1           | particulate matter          | (vacated) TWA: 0.05 mg/m <sup>3</sup>     | TWA: 0.05 mg/m <sup>3</sup> respirable   |
|                      |                             | respirable dust                           | dust                                     |
|                      |                             | : (1/2)(250)/(%SiO2 + 5)                  |  |
|                      |                             | mppcf TWA respirable fraction             |  |
|                      |                             | : (1/2)(10)/(%SiO2 + 2) mg/m <sup>3</sup> |  |
| F                    | 0.751                       | TWA respirable fraction                   | IDI II GO                                |
| Ethanolamine         | STEL: 6 ppm                 | TWA: 3 ppm                                | IDLH: 30 ppm                             |
| 141-43-5             | TWA: 3 ppm                  | TWA: 6 mg/m <sup>3</sup>                  | TWA: 3 ppm                               |
|                      |                             | (vacated) TWA: 3 ppm                      | TWA: 8 mg/m <sup>3</sup>                 |
|                      |                             | (vacated) TWA: 8 mg/m <sup>3</sup>        | STEL: 15 mg/m3                           |
|                      |                             | (vacated) STEL: 6 ppm                     | STEL: 15 mg/m <sup>3</sup>               |
|                      |                             | (vacated) STEL: 15 mg/m <sup>3</sup>      |  |

## **Appropriate engineering controls**

Engineering controls Showers

Eyewash stations Ventilation systems.

## Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

**Skin and body protection** Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liqu

Appearance

 Item Numbers: 83429-1014
 Page 5 of 13

Revision date 24-Oct-2023

Color

**Odor threshold** 

Values Remarks • Method Property No data available рΗ None known Melting point / freezing point None known No data available Initial boiling point and boiling rangeNo data available None known Flash point No data available None known No data available None known **Evaporation rate** Flammability No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Relative vapor density No data available None known Relative density No data available None known No data available None known Water solubility Solubility(ies) No data available None known Partition coefficient No data available None known Autoignition temperature No data available None known **Decomposition temperature** None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known

Other information

Explosive properties

Oxidizing properties

VOC Content (%)

No information available
No information available
No information available

## 10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

## 11. Toxicological information

## Information on likely routes of exposure

## **Product Information**

InhalationSpecific test data for the substance or mixture is not available.Eye contactSpecific test data for the substance or mixture is not available.

Skin contact May cause sensitization by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components).

**Ingestion** Specific test data for the substance or mixture is not available.

Item Numbers: 83429-1014 Page 6 of 13

Revision date 24-Oct-2023

Symptoms related to the physical, chemical and toxicological characteristics

Itching. Rashes. Hives. **Symptoms** 

**Acute toxicity** 

**Numerical measures of toxicity** 

No information available

The following values are calculated based on chapter 3.1 of the GHS document ATEmix (oral) 22,278.60 mg/kg
ATEmix (dermal) 32,536.20 mg/kg

**Component Information** 

| Chemical name  | Oral LD50           | Dermal LD50             | Inhalation LC50                                |
|--|---------------------|-------------------------|--|
| Water<br>7732-18-5   | > 90 mL/kg (Rat)    | -                       | -  |
| Bismuth Trioxide<br>1304-76-3                              | = 5 g/kg (Rat)      | -                       | > 5.07 mg/L (Rat) 4 h                          |
| Manganese<br>7439-96-5                                     | = 9 g/kg (Rat)      | -                       | > 5.14 mg/L (Rat) 4 h                          |
| Calcium molybdate<br>7789-82-4                             | -                   | > 2000 mg/kg (Rat)      | > 5.84 mg/L (Rat) 4 h                          |
| Kaolin<br>1332-58-7  | > 5000 mg/kg (Rat)  | > 5000 mg/kg (Rat)      | -  |
| Sodium carboxymethyl cellulose 9004-32-4                   | = 27000 mg/kg (Rat) | -                       | > 5800 mg/m³ (Rat) 4 h                         |
| Aluminum oxide (Al2O3)<br>1344-28-1                        | > 5000 mg/kg (Rat)  | -                       | -  |
| Iron oxide (Fe2O3)<br>1309-37-1                            | > 10000 mg/kg (Rat) | -                       | -  |
| Polyphosphoric acids, sodium salts 68915-31-1              | = 3053 mg/kg(Rat)   | -                       | -  |
| 1,3,5-Triazine-1,3,5(2H,4H,6H)-t<br>riethanol<br>4719-04-4 | = 763 mg/kg (Rat)   | > 4000 mg/kg(Rat)       | = 0.4 mg/L (Rat) 4 h<br>= 0.338 mg/L (Rat) 4 h |
| Titanium dioxide<br>13463-67-7                             | > 10000 mg/kg (Rat) | -                       | = 5.09 mg/L (Rat) 4 h                          |
| Ethanolamine<br>141-43-5                                   | = 1720 mg/kg (Rat)  | = 1000 mg/kg ( Rabbit ) | > 1.3 mg/L (Rat) 6 h                           |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

May cause an allergic skin reaction. Respiratory or skin sensitization

No information available. Germ cell mutagenicity

No information available. Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name      | ACGIH | IARC    | NTP   | OSHA |
|--------------------|-------|---------|-------|------|
| Quartz             | A2    | Group 1 | Known | X    |
| 14808-60-7         |       |         |       |      |
| Iron oxide (Fe2O3) | -     | Group 3 | -     | -    |

Page 7 of 13 Item Numbers: 83429-1014

Revision date 24-Oct-2023

| 1309-37-1                          |    |          |       |   |
|------------------------------------|----|----------|-------|---|
| Titanium dioxide<br>13463-67-7     | -  | Group 2B | -     | Х |
| Silica, cristobalite<br>14464-46-1 | A2 | Group 1  | Known | Х |

## Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

No information available. Reproductive toxicity

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Target organ effects Respiratory system, Eyes, Skin, Lungs, Gastrointestinal tract (GI).

No information available. **Aspiration hazard** 

Other adverse effects Interactive effects

## 12. Ecological information

## **Ecotoxicity**

| Chemical name  | Algae/aquatic plants                               | Fish   | Toxicity to microorganisms | Crustacea                             |
|--|--|--|----------------------------|---------------------------------------|
| Manganese<br>7439-96-5                                     | -  | LC50: >3.6mg/L (96h, Oncorhynchus mykiss)  | -                          | -                                     |
| Iron oxide (Fe2O3)<br>1309-37-1                            | -  | LC50: =100000mg/L (96h,<br>Danio rerio)  | -                          | -                                     |
| 1,3,5-Triazine-1,3,5(2H,4<br>H,6H)-triethanol<br>4719-04-4 | -  | LC50: =16.07mg/L (96h,<br>Danio rerio)   | -                          | -                                     |
| Ethanolamine<br>141-43-5                                   | EC50: =15mg/L (72h,<br>Desmodesmus<br>subspicatus) | LC50: =227mg/L (96h, Pimephales promelas) LC50: =3684mg/L (96h, Brachydanio rerio) LC50: 300 - 1000mg/L (96h, Lepomis macrochirus) LC50: 114 - 196mg/L (96h, Oncorhynchus mykiss) LC50: >200mg/L (96h, | -                          | EC50: =65mg/L (48h,<br>Daphnia magna) |

Revision date 24-Oct-2023

| Oncorhynchus mykiss | ) |  |
|---------------------|---|--|
|---------------------|---|--|

#### Persistence and degradability

**Bioaccumulation** There is no data for this product.

| Chemical name            | Partition coefficient |
|--------------------------|-----------------------|
| Ethanolamine<br>141-43-5 | -1.91                 |

Other adverse effects No information available

## 13. Disposal considerations

## **Disposal methods**

Waste from residues/unused

products

Dispose of waste in accordance with environmental legislation. Dispose of in accordance

with local regulations.

Contaminated packaging

Do not reuse empty containers.

**California Hazardous Waste Status** 

This product contains one or more substances that are listed with the State of California as

a hazardous waste.

## 14. Transport information

#### DOT

Notes

**UN number or ID number** 

Proper shipping name

Transport hazard class(es)

Packing group

Special Provisions

**DOT Marine Pollutant** 

Description

**Emergency Response Guide** 

Number

## No components found suitable for Technical Name.

UN3082

Environmentally hazardous substance, liquid, n.o.s.

Ш

8, 146, 173, 335, IB3, T4, TP1, TP29

UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III, Marine pollutant

171

## **TDG**

**Notes** 

No components found suitable for Technical Name. UN3082

**UN** number or ID number Environmentally hazardous substance, liquid, n.o.s.

**UN proper shipping name** 

Transport hazard class(es)

Packing group Special Provisions

16.99

Description UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III

#### **MEX**

**UN number or ID number UN proper shipping name** 

Transport hazard class(es) Packing group

Description **Special Provisions** 

## No components found suitable for Technical Name.

Environmentally hazardous substance, liquid, n.o.s.

Ш

Ш

UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III

274, 331, 335

#### ICAO (air) Notes

No components found suitable for Technical Name.

Revision date 24-Oct-2023

UN3082 **UN number or ID number** 

Environmentally hazardous substance, liquid, n.o.s. UN proper shipping name

9

Ш

91

Transport hazard class(es)

Packing group Description

UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III Special Provisions A97, A158, A197, A215

<u>IATA</u>

Notes

No components found suitable for Technical Name. **UN** number or ID number UN3082 **UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s. Transport hazard class(es)

A97, A158, A197

Packing group

Description **Special Provisions** 

**ERG Code** 

**IMDG** 

**UN** number or ID number **UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s. Transport hazard class(es)

Packing group Ш F-A, S-F EmS-No **Special Provisions** 274, 335, 969

Marine pollutant

Description UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III, Marine pollutant

RID

Notes

No components found suitable for Technical Name.

No components found suitable for Technical Name.

UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III

**UN** number or ID number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. 9

Transport hazard class(es) Packing group Ш Classification code

**Special Provisions** 274, 335, 375, 601

Description UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III

ADR

Notes **UN number or ID number**  No components found suitable for Technical Name. UN3082

**UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s.

Transport hazard class(es) Packing group Ш Classification code M6 Tunnel restriction code

**Special Provisions** 274, 335, 601, 375

Description UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III, (-)

<u>ADN</u>

No components found suitable for Technical Name.

**UN** number or ID number UN3082

**UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s. 9

Transport hazard class(es) Packing group Ш Classification code M6

**Special Provisions** 274, 335, 375, 601

. Description UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III

**Equipment Requirements** 

## 15. Regulatory information

**International Inventories** 

Page 10/13

Page 10 of 13 Item Numbers: 83429-1014

Revision date 24-Oct-2023

**TSCA** 

Contact supplier for inventory compliance status.

| Chemical name                                 | CAS No     | US TSCA Inventory listing | US TSCA inactive/active designation |
|---|------------|---------------------------|-------------------------------------|
| Water   | 7732-18-5  | Present                   | Active                              |
| Bismuth Trioxide                              | 1304-76-3  | Present                   | Active                              |
| Quartz  | 14808-60-7 | Present                   | Active                              |
| Nepheline syenite                             | 37244-96-5 | -                         | Unknown *                           |
| Manganese                                     | 7439-96-5  | Present                   | Active                              |
| Calcium molybdate                             | 7789-82-4  | Present                   | Active                              |
| Kaolin  | 1332-58-7  | Present                   | Active                              |
| Limestone                                     | 1317-65-3  | Present                   | Active                              |
| Sodium carboxymethyl cellulose                | 9004-32-4  | Present                   | Active                              |
| Smectite-group minerals                       | 12199-37-0 | Present                   | Active                              |
| Aluminum oxide (Al2O3)                        | 1344-28-1  | Present                   | Active                              |
| Iron oxide (Fe2O3)                            | 1309-37-1  | Present                   | Active                              |
| Polyphosphoric acids, sodium salts            | 68915-31-1 | Present                   | Active                              |
| Barium oxide                                  | 1304-28-5  | Present                   | Active                              |
| 1,3,5-Triazine-1,3,5(2H,4H,6H)-trietha<br>nol | 4719-04-4  | Present                   | Active                              |
| Mica  | 12001-26-2 | -                         | Unknown *                           |
| Titanium dioxide                              | 13463-67-7 | Present                   | Active                              |
| Silica, cristobalite                          | 14464-46-1 | Present                   | Active                              |
| Ethanolamine                                  | 141-43-5   | Present                   | Active                              |

<sup>\*</sup>Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

**DSL/NDSL** Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL** Contact supplier for inventory compliance status. **PICCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. AIIC **NZIoC** Contact supplier for inventory compliance status.

## Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

#### US Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Chemical name                      | SARA 313 - Threshold Values % |
|------------------------------------|-------------------------------|
| Manganese - 7439-96-5              | 1.0                           |
| Aluminum oxide (Al2O3) - 1344-28-1 | 1.0                           |
| Barium oxide - 1304-28-5           | 1.0                           |

Page 11 of 13

Revision date 24-Oct-2023

<u>SARA 311/312 Hazard Categories</u>
Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## **US State Regulations**

#### U.S. State Right-to-Know Regulations

| Chemical name                       | New Jersey | Massachusetts | Pennsylvania |
|-------------------------------------|------------|---------------|--------------|
| Water<br>7732-18-5                  | -          | -             | X            |
| Quartz<br>14808-60-7                | X          | X             | X            |
| Manganese<br>7439-96-5              | Х          | X             | X            |
| Kaolin<br>1332-58-7                 | Х          | Х             | Х            |
| Limestone<br>1317-65-3              | Х          | X             | Х            |
| Aluminum oxide (Al2O3)<br>1344-28-1 | Х          | Х             | Х            |
| Iron oxide (Fe2O3)<br>1309-37-1     | Х          | X             | X            |
| Barium oxide<br>1304-28-5           | X          | -             | X            |
| Mica<br>12001-26-2                  | X          | -             | X            |
| Titanium dioxide<br>13463-67-7      | Х          | Х             | X            |
| Silica, cristobalite<br>14464-46-1  | Х          | X             | X            |
| Ethanolamine<br>141-43-5            | Х          | X             | Х            |

## U.S. EPA Label Information

## EPA Pesticide Registration Number Not applicable

| 16. Other info | rmation |
|----------------|---------|
|----------------|---------|

Flammability 0 Instability 0 NFPA Health hazards 2 Special hazards -Flammability 0 Health hazards 2 Physical hazards 0 Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Maximum limit value Ceiling Skin designation

Page 12 of 13 Item Numbers: 83429-1014

Revision date 24-Oct-2023

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date

24-Oct-2023

**Revision Note** 

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**