SAFETY DATA SHEET

83432-1110

AMACO EST. 1919 brent

Revision Number 1

Revision date 03-Oct-2024

1. Identification		
Product identifier		
Product Name	DL-27 Storm Cloud	
Other means of identification		
Product Code(s)	FG00900	
Synonyms	39816N	
Recommended use of the chemical	and restrictions on use	
Recommended use		
Restrictions on use		
Details of the supplier of the safety	data sheet	
Manufacturer Address American Art Clay Co Inc 6060 Guion Road Indianapolis, IN 46254-1222 USA Toll Free: 1-800-999-5456 CustomerCare@Amaco.com		

Emergency telephone number

Emergency Telephone

U.S. Poison Control 1-800-222-1222

2. Hazard(s) identification

Classification

Acute toxicity - Oral	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2

Hazards not otherwise classified (HNOC) Not applicable

Label elements

Hazard statements

Danger H301 - Toxic if swallowed H332 - Harmful if inhaled H350 - May cause cancer H373 - May cause damage to organs through prolonged or repeated exposure

Physical state Powder

Precautionary Statements - Prevention Obtain special instructions before use Do not handle until all safety precautions have been read and understood Wear protective gloves/clothing and eye/face protection Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention Specific treatment (see .? on this label) IF INHALED: Remove person to fresh air and keep comfortable for breathing IF SWALLOWED: Immediately call a doctor Rinse mouth

Precautionary Statements - Storage Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Unknown acute toxicity

49.2305 % of the mixture consists of ingredient(s) of unknown acute oral toxicity 78.8205 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Other information

May be harmful in contact with skin. Very toxic to aquatic life with long lasting effects. Very toxic to aquatic life.

3. Composition/information on ingredients

Not applicable.

<u>Mixture</u>

Chemical name	CAS No	Weight-%
Frits, chemicals	65997-18-4	10 - 20
Copper oxide (CuO)	1317-38-0	3 - <5
C.I. Pigment Blue 72	68186-87-8	1 - <3
Titanium dioxide	13463-67-7	0.1 - 1

Revision date 03-Oct-2024

4. First-aid measures	4. First-aid measures			
Description of first aid measures				
General advice	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.			
Inhalation	If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. If symptoms persist, call a physician.			
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.			
Skin contact	Wash skin with soap and water.			
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get medical attention.			
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid breathing dust/fume/gas/mist/vapors/spray. Use personal protective equipment as required. See section 8 for more information.			
Most important symptoms and effe	cts, both acute and delayed			
Symptoms	Coughing and/ or wheezing. Difficulty in breathing.			
Indication of any immediate medica	al attention and special treatment needed			
Note to physicians Treat symptomatically.				
5. Fire-fighting measures				
Suitable Extinguishing Media Large Fire	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. CAUTION: Use of water spray when fighting fire may be inefficient.			
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.			
Specific hazards arising from the chemical	No information available.			
Explosion data Sensitivity to mechanical impac	et None.			
Sensitivity to static discharge	None.			
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.			
6. Accidental release meas	sures			
Personal precautions, protective ed	guipment and emergency procedures			
Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid generation of dust. Do not breathe dust.			
Other information	Refer to protective measures listed in Sections 7 and 8.			

Revision date 03-Oct-2024

Methods and material for containment and cleaning up			
Methods for containment Prevent further leakage or spillage if safe to do so.			
Methods for cleaning up Pick up and transfer to properly labeled containers.			

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid generation of dust. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Frits, chemicals	STEL: 10 mg/m ³ Zr	TWA: 10 µg/m³ As	IDLH: 5 mg/m ³ As
65997-18-4	TWA: 0.01 mg/m ³ As	TWA: 50 µg/m³ Pb	IDLH: 9 mg/m ³ Cd dust and
	TWA: 0.05 mg/m ³ Pb	TWA: 0.5 mg/m ³ Sb	fume
	TWA: 0.01 mg/m ³ Cd	TWA: 5 mg/m ³ Zr	IDLH: 50 mg/m ³ Sb
	TWA: 0.002 mg/m ³ Cd	(vacated) TWA: 0.5 mg/m ³ Sb	IDLH: 100 mg/m ³ Cu dust and
	respirable particulate matter	(vacated) TWA: 5 mg/m ³ Zr	mist
	TWA: 0.5 mg/m ³ Sb	(vacated) STEL: 10 mg/m ³ Zr	IDLH: 500 mg/m ³ Mn
	TWA: 1 mg/m ³ Cu dust and mist		IDLH: 25 mg/m ³ Zr
	TWA: 3 mg/m ³ W respirable	Ceiling: 5 mg/m ³ Mn	IDLH: 100 mg/m ³ Pb
	particulate matter in the absence		IDLH: 10 mg/m ³ Ni
	of cobalt		Ceiling: 0.002 mg/m ³ As 15 min
	TWA: 5 mg/m ³ Zr		Ceiling: 0.05 mg/m ³ V dust and
	TWA: 0.02 mg/m ³ Mn respirable		fume 15 min
	particulate matter		TWA: 0.5 mg/m ³ Sb
	TWA: 0.1 mg/m ³ Mn inhalable		TWA: 1 mg/m ³ Cu dust and
	particulate matter		mist
			TWA: 1 mg/m ³ Mn
			TWA: 5 mg/m ³ except Zirconium
			tetrachloride Zr
			TWA: 0.050 mg/m ³ Pb
			TWA: 0.015 mg/m ³ except
			Nickel carbonyl Ni
			STEL: 3 mg/m ³ Mn
			STEL: 10 mg/m ³ Zr
Copper oxide (CuO) 1317-38-0	TWA: 1 mg/m ³ Cu dust and mist	-	IDLH: 100 mg/m ³ Cu dust and
1317-38-0			mist
			TWA: 0.1 mg/m ³ Cu fume

Revision date 03-Oct-2024

_				
	C.I. Pigment Blue 72	TWA: 0.02 mg/m ³ Co inhalable	-	-
	68186-87-8	particulate matter		
Γ	Titanium dioxide	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust	IDLH: 5000 mg/m ³
	13463-67-7	-	(vacated) TWA: 10 mg/m ³ total	TWA: 2.4 mg/m ³ CIB 63 fine
			dust	TWA: 0.3 mg/m ³ CIB 63
				ultrafine, including engineered
				nanoscale

Biological occupational exposure limits

Chemical name	ACGIH
65997-18-4	200 μg/L - blood (Lead) - not critical 5 μg/g creatinine - urine (Cadmium) - not critical
	5 μg/L - blood (Cadmium) - not critical
C.I. Pigment Blue 72 68186-87-8	15 μ g/L - urine (Cobalt) - end of shift at end of workweek

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	No special protective equipment required.
Hand protection	Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Avoid breathing dust/fume/gas/mist/vapors/spray.

9. Physical and chemical properties

Information on basic physical and o Physical state Appearance Color Odor Odor	<u>chemical properties</u> Powder	
Property	Values	Remarks • Method
pH	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling rang	je No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	

Page 5 / 11

Vapor pressure Relative vapor density Relative density Water solubility Solubility(ies) Partition coefficient Autoignition temperature Decomposition temperature	No data available No data available No data available No data available No data available No data available No data available	None known None known None known None known None known None known None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other information Explosive properties Oxidizing properties VOC Content (%)	No information available No information available No information available	
10. Stability and reactivity		
Reactivity	No information available.	
Chemical stability	Stable under normal conditions.	
Possibility of hazardous reactions	None under normal processing.	
Conditions to avoid	Excessive heat.	

Incompatible materials None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information Information on likely routes of exposure **Product Information** Specific test data for the substance or mixture is not available. Harmful by inhalation. (based Inhalation on components). Eye contact Specific test data for the substance or mixture is not available. Skin contact May be harmful in contact with skin. Ingestion Specific test data for the substance or mixture is not available. Toxic if swallowed. (based on components). Symptoms related to the physical, chemical and toxicological characteristics Symptoms Coughing and/ or wheezing. Acute toxicity Numerical measures of toxicity No information available

 The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 251.40 mg/kg

 ATEmix (dermal)
 2,489.70 mg/kg

 ATEmix (inhalation-gas)
 99.999.00 ppm

 ATEmix (inhalation-dust/mist)
 1.62 mg/l

Page 6 / 11

Revision date 03-Oct-2024

Revision date 03-Oct-2024

ATEmix (inhalation-vapor) 99,999.00 mg/l

Unknown acute toxicity

49.2305 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

78.8205 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Frits, chemicals 65997-18-4	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Copper oxide (CuO) 1317-38-0	-	> 2000 mg/kg (Rat)	-
C.I. Pigment Blue 72 68186-87-8	-	-	> 5.06 mg/L (Rat)4 h
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat)4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure_

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Coroine conicity	Containe a known ar suspector

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Frits, chemicals	A1	Group 1	Known	Х
65997-18-4	A3	Group 2B	Reasonably Anticipated	
	A2	Group 2A		
C.I. Pigment Blue 72	A3	Group 2B	Reasonably Anticipated	Х
68186-87-8				
Titanium dioxide	-	Group 2B	-	Х
13463-67-7				

Legend ACGIH (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen
A2 - Suspected Human Carcinogen
A3 - Animal Carcinogen
IARC (International Agency for Research on Cancer)
Group 1 - Carcinogenic to Humans
Group 2A - Probably Carcinogenic to Humans
Group 2B - Possibly Carcinogenic to Humans
MTP (National Toxicology Program)
Known - Known Carcinogen
Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
X - Present

Reproductive toxicity

No information available.

Item Numbers: 83432-1110

Page 7 / 11

STOT - single exposure	No information available.		
STOT - repeated exposure	May cause damage to organs through prolonged or repeated exposure.		
Target organ effects	Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate, Gastrointestinal tract (GI).		
Aspiration hazard	No information available.		
Other adverse effects			
Interactive effects			
12. Ecological information			
Ecotoxicity	Very toxic to aquatic life with long lasting effects.		
Persistence and degradability			
Bioaccumulation	There is no data for this product.		
Other adverse effects	No information available.		
13. Disposal consideration	S		
Disposal methods			
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.		

Contaminated packaging	Do not reuse empty containers.
California Hazardous Waste Status	This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport information

DOT

Not regulated

UN number or ID number UN 3077

Revision date 03-Oct-2024

15. Regulatory information

International Inventories

TSCA

Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Quartz	14808-60-7	Present	Active
Wollastonite (Ca(SiO3))	13983-17-0	Present	Active
Frits, chemicals	65997-18-4	Present	Active
Nepheline syenite	37244-96-5	-	Unknown *
Kaolin	1332-58-7	Present	Active
Copper oxide (CuO)	1317-38-0	Present	Active
C.I. Pigment Blue 72	68186-87-8	Present	Active
Bentonite	1302-78-9	Present	Active
Amorphous Silica	112926-00-8	Present	Active
Epsom Salt	10034-99-8	Present	Active
C.I. Pigment Brown 33	68186-88-9	Present	Active
Mica	12001-26-2	-	Unknown *
Titanium dioxide	13463-67-7	Present	Active
Polyphosphoric acids, sodium salts	68915-31-1	Present	Active
Silica, cristobalite	14464-46-1	Present	Active
Copper(I) oxide	1317-39-1	Present	Active

*Contact supplier for details. One or more substances in this product are either not listed on the US TSCA inventory, listed on the confidential US TSCA inventory or are otherwise exempted from inventory listing requirements

DSL/NDSL EINECS/ELINCS ENCS IECSC KECL PICCS	Contact supplier for inventory compliance status. Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
NZIoC	Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals NZIOC - New Zealand Inventory of Chemicals

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Frits, chemicals - 65997-18-4	0.1

Revision date 03-Oct-2024

	1.0
Copper oxide (CuO) - 1317-38-0	1.0
C.I. Pigment Blue 72 - 68186-87-8	1.0
_	0.1

SARA 311/312 Hazard Categories Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

<u>CWA (Clean Water Act)</u> This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Frits, chemicals 65997-18-4	-	Х	-	-
Copper oxide (CuO) 1317-38-0	-	Х	-	-
C.I. Pigment Blue 72 68186-87-8	-	Х	-	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Quartz 14808-60-7	Х	X	Х
Wollastonite (Ca(SiO3)) 13983-17-0	Х	X	Х
Frits, chemicals 65997-18-4	Х	-	Х
Kaolin 1332-58-7	Х	X	Х
Copper oxide (CuO) 1317-38-0	Х	-	Х
C.I. Pigment Blue 72 68186-87-8	Х	-	Х
Amorphous Silica 112926-00-8	Х	-	Х
C.I. Pigment Brown 33 68186-88-9	Х	-	Х
Mica 12001-26-2	Х	-	Х
Titanium dioxide 13463-67-7	Х	X	Х
Silica, cristobalite 14464-46-1	Х	X	Х
Copper(I) oxide 1317-39-1	Х	-	Х

U.S. EPA Label Information

Revision date 03-Oct-2024

EPA Pesticide Registration Number Not applicable

16. Other information Instability 0 **NFPA** Health hazards 3 Flammability 0 Special hazards -HMIS Health hazards 2* Flammability 0 Physical hazards 0 Personal protection X Chronic Hazard Star Legend = Chronic Health Hazard Key or legend to abbreviations and acronyms used in the safety data sheet Legend Section 8: Exposure controls/personal protection TWA (time-weighted average) TWA STEL STEL (Short Term Exposure Limit) Ceiling Maximum limit value Skin designation Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization **Revision date** 03-Oct-2024 **Revision Note Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Item Numbers: 83432-1110