

83498-0116

Page 1/8

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/07/2017

Reviewed on 02/07/2017

**1 Identification**

- **Product Identifier**
- **Trade name: KILN WASH**
- **Relevant identified uses of the substance or mixture and uses advised against:**  
No further relevant information
- **Product Description** Kiln Wash
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**  
Coloramics, LLC (D.B.A. Mayco Colors)  
4077 Weaver Court South  
Hilliard, Ohio 43026  
United States of America  
(614) 876-1171
- **Emergency telephone number:** In case of emergency contact your Regional or Local Poison Control Center

**2 Hazard(s) Identification**

- **Classification of the substance or mixture:**  
Eye Irrit. 2B H320 Causes eye irritation.
- **Label elements:**
- **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Warning
- **Hazard statements:**  
H320 Causes eye irritation.
- **Precautionary statements:**  
P264 Wash thoroughly after handling.  
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.
- **Unknown acute toxicity:**  
This value refers to knowledge of known, established toxicological or ecotoxicological values.  
4.8 % of the mixture consists of component(s) of unknown toxicity.
- **Classification system:** NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	1	Health = 1
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

- **Hazard(s) not otherwise classified (HNOC):** None known

**\* 3 Composition/Information on Ingredients**

- **Non-hazardous components:**

7732-18-5	Water, distilled water, deionized water	25-50%
-----------	---	--------

(Contd. on page 2)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/07/2017

Reviewed on 02/07/2017

**Trade name: KILN WASH**

- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with non-hazardous additions.

· **Dangerous Components:**

	Trade Secret	Eye Irrit. 2B, H320	25-50%
1332-58-7	Kaolin		2-12%

· **Additional information:**

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets. Trade secret made in accordance with paragraph (i) of §1910.1200 of 29 CFR 1910.1200, the OSHA Hazard Communication Standard and U.S. Code of Federal Regulations.

**4 First-Aid Measures**

- **Description of first aid measures:**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** If skin irritation occurs, consult a doctor.
- **After eye contact:**  
Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.  
If easy to do so, remove contact lenses if worn.
- **After swallowing:** If swallowed and symptoms occur, consult a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**  
No further relevant information available.

**5 Fire-Fighting Measures**

- **Extinguishing media:**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters:**
- **Protective equipment:**  
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

**6 Accidental Release Measures**

- **Personal precautions, protective equipment and emergency procedures:**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/surface or ground water.
- **Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to section 13.
- **Reference to other sections:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

14808-60-7	Quartz (SiO <sub>2</sub> )	0.075 mg/m <sup>3</sup>
------------	----------------------------	-------------------------

(Contd. on page 3)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/07/2017

Reviewed on 02/07/2017

**Trade name: KILN WASH**

· <b>PAC-2:</b>		
14808-60-7	Quartz (SiO <sub>2</sub> )	33 mg/m <sup>3</sup>
· <b>PAC-3:</b>		
14808-60-7	Quartz (SiO <sub>2</sub> )	200 mg/m <sup>3</sup>

**7 Handling and Storage**

- **Handling**
- **Precautions for safe handling:**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities:**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s):** No further relevant information available.

**\* 8 Exposure Controls/Personal Protection**

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters:**
- **Components with occupational exposure limits:**  
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.  
At this time, the remaining constituent has no known exposure limits.

**1332-58-7 Kaolin**

PEL	Long-term value: 15* 5** mg/m <sup>3</sup> *total dust **respirable fraction
REL	Long-term value: 10* 5** mg/m <sup>3</sup> *total dust **respirable fraction
TLV	Long-term value: 2* mg/m <sup>3</sup> E; as respirable fraction

- **Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- **Exposure controls:**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing and wash before reuse.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:** Not required.
- **Material of gloves:** Not required.
- **Penetration time of glove material:** Not applicable.

(Contd. on page 4)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/07/2017

Reviewed on 02/07/2017

**Trade name: KILN WASH****· Eye protection:**

Tightly sealed goggles

**9 Physical and Chemical Properties****· Information on basic physical and chemical properties****· General Information****· Appearance:****Form:**

Liquid

**Color:**

Not determined.

**· Odor:**

Not determined

**· Odor threshold:**

Not determined.

**· pH-value:**

Not applicable.

**· Change in condition****Melting point/Melting range:**

Not determined.

**Boiling point/Boiling range:**

100 °C (212 °F)

**· Flash point:**

None

**· Flammability (solid, gaseous):**

Not applicable.

**· Ignition temperature:**

Not determined.

**· Decomposition temperature:**

Not determined.

**· Auto igniting:**

Product is not self-igniting.

**· Danger of explosion:**

Product does not present an explosion hazard.

**· Explosion limits:****Lower:**

Not determined.

**Upper:**

Not determined.

**· Vapor pressure:**

Not determined.

**· Density:****Relative density:**

Not determined.

**Vapor density:**

Not determined.

**Evaporation rate:**

Not determined.

**· Solubility in / Miscibility with:****Water:**

Soluble.

**· Partition coefficient (n-octanol/water):** Not determined.**· Viscosity:****Dynamic:**

Not determined.

**Kinematic:**

Not determined.

**· Solvent content:****Organic solvents:**

0.0 %

**Water:**

38.0 %

**Solids content:**

55.2 %

(Contd. on page 5)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/07/2017

Reviewed on 02/07/2017

**Trade name: KILN WASH**

- **Other information:** No further relevant information available.

**10 Stability and Reactivity**

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

**11 Toxicological Information**

- **Information on toxicological effects:**
- **Acute toxicity:**
- **Primary irritant effect:**
- **On the skin:** No irritating effect.
- **On the eye:** Irritating effect.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

- **Carcinogenic categories:**

· <b>IARC (International Agency for Research on Cancer):</b>		
14808-60-7	Quartz (SiO <sub>2</sub> )	1
· <b>NTP (National Toxicology Program):</b>		
14808-60-7	Quartz (SiO <sub>2</sub> )	K
· <b>OSHA-Ca (Occupational Safety &amp; Health Administration):</b>		
None of the ingredients are listed.		

**12 Ecological Information**

- **Toxicity:**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

(Contd. on page 6)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/07/2017

Reviewed on 02/07/2017

**Trade name: KILN WASH****13 Disposal Considerations**

- **Waste treatment methods:**
- **Recommendation:**  
Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport Information**

- **UN-Number:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:**
- **DOT, ADR/ADN, ADN, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR/ADN, ADN, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR/ADN, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

**15 Regulatory Information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

· **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

· **Section 313 (Specific toxic chemical listings):**

13463-41-7 Pyrethione zinc

· **TSCA (Toxic Substances Control Act):**

All ingredients are listed or exempt from listing.

· **California Proposition 65:**· **Chemicals known to cause cancer:**14808-60-7 Quartz (SiO<sub>2</sub>)· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

· **New Jersey Right-to-Know List:**

1332-58-7 Kaolin

14808-60-7 Quartz (SiO<sub>2</sub>)

(Contd. on page 7)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/07/2017

Reviewed on 02/07/2017

**Trade name: KILN WASH**

· <b>New Jersey Special Hazardous Substance List:</b>		
14808-60-7	Quartz (SiO <sub>2</sub> )	CA
· <b>Pennsylvania Right-to-Know List:</b>		
1332-58-7	Kaolin	
14808-60-7	Quartz (SiO <sub>2</sub> )	
· <b>Pennsylvania Special Hazardous Substance List:</b>		
None of the ingredients are listed.		
· <b>Carcinogenic categories:</b>		
· <b>EPA (Environmental Protection Agency):</b>		
13463-41-7	Pyrithione zinc	D, I, II
· <b>TLV (Threshold Limit Value established by ACGIH):</b>		
1332-58-7	Kaolin	2 mg/m <sup>3</sup>
14808-60-7	Quartz (SiO <sub>2</sub> )	A2
· <b>NIOSH-Ca (National Institute for Occupational Safety and Health):</b>		
14808-60-7	Quartz (SiO <sub>2</sub> )	

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:** Non-Regulated Material· **Signal word:** Warning· **Hazard statements:**

H320 Causes eye irritation.

· **Precautionary statements:**

P264

Wash thoroughly after handling.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313

If eye irritation persists: Get medical advice/attention.

· **National regulations:**

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other Information**

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Date of preparation / last revision:** 02/07/2017 / 2· **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 8)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/07/2017

Reviewed on 02/07/2017

**Trade name: KILN WASH**

PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety and Health  
OSHA: Occupational Safety & Health Administration  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Eye Irrit. 2B: Serious eye damage/eye irritation – Category 2B

**\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106