



## SAFETY DATA SHEET

Applicant : NINGBO HOME-DOLLAR IMP.&EXP.CORP.  
Product Name : Acrylic paint  
Model No. : /  
Issue Date : Jul.07, 2025  
Report No. : TS2025070122  
Service Requested : Preparation of Safety Data Sheet (SDS) for The sample with submitted information.



Authorizer : Danyan Wang

Product Technology Service (Ningbo) Co., Ltd.

Name of Laboratory : Product Technology Service (Ningbo) Co., Ltd.  
Address : 5,6,7F, 59#, Huayu Road, Yinzhou District, Ningbo 315192 P.R.China  
Tel. : 0086-574-83036506  
Fax : 0086-574-83036508  
Url : www.pts-lab.com  
E-Mail : info@pts-lab.com

**SAFETY DATA SHEET**

Page 1 of 15

Jul.07, 2025

TS2025070122

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

Product name: Acrylic paint

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use of the substance/mixture: No information available.

**1.3 Details of the supplier of the safety data sheet****1.4 Emergency telephone number:**

Other information: /

**2. HAZARDS IDENTIFICATION****2.1 Classification of the substance/mixture according to the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) and globally harmonized system of classification and labelling of chemicals(GHS)****Physical hazards**

Based on available data, the classification criteria are not met.

**Health hazards**

Based on available data, the classification criteria are not met.

**2.2 Label Elements****Hazard Pictogram(s):** None.**Signal Word:** None.**Hazard Statements**

No information available.

**Precautionary statements**

No information available.

**2.3 Other hazards**

No information available.

**SAFETY DATA SHEET**

Page 2 of 15

Jul.07, 2025

TS2025070122

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

## (1)Green

Component	Weight (%)	CAS No.	GHS
Water	62	7732-18-5	Not Classified
Calcium carbonate	28	471-34-1	Not Classified
Pigment Green 7	5	1328-53-6	Not Classified
1,2-Propanediol	2	57-55-6	Not Classified
Triethanolamine	2	102-71-6	Not Classified
Hydroxyethyl cellulose	0.5	9004-62-0	Not Classified
Carbon black	0.5	1333-86-4	Not Classified

## (2)Blue

Component	Weight (%)	CAS No.	GHS
Water	62	7732-18-5	Not Classified
Calcium carbonate	28	471-34-1	Not Classified
Pigment Blue 15	5	147-14-8	Not Classified
1,2-Propanediol	2	57-55-6	Not Classified
Triethanolamine	2	102-71-6	Not Classified
Hydroxyethyl cellulose	0.5	9004-62-0	Not Classified
Carbon black	0.5	1333-86-4	Not Classified

## (3)Yellow

Component	Weight (%)	CAS No.	GHS
Water	62	7732-18-5	Not Classified
Calcium carbonate	28	471-34-1	Not Classified
Sudacolor Yellow 10G	5.5	6486-23-3	Not Classified
1,2-Propanediol	2	57-55-6	Not Classified
Triethanolamine	2	102-71-6	Not Classified
Hydroxyethyl cellulose	0.5	9004-62-0	Not Classified

**SAFETY DATA SHEET**

Page 3 of 15

Jul.07, 2025

TS2025070122



## (4)Red

Component	Weight (%)	CAS No.	GHS
Water	62	7732-18-5	Not Classified
Calcium carbonate	28	471-34-1	Not Classified
Pigment Red 5	5.5	6410-41-9	Not Classified
1,2-Propanediol	2	57-55-6	Not Classified
Triethanolamine	2	102-71-6	Not Classified
Hydroxyethyl cellulose	0.5	9004-62-0	Not Classified

## (5)Orange

Component	Weight (%)	CAS No.	GHS
Water	62	7732-18-5	Not Classified
Calcium carbonate	28	471-34-1	Not Classified
Pigment Orange 13	5.5	3520-72-7	Not Classified
1,2-Propanediol	2	57-55-6	Not Classified
Triethanolamine	2	102-71-6	Not Classified
Hydroxyethyl cellulose	0.5	9004-62-0	Not Classified

## (6)Purple

Component	Weight (%)	CAS No.	GHS
Water	62	7732-18-5	Not Classified
Calcium carbonate	28	471-34-1	Not Classified
Pigment Violet 23	5.5	6358-30-1	Not Classified
1,2-Propanediol	2	57-55-6	Not Classified
Triethanolamine	2	102-71-6	Not Classified
Hydroxyethyl cellulose	0.5	9004-62-0	Not Classified

**SAFETY DATA SHEET**

Page 4 of 15

Jul.07, 2025

TS2025070122



(7)White

Component	Weight (%)	CAS No.	GHS
Water	62	7732-18-5	Not Classified
Calcium carbonate	28	471-34-1	Not Classified
Pigment White 5	5.5	1345-05-7	Not Classified
1,2-Propanediol	2	57-55-6	Not Classified
Triethanolamine	2	102-71-6	Not Classified
Hydroxyethyl cellulose	0.5	9004-62-0	Not Classified

(8)Light red

Component	Weight (%)	CAS No.	GHS
Water	85	7732-18-5	Not Classified
Stearic acid	5	57-11-4	Not Classified
Glycerin	3	56-81-5	Not Classified
Octadecanol	3	112-92-5	Not Classified
Calcium carbonate	2	471-34-1	Not Classified
Pigment Red 5	1.4	6410-41-9	Not Classified
Triethanolamine	0.5	102-71-6	Not Classified
Methyl Paraben	0.1	99-76-3	Not Classified

(9)Black

Component	Weight (%)	CAS No.	GHS
Water	85	7732-18-5	Not Classified
Stearic acid	5	57-11-4	Not Classified
Glycerin	3	56-81-5	Not Classified
Octadecanol	3	112-92-5	Not Classified
Calcium carbonate	2	471-34-1	Not Classified
Carbon black	1.4	1333-86-4	Not Classified
Triethanolamine	0.5	102-71-6	Not Classified
Methyl Paraben	0.1	99-76-3	Not Classified

## SAFETY DATA SHEET

Page 5 of 15

Jul.07, 2025

TS2025070122



## (10)Pink

Component	Weight (%)	CAS No.	GHS
Water	62	7732-18-5	Not Classified
Calcium carbonate	28	471-34-1	Not Classified
Pigment Red 22	5.5	6448-95-9	Not Classified
1,2-Propanediol	2	57-55-6	Not Classified
Triethanolamine	2	102-71-6	Not Classified
Hydroxyethyl cellulose	0.5	9004-62-0	Not Classified

## (11)Blue

Component	Weight (%)	CAS No.	GHS
Water	62	7732-18-5	Not Classified
Calcium carbonate	28	471-34-1	Not Classified
Pigment Blue 15	5.5	147-14-8	Not Classified
1,2-Propanediol	2	57-55-6	Not Classified
Triethanolamine	2	102-71-6	Not Classified
Hydroxyethyl cellulose	0.5	9004-62-0	Not Classified

## (12)Green

Component	Weight (%)	CAS No.	GHS
Water	62	7732-18-5	Not Classified
Pigment Green 7	5.5	1328-53-6	Not Classified
Calcium carbonate	28	471-34-1	Not Classified
1,2-Propanediol	2	57-55-6	Not Classified
Triethanolamine	2	102-71-6	Not Classified
Hydroxyethyl cellulose	0.5	9004-62-0	Not Classified

# SAFETY DATA SHEET

Page 6 of 15

Jul.07, 2025

TS2025070122



(13)Orange red

Component	Weight (%)	CAS No.	GHS
Water	85	7732-18-5	Not Classified
Stearic acid	5	57—11-4	Not Classified
Glycerin	3	56-81-5	Not Classified
Octadecanol	3	112-92-5	Not Classified
Calcium carbonate	2	471-34-1	Not Classified
Pigment Red 22	1	6448-95-9	Not Classified
Triethanolamine	0.5	102-71-6	Not Classified
Sudacolor Yellow 10G	0.4	6486-23-3	Not Classified
Methyl Paraben	0.1	99-76-3	Not Classified

(14)Yellow

Component	Weight (%)	CAS No.	GHS
Water	84.4	7732-18-5	Not Classified
Stearic acid	5	57—11-4	Not Classified
Glycerin	3	56-81-5	Not Classified
Octadecanol	3	112-92-5	Not Classified
Calcium carbonate	2	471-34-1	Not Classified
Sudacolor Yellow 10G	2	6486-23-3	Not Classified
Triethanolamine	0.5	102-71-6	Not Classified
Methyl Paraben	0.1	99-76-3	Not Classified

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

**Eye Contact** Immediately rinse open eyes with running water for at least 15 minutes. Obtain medical attention.

**Skin Contact** Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention immediately if symptoms occur.

## SAFETY DATA SHEET

Page 7 of 15

Jul.07, 2025

TS2025070122



**Ingestion** Do not induce vomiting without medical advice. Clean mouth with water. Never administer anything by mouth to an unconscious person. Obtain medical aid immediately.

**Inhalation** If breathed in, move person into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical aid immediately if symptoms occur.

#### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

#### 5.1 Extinguishing media

##### Suitable extinguishing media

Water spray. Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam.

##### Extinguishing media which shall not be used for safety reasons

No information available.

#### 5.2 Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

#### 5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

##### 6.1.1 For non-emergency personnel

Ensure adequate ventilation, Avoid dust formation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Use personal protective equipment. Avoid breathing vapors, mist, gas or dust.

##### 6.1.2 For emergency responders

Use suitable protective equipment for personal protection.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Keep away from drains, surface and ground water.

#### 6.3 Methods and material for containment and cleaning up

Sweep up, vacuum and collect in suitable, closed containers for recovery or disposal.

# SAFETY DATA SHEET

Page 8 of 15

Jul.07, 2025

TS2025070122



## 6.4 Reference to other sections

If appropriate Sections 8 and 13 shall be referred to.

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Ensure adequate ventilation. Wear personal protective equipment. Avoid direct physical contact. Do not breathe dust. Do not breathe vapors or spray mist. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke while handling. Keep far away from flammable materials and heat source. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well-ventilated location in a tightly sealed container or cylinder. To maintain product quality, do not store in heat or direct sunlight. Keep away from incompatible materials, ignition sources and untrained individuals. Secure and label area. Protect containers/cylinders from physical damage. The storage area should be equipped with a leak emergency treatment equipment and suitable shelter materials.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control parameters

#### Exposure limit values

Component	ACGIH TLV	OSHA PEL	NIOSH
Calcium carbonate (471-34-1)	No data available	TWA: 15 mg/m <sup>3</sup> (8 hours) (Inhalable fraction)	TWA: 5 mg/m <sup>3</sup> (8 hours) (Respirable fraction)
Glycerin (56-81-5)	No data available	TWA: 15 mg/m <sup>3</sup> (8 hours) (Inhalable fraction) 5 mg/m <sup>3</sup> (8 hours) (Respirable fraction)	No data available
Carbon black (1333-86-4)	No data available	TWA: 3.5 mg/m <sup>3</sup> (8 hours) (Inhalable fraction)	TWA: 3.5 mg/m <sup>3</sup> (8 hours) (in presence of PAHs: limit PAHs to 0,1 mg/m <sup>3</sup> TWA (detected as cyclohexane soluble extract))

#### Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

#### Derived No Effect Level (DNEL)

No information available.

#### Predicted No Effect Concentration (PNEC)

No information available.

# SAFETY DATA SHEET

Page 9 of 15

Jul.07, 2025

TS2025070122



## 8.2 Exposure controls

### Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

### Individual protection measures

#### Eye protection

Safety glasses with side-shields

#### Hand protection

Protective gloves

#### Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

#### Respiratory protection

Use a NIOSH or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

### Environmental exposure controls

No information available.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state	:	Liquid.
Appearance	:	Colorful.
Odor	:	Not provided.
Odor Threshold	:	Not provided.
pH	:	Not provided.
Melting point/freezing point	:	Not provided.
Initial boiling point and boiling range	:	Not provided.
Flash point	:	Not provided.
Evaporation rate	:	Not provided.
Upper/lower explosive limits	:	Not provided.
Vapour pressure/ density	:	Not provided.
Relative density	:	Not provided.
Solubility(ies)	:	Not provided.
Partition coefficient: n-octanol / water	:	Not provided.
Auto-ignition temperature	:	Not provided.
Decomposition temperature	:	Not provided.
Viscosity	:	Not provided.

# SAFETY DATA SHEET

Page 10 of 15

Jul.07, 2025

TS2025070122



## 9.2 Other information

Not provided.

## 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

Hazardous polymerization does not occur.

### 10.2 Chemical stability

Stable under normal temperatures and pressures.

### 10.3 Possibility of hazardous reactions

None under normal processing.

### 10.4 Conditions to avoid

Incompatible products, exposure to moist air or water, keep away from fire.

### 10.5 Incompatible materials

Strong oxidizing agents.

### 10.6 Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### (a) acute Toxicity

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Calcium carbonate (471-34-1)	6450 mg/kg (Rat)	No data available	No data available
Stearic acid (57-11-4)	> 2g/kg (Rat)	> 5g/kg (Rabbit)	No data available
Triethanolamin (102-71-6)	4190mg/kg (Rat)	>16ml/kg (Rat) >2g/kg (Rabbit)	No data available
Glycerin (56-81-5)	> 2000 mg/kg (Rat)	>10 g/kg (Rabbit)	No data available
Methyl Paraben (99-76-3)	2100 mg/kg (Rat)	No data available	No data available
Carbon black (1333-86-4)	> 8 g/kg (Rat)	> 3 g/kg (Rabbit)	No data available
Pigment blue 15 (147-14-8)	> 2 g/kg (Rat)	>5 g/kg (Rabbit)	No data available

# SAFETY DATA SHEET

Page 11 of 15

Jul.07, 2025

TS2025070122



Sudacolor Yellow 10G (6486-23-3)	8252 mg/kg (Rat)	>2000 mg/kg ( Rat )	No data available
1,2-Propanediol (57-55-6)	20 g/kg (Rat)	20800 mg/kg(Rabbit)	No data available
Octadecanol (112-92-5)	> 5000 mg/kg (Rat)	No data available	No data available

**(b) skin corrosion/irritation** Based on available data, the classification criteria are not met.

**(c) serious eye damage/irritation** Based on available data, the classification criteria are not met.

**(d) respiratory or skin sensitisation**

**Respiratory**

Based on available data, the classification criteria are not met.

**Skin**

Based on available data, the classification criteria are not met.

**(e) germ cell mutagenicity**

Based on available data, the classification criteria are not met.

**(f) carcinogenicity**

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	IARC
Carbon black(1333-86-4)	Group 2B

*Note: IARC Group 2B - Possibly carcinogenic to humans.*

**(g) reproductive toxicity** Based on available data, the classification criteria are not met.

**(h) STOT-single exposure** Based on available data, the classification criteria are not met.

**(i) STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Target Organs**

No information available.

**(j) aspiration hazard**

Based on available data, the classification criteria are not met.

**Other Adverse Effects**

The toxicological properties have not been fully investigated.

**Endocrine Disruptor Information**

None known.

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

#### Ecotoxicity effects

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Triethanolamin (102-71-6)	EC50: 169mg/L,96h (Desmodesmus subspicatus)	LC50: 450 - 1000mg/L, 96h (Lepomis macrochirus) LC50: >1g/L,96h (Pimephales promelas)	EC50:>10g/L, 30min	EC50: 609.98mg/L,48h (Daphnia magna)
Glycerin (56-81-5)	No data available	LC50: 51 - 57mL, 96h (Oncorhynchus mykiss)	No data available	No data available

# SAFETY DATA SHEET

Page 12 of 15

Jul.07, 2025

TS2025070122



Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Calcium carbonate (471-34-1)	No data available	LC50: > 56 g/L,96h	No data available	No data available
Methyl Paraben (99-76-3)	EC50: 91 mg/L,72h static test (Pseudokirchneriella subcapitata)	LC50: 59.5 mg/L,96h semi-static test (Oryzias latipes)	No data available	EC50: 41.1 mg/L,48h static test (Daphnia magna)
Carbon black (1333-86-4)	EC50: > 10 g/L,72h static test (Desmodesmus subspicatus)	LC50: > 1 g/L,96h (Danio rerio)	No data available	EC50: > 5600 mg/L,24h static test (Daphnia magna)
Pigment blue 15 (147-14-8)	EC50: > 100 mg/L, 72h static test (Desmodesmus subspicatus)	LC50: > 100 mg/L,96h mortality (zebra fish) LC50: > 100 mg/L,96h mortality (Carp)	EC50: > 10 g/L,3h Respiration inhibition (Sludge Treatment)	EC50:> 500 mg/L,48h Immobilization (Daphnia magna)
Sudacolor Yellow 10G (6486-23-3)	No data available	LC50: > 1mg/L, 96h (Danio rerio)	No data available	No data available
Pigment Green 7 (1328-53-6)	No data available	LC50:>250 ppm,48h (Oryzias latipes)	No data available	No data available
1,2-Propanediol (57-55-6)	No data available	mortality NOEC:52930 mg/L,96h (Pimephalespromelas)	No data available	mortality NOEC:13020 mg/L,48h (Daphnia magna) EC50: > 10000 mg/L,48h (Daphnia magna)
Octadecanol (112-92-5)	EC50:250 mg/L,96h (Desmodesmus subspicatus)	LC50: > 10 g/L,96h (Danio rerio)	No data available	EC50: 1700 mg/L,48h (Daphnia magna)

**12.2 Persistence and degradability** No information available.

### 12.3 Bioaccumulative potential

Component	log Pow	Bioconcentration factor (BCF)
Stearic acid(57-11-4)	7.2 x 10 <sup>5</sup>	11 x 10 <sup>5</sup>
Triethanolamin(102-71-6)	-2.53	<3.9 OECD 305C
Glycerin (56-81-5)	-1.76	3
Pigment Blue15(147-14-8)	67	0.33 - 11 (conc. 0.6 ppm), <3.6 (conc. 0.06 ppm)

**12.4 Mobility in soil** No information available.

**12.5 Results of PBT and vPvB assessment** No data available for assessment.

**12.6 Other adverse effects** No information available.

# SAFETY DATA SHEET

Page 13 of 15

Jul.07, 2025

TS2025070122



## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### Waste from Residues / Unused Products

Chemical waste generators must determine whether a discarded chemical is classified as hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. Observe all federal, state, and local environmental regulations.

#### Contaminated Packaging

Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

### IMDG/IMO

Not regulated.

#### 14.1 UN number

#### 14.2 UN proper shipping name

#### 14.3 Transport hazard class(es)

#### 14.4 Packing group

### ADR/RID

Not regulated.

#### 14.1 UN number

#### 14.2 UN proper shipping name

#### 14.3 Transport hazard class(es)

#### 14.4 Packing group

### ICAO/IATA

Not regulated.

#### 14.1 UN number

#### 14.2 UN proper shipping name

#### 14.3 Transport hazard class(es)

#### 14.4 Packing group

#### 14.5 Environmental hazards

No hazards identified.

#### 14.6 Special precautions for user

No special precautions required.

#### 14.7 Transport in bulk according to Annex II of Marpol73/78 and the IBC Code

Not applicable, packaged goods.

# SAFETY DATA SHEET

Page 14 of 15

Jul.07, 2025

TS2025070122



## 15. REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories X = listed

Component	EINECS	NZIoC	TSCA	DSL	NDSL	PICCS	IECSC	AIIC	KECI
Water	231-791-2	X	X	X	-	X	X	X	X
Stearic acid	200-313-4	X	X	X	-	X	X	X	X
Calcium carbonate	207-439-9	X	X	X	-	X	X	X	X
Triethanolamin	203-049-8	X	X	X	-	X	X	X	X
Hydroxyethyl cellulose	618-387-5	X	X	X	-	X	X	X	X
Glycerin	200-289-5	X	X	X	-	X	X	X	X
Methyl Paraben	202-785-7	X	X	X	-	X	X	X	X
Carbon black	215-609-9	X	X	X	-	X	X	X	X
Pigment Blue15	205-685-1	X	X	X	-	X	X	X	X
Sudacolor Yellow 10G	229-355-1	X	X	X	-	X	X	X	X
Pigment Red 22	229-245-3	X	X	X	-	X	X	X	X
Pigment Violet 23	228-767-9	X	X	X	-	X	X	-	X
Pigment Brown 23	252-772-5	X	X	X	-	X	X	X	X
Pigment Green 7	215-524-7	X	X	X	-	X	X	X	X
Pigment Orange 13	222-530-3	X	X	X	-	X	X	X	X
Pigment Red 5	229-107-2	X	X	X	-	X	X	X	X
Pigment White 5	215-715-5	X	X	X	-	X	X	X	X
1,2-Propanediol	200-338-0	X	X	X	-	X	X	X	X
Octadecanol	204-017-6	X	X	X	-	X	X	X	X
Pigment Blue 63	240-589-3	X	X	X	-	X	X	X	-

#### United States - Federal Regulations

##### **SARA Title III - Section 302 Extremely Hazardous Chemicals:**

The components in this product are either not SARA Section 302 regulated or regulated but present in negligible concentrations.

##### **SARA Title III - Section 313 Toxic Chemicals:**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313

**SAFETY DATA SHEET**

Page 15 of 15

Jul.07, 2025

TS2025070122

**Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) - Reportable****Quantity (RQ):**

The components in this product are either not CERCLA regulated, regulated but present in negligible concentrations, or regulated with no assigned reportable quantity.

**Legend**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS - European Inventory of Existing Commercial Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

KECI - Korea Existing Chemicals Inventory

**15.2 Chemical safety assessment**

No information available.

**16. OTHER INFORMATION**

This SDS is in accordance with Regulation 2012 OSHA Hazard Communication Standard(29 CFR 1910.1200) and globally harmonized system of classification and labelling of chemicals(GHS).

**DISCLAIMER OF LIABILITY** The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability or loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

End of document