



84319-1000

**SAFETY DATA SHEET****SECTION 1: IDENTIFICATION****Product Identifiers:**

**Product Trade Name:** Sculpey Premo™  
**Product Use:** Oven hardening modeling material for hobby use  
**Restrictions on Use:** Craft product, Not a toy. Not for use by children.

**Details of the Manufacturer/Supplier:**

**Company Name:** Polyform Products Company, Inc.  
**Address:** 1901 Estes Avenue  
Elk Grove Village, IL 60007 USA  
**Telephone:** 1-847-427-0020  
**Website:** www.sculpey.com  
**Email:** info@polyformproducts.com  
**Contact Person:** Regulatory Dept

**Emergency Telephone Numbers:**

For transportation emergencies only, call: 1-847-427-0020  
For health emergencies, call the Poison Control center: 1-800-222-1222

**SECTION 2: HAZARD(S) IDENTIFICATION**

Information in accordance with 29 CFR 1910.1200 (Hazcom 2012) in effect May 25, 2012:

Classification of the chemical in accordance with 29 CFR 1910.1200(d):

**Physical Hazards:** Not classified.  
**Health Hazards:** Not classified.  
**Environmental Hazards:** None.  
**OSHA Defined Hazards:** None.  
**Label Elements:**  
**Hazard Symbol:** None.  
**Signal Word:** None.  
**Hazard Statement:** None.  
**Precautionary Statement:**  
**Prevention:** Avoid release to the environment.  
**Response:** Wash hands after handling.  
**Storage:** Store away from incompatible materials.  
**Disposal:** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazard(s) not otherwise****Classified (HNOC):**

**Supplemental Information:** None known.  
Do not inhale fumes during baking. Overheating oven hardening polymer clays will result in blackening and release of irritating gases including hydrogen chloride vapor.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****Mixture:**

<b>Chemical Name</b>	<b>CAS Number</b>	<b>PEL/TLV</b>	<b>Max Weight %</b>	<b>NTP</b>	<b>IARC</b>
----------------------	-------------------	----------------	---------------------	------------	-------------

Components are proprietary, non-hazardous and/or present at amounts below reportable limits. Exact percentage values for components are proprietary in accordance with 29 CFR 1910.1200(i) and that the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret is required.

Material Name: Sculpey Premo™  
Version#: 5 Issue Date: 12/1/2022

**SECTION 4: FIRST AID MEASURES****Description of First Aid Measures:**

**General:** If irritation or other symptoms occur or persist from any route of exposure see a physician/get medical attention.

**Eye Contact:** Any material that contacts the eye should be washed out immediately with water for 5-10 minutes. Seek medical attention if symptoms occur.

**Skin Contact:** Wash the affected area thoroughly with plenty of soap and water. Seek medical attention if symptoms occur.

**Inhalation:** Seek fresh air after inhalation of fumes in the case of overheating material in oven. Seek medical attention if symptoms occur.

**Ingestion:** Wash out mouth with water. If symptoms persist, seek medical attention.

**Protection of First Aid Responders:** Wear proper personal protective clothing and equipment.

**Most important symptoms and effects, both acute and delayed:** Irritation. Pre-existing skin problems may be aggravated by prolonged or repeated exposure.

**Indication of any immediate medical attention and special treatment needed, if necessary:**  
Treat symptomatically.

**SECTION 5: FIRE-FIGHTING MEASURES**

**Suitable Extinguishing Media:** Use water spray jet, foam, carbon dioxide, ABC dry chemical.

**Unsuitable Extinguishing Media:** None known.

**Specific Hazards Arising from the Chemical:** In the case of overheating in oven, carbon monoxide, carbon dioxide and noxious hydrochloric acid vapors may be formed.

**Special Protective Equipment and precautions for firefighters:** Wear self-contained breathing apparatus with full face piece and full protective clothing.

**Fire Fighting Equipment Instructions:** Move containers from fire area if you can do so without risk.

**Specific Methods:** Use standard firefighting procedures and consider the hazards of other materials involved.

**General Fire Hazards:** No unusual fire or explosion hazards noted.

**Flash Point:** n/a

**Autoignition Temperature:** n/a

**Explosion Limits in Air:** Not explosive

**Hazardous Decomposition Products:** In the case of overheating in oven, carbon monoxide, carbon dioxide and noxious hydrochloric acid vapors.

**Special Protective Equipment for Fire Fighters:** Wear self-contained breathing apparatus with full face piece and protective clothing.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**Personal Precautions, Protective Equipment and Emergency Procedures:** None expected. In case of overheating material, turn off oven. Ventilate area by opening nearest window. Seek fresh air. If fumes are inhaled, see section 4 of the SDS.

**Methods and materials for Containment and Cleaning Up:** Collect and reuse or dispose with domestic refuse in accordance with all applicable regulations. For waste disposal, see Section 8 of the SDS.

Material Name: Sculpey Premo™  
Version#: 5 Issue Date: 12/1/2022

**Environmental Precautions:** Avoid release to the environment.

#### SECTION 7: HANDLING AND STORAGE

**Precautions for Safe Handling:** Good industrial hygiene requires that exposure be maintained below the TLV. This is preferably achieved through using the product under well-ventilated conditions. Wash thoroughly after handling this product. Always wash up before eating, smoking or using the facilities. Avoid eye contact. Avoid repeated or prolonged skin contact. Avoid inhalation of fume or vapor. Avoid drinking, tasting, swallowing or ingesting this product. Wash contaminated clothing before reuse.

**Conditions for Safe Storage, Including and Compatibilities:** Store unused material in a cool, dry place preferably in a sealed non-reactive container.

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

##### Control Parameters:

**Occupational Exposure Limits:** No applicable exposure limits.  
**Biological Limit Values:** No biological exposure limits not for the ingredient(s).  
**Appropriate Engineering Controls:** Good general ventilation should be used.

##### Individual Protection Measures, Such as Personal Protective Equipment

**Eye/Face Protection:** When sanding, wear protective goggles or a face shield.  
**Skin and Body Protection:** n/a  
**Respiratory Protection:** In case of insufficient ventilation, wear suitable respiratory protection.  
**General Hygiene Considerations:** Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Do not heat above 175°C (350°F), allow to come in contact with an open flame or use with a hot knife or wire. Use an oven thermometer when hardening material in oven. Do not use a microwave oven for baking. Do not overbake. Do not exceed the recommended baking temperature or time.

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Color:</b> Various	<b>pH:</b> n/a
<b>Appearance:</b> Solid, malleable	<b>Solubility in Water:</b> Not soluble
<b>Odor:</b> Characteristic	<b>Reactivity in Water:</b> Non-reactive
<b>Boiling Point:</b> n/a	<b>Specific Vapor Density (Air=1):</b> n/a
<b>Melting Point:</b> n/a	<b>Vapor Pressure:</b> n/a

#### SECTION 10: STABILITY AND REACTIVITY

**Reactivity:** The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical Stability:** Material is stable under normal conditions.

**Possibility of Hazardous Reactions:** No dangerous reaction known under conditions of normal use.

**Conditions to Avoid:** None.

**Incompatible Materials:** Items made of PVC, polystyrene

**Hazardous Decomposition Products:** Hydrochloric acid vapors

Material Name: Sculpey Premo™  
 Version#: 5 Issue Date: 12/1/2022

**SECTION 11: TOXICOLOGICAL INFORMATION****Information on Likely Routes of Exposure:**

**Inhalation:** Prolonged inhalation may be harmful.

**Skin Contact:** No adverse effects due to skin contact are expected.

**Eye Contact:** Direct contact with the eye may cause temporary irritation.

**Ingestion:** Expected to be a low ingestion hazard.

**Symptoms relating to the physical, chemical and toxicological characteristics****Information on Toxicological Effects:****Acute Toxicity:**

**Acute Effects Associated with use of this Material:** None expected

The summated LD50 is >50000 mg/kg. The summated LC50 is 99999 mg/cubic meter.

**Skin Corrosion/Irritation:** Prolonged skin contact may cause temporary irritation.

**Serious Eye Damage/Eye Irritation:** Direct contact with the eye may cause temporary irritation.

**Respiratory or Skin Sensitization:**

**Respiratory Sensitization:** Not a respiratory sensitizer.

**Skin Sensitization:** This product is not expected to cause skin sensitization.

**Germ Cell Mutagenicity:** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity:** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**Carcinogen Listing – see Section 3 of SDS**

**NTP:** No      **IARC:** No      **OSHA:** No

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) – not listed**

**Reproductive Toxicity:** This product is not expected to cause reproductive or developmental effects.

**Specific Target Organ Toxicity – Single Exposure:** Not classified.

**Specific Target Organ Toxicity – Repeated Exposure:** Not classified.

**Aspiration Hazard:** Not an aspiration hazard.

**Chronic Effects:** Prolonged inhalation may be harmful.

**SECTION 12: ECOLOGICAL INFORMATION**

**Ecotoxicity:** No data available. No harmful effects known other than those associated with suspended inert solids in water.

**Persistence and Degradability:** No data is available on the degradability of this product.

**Bioaccumulative Potential Mobility in Soil:** No data available.

**Other Adverse Effects:** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected for this product.

**SECTION 13: DISPOSAL CONSIDERATIONS**

**Disposal Instructions:** Collect and reclaim or dispose in sealed container. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds or waterways with product. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local Disposal Regulations:** Dispose in accordance with all applicable regulations.

**Waste from Residues/Unused Products:** Dispose in accordance with all applicable regulations.

**Contaminated Packaging:** Dispose in accordance with all applicable regulations.

**SECTION 14: TRANSPORT INFORMATION**

**UN Number:** N/A

**UN Proper Shipping Name:** Not Regulated

**Transport Hazard Class(es):**

**US DOT (49 CFR 172.101):** Not regulated as a dangerous good.

**Canada TDG Hazard Class:** N/A

**IMDG Code (ocean) Hazard Class:** N/A

**Europe ADR/RID Hazard Class:** N/A

**ICAO/IATA (air) Hazard Class:** N/A

A "N/A" listing for the hazard class indicates the product is not regulated for transport by that regulation.

Material Name: Sculpey Premo™  
Version#: 5 Issue Date: 12/1/2022

**Packing Group:** N/A

**Environmental Hazards:**

**Marine Pollutant:** Not Applicable.

**Hazardous Substance (USA):** Not Applicable.

**Transport in Bulk according to Annex II of MARPOL 73-78 and IBC Code:** Not Applicable.

**Special Precautions for User:** Not Applicable.

**SECTION 15: REGULATORY INFORMATION**

Contents of the SDS Comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200

**US Federal Regulations:**

**EPA SARA TITLE III Chemical Listings:** None

**SARA Section 302.4 (40 CFR 355) Extremely Hazardous Substance:** None

**Section 313 Toxic Chemicals (40 CFR 372):** None

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D):** None

**CERCLA Hazardous Substances List (40 CFR 302.4):** Not Listed

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):** Not Listed

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List:** Not Regulated

**Clean Air Act (CAA) Section 112® Accidental Release Prevention (40 CFR 68.130):** Not Regulated

**Safe Drinking Water Act (SDWA):** Not Regulated

**US State Regulations:**

**California Proposition 65:**

**The following ingredients present in the product are known to the State of California to cause Cancer, Birth Defects, or Reproductive Harm:** None known to be present

**Washington Children's Safe Products Act – Chemicals Requiring Notification:** None

This material has been reviewed by a toxicologist in the US and carries the AP seal from the Art & Creative Materials Institute (ACMI). The labeling conforms to US 16 CFR 1500-14 and ASTM D 4236.

Under CPSC's Consumer Product Regulations (16 CFR 1500.3 and 1500-14), this product has the following required acute and chronic hazard labeling: None

**International Regulations:**

**Canadian WHMIS:** This product is a controlled product under Canada's Workplace Hazardous Materials Information System. It contains the following toxic or highly toxic materials:

Pigment Red 101

Mica

**Canadian Ingredient Disclosure List:** None known to be present or none in reportable amounts.

**Mexico Regulations/Legislation:** This SDS contains the information required by NOM-018-STPS-2000 Workplace Hazardous Chemical Substances Communication and Identification Standard.

**SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION**

**Issue Date:** 12/1/2022

**Version #:** 4

**Supersedes version 4 – issue date:** 2/28/2021

**Disclaimer:**

The information contained herein is provided in good faith and is subject to change without notice. It is believed to be accurate and represents the best information currently available to us. However, we make no warranty, fitness for a particular purpose or of any other type, expressed or implied, with respect to products described or data or information provided. We assume no liability resulting from the use of such products, data or information. Users should determine the suitability of the information for their particular purpose. The user assumes all risk arising from their use of the material. The user is required to comply with all laws and regulations relating to the purchase, use, storage and disposal of the material and must be familiar with and follow generally accepted safe handling procedures

Material Name: Sculpey Premo™  
Version#: 5 Issue Date: 12/1/2022

This SDS applies to the following colors:

**Sculpey Premo™ Products**

5001 WHITE  
5002 AMBER TRANSLUCENT  
5004 WHITE GRANITE  
5005 GALAXY GLITTER  
5006 FOREST GREEN  
5007 SPANISH OLIVE  
5008 COGNAC  
5010 NAVY BLUE  
5011 MUSTARD  
5012 BURNT ORANGE  
5013 INDIGO METALLIC  
5014 PALE BLUE  
5020 BLUSH  
5022 WASABI  
5024 CORAL  
5026 POMEGRANATE  
5028 BUTTER YELLOW  
5029 MAGENTA PEARL  
5031 PURPLE PEARL  
5032 MAUVE  
5033 ORANGE  
5035 BRIGHT GREEN PEARL  
5036 TURQUOISE GRANITE  
5038 PEACOCK PEARL  
5040 TRANSLUCENT BLUE  
5042 BLACK  
5044 TRANSLUCENT RED  
5046 TRANSLUCENT YELLOW  
5048 TRANSLUCENT GREEN  
5049 BLUE GLITTER  
5050 NAVY  
5051 RED GLITTER  
5052 SLATE  
5053 BURNT UMBER  
5054 CAYENNE  
5055 18K GOLD  
5057 FROST WHITE GLITTER  
5060 BLACKBERRY PEARL  
5062 MINT GREEN  
5063 COBALT BLUE HUE  
5065 GRAY GRANITE  
5067 COPPER  
5072 ZINC YELLOW HUE  
5092 BEIGE  
5093 ECRU  
5101 PEARL  
5103 PERIWINKLE

Material Name: Sculpey Premo™  
Version#: 5 Issue Date: 12/1/2022

5107 WISTERIA  
5109 OPAL  
5115 SUNSET PEARL  
5120 GRAPHITE PEARL  
5129 SILVER  
5132 WHITE GOLD GLITTER  
5135 ROSE GOLD GLITTER  
5147 YELLOW GOLD GLITTER  
5150 AZURE BLUE  
5152 IRIDESCENT PINK  
5154 RICH GREEN  
5156 REGAL PURPLE  
5158 VINTAGE COPPER  
5160 PEWTER  
5162 BURGUNDY  
5164 IRIDESCENT BLUE  
5166 IRIDESCENT YELLOW  
5303 GOLD  
5310 TRANSLUCENT  
5317 FROST  
5323 GREEN  
5382 CADMIUM RED HUE  
5383 ALIZARIN CRIMSON HUE  
5392 RAW SIENNA  
5503 FLUORESCENT PINK  
5504 FUCHSIA  
5505 TURQUOISE  
5513 PURPLE  
5517 ANTIQUE GOLD  
5519 BRONZE  
5525 SUNSHINE  
5527 WHITE TRANSLUCENT  
5529 RHINO GRAY  
5535 JUNGLE  
5540 TWINKLE TWINKLE  
5562 ULTRAMARINE BLUE HUE  
5572 CADMIUM YELLOW HUE  
5600 FLUORESCENT YELLOW  
5703 GLOW IN THE DARK  
ROSE QUARTZ  
APRICOT  
CLEARWATER BLUE  
PALE AMETHYST  
SMOKY GREY

Material Name: Sculpey Premo™  
Version#: 5 Issue Date: 12/1/2022