

**Mutha Writing Instruments**

S.No. 69/1A/B, Wanowrie Industrial Estate, Kondhwa,  
Pune 411040. Maharashtra - India.

M: +91 7378370011 | E: sm@rabbitcolors.com

**SECTION 1****Product & Supplier Identification**

Product Name	Acrylic Paint
Other Names	None
Product Code	NA
Barcode Number	NA
Recommended Use	Children's paint to be used with Brush
Restrictions on Use	None known
Company	<b>Mutha Writing Instruments</b>
ABN	NA
Address	S. no 69/1A/1B , Wanworie Ind Estate .
Telephone	Khondhwa , Pune 411040 .
Supplier Code	7378370011
Emergency Phone Number	NA

**SECTION 2****Hazards Identification**

Classification	:	Non-regulated
Hazzard Information	:	Especially none
Information of Individuals	:	Shown on Table 1 of appendix.

**SECTION 3****Ingredient Composition / Information**

Component	%	CAS No.
Water	15.0	7732-18-5
Preservative	0.0015	2682-20-4
Titanium dioxide	10.0	13463-67-7
Polypropylene Glycol	5.0	57-55-6
Acrylic Emulsion	45.0	25852-37-3
Polyacrylic Acid	3.0	9003-01-4
T.E.A	0.7985	102-71-6
Pigment	4.0 ~ 8.0	2512-29-0
Ground Calcium Carbonate	13.20 ~ 17.20	1317-65-3

## Mutha Writing Instruments

S.No. 69/1A/B, Wanowrie Industrial Estate, Kondhwa,  
Pune 411040. Maharashtra - India.  
M: +91 7378370011 | E: sm@rabbitcolors.com



### SECTION 4

#### First Aid Measures

##### Description of necessary first aid measures

<b>Eye</b>	Irrigate with copious quantities of water for at least 15 minutes, lifting eyelids occasionally. Seek medical attention.
<b>Skin</b>	Wash off with soap and water. If any symptoms arise seek medical attention.
<b>Inhalation</b>	Move to a well ventilated area. Seek medical attention if symptoms persist.
<b>Swallowed</b>	Rinse mouth with water. Give water to drink. Seek medical attention if symptoms persist.

##### Personal protection for first aid responders

Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

##### Symptoms caused by exposure

Direct contact with eyes may cause minor irritation.

##### Medical attention and special treatment

Provide general supportive measures and treat symptomatically. Keep under observation as symptoms may be delayed. Seek medical attention if symptoms persist.

### SECTION 5

#### Fire Fighting Measures

<b>Flammability :</b>	Not combustible unless dried up Flash Point,
<b>Ignition Point :</b>	Not below 100° C
<b>Unusual Fire and Explosion Hazards :</b>	Material will not support combustion unless the has evaporated
<b>General fire hazards</b>	No unusual fire or explosion hazards known.

### SECTION 6

#### Accidental Release Measures

Especially none

### SECTION 7

#### Handling & Storage

##### Precautions for safe handling

Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

##### Conditions for safe storage, including any incompatibilities

Store in a cool, sheltered location away from direct sunlight and sources of heat. Keep containers tightly closed at all times when not in use. Store in clearly labelled containers.

## Mutha Writing Instruments

S.No. 69/1A/B, Wanowrie Industrial Estate, Kondhwa,  
Pune 411040. Maharashtra - India.  
M: +91 7378370011 | E: sm@rabbitcolors.com



### SECTION 8

#### Exposure Controls / Personal Protection

Avoid invasion to the eyes or body. Avoid prolonged or repeated contact with skin. Wash mouth or hands well after use.

### SECTION 9

#### Physical & Chemical Properties

Appearance and Odor : Colored slurry with faint acrylic odor  
Boiling Point : Approx. 100  
Vapor Density (Air = 1) :  
Vapor Pressure (Butyl Acetate = 1) : simile. Water  
Non Volatile : Approx. 60.0%  
(Differs depending on individuals) Specific Gravity (H<sub>2</sub>O = 1) : Av. 1.5 (Differs depending on individuals)  
Solubility in Water : Can be diluted. Not so, after dried.

### SECTION 10

#### Stability & Reactivity

Stability and Reactivity : Inert and stable under normal state  
Incompatibility (Materials to Avoid) : None  
Combustion Products : Carbon dioxide and oxide of metal according to pigment.  
Hazardous Decomposition or Byproducts : No thermal decomposition when stored and handled correctly.

### SECTION 11

#### Toxicological Information

Primary Routes of Entry : Dermal, eye contact, inhalation, swallowing  
Eye irritation : Slightly irritant, and may induce keratitis. May be hurtable, because of mineral particles, but essentially not damage the organ.  
Skin irritation : May irritant by repeated or prolonged contact, and may cause inflammation.  
Inhalation Toxicity : Although some of raw materials are pointed to may stimulate eyes and respiratory organs with their vapor or mists under highly concentrated state, the toxic act of Acrylic Colors MAT is not confirmed.  
Oral Toxicity : The toxicity of Acrylic Colors MAT itself is not confirmed.

### SECTION 12

#### Ecological Information

Biodegradability : Not readily biodegradable.  
Persistency : Not been confirmed.  
Aquatic environment toxicity : Not expected to be toxic to aquatic environment.  
Fish Toxicity : Emulsion may obstruct the breathing of fishes, in case of pouring the excess colors to river or pond.



## Mutha Writing Instruments

S.No. 69/1A/B, Wanowrie Industrial Estate, Kondhwa,

Pune 411040. Maharashtra - India.

M: +91 7378370011 | E:sm@rabbitcolors.com



### SECTION 13

#### Disposal Considerations

Dispose in accordance with national and/or local regulations. Avoid entry into the sewage system (danger of clogging).

### SECTION 14

#### Transport Information

**ADG** Not regulated as dangerous goods.

**IMDG** Not regulated as dangerous goods.

**Special Precautions** No special precautions or requirements for transport

### SECTION 15

#### Regulatory Information

Danger Class : N/A. (Not flammable liquid)

Law : Fire law : ditto

### SECTION 16

#### Other Information

All information contained herein is for references and guidance for normal use, and not for all conceivable conditions of handling and use. The responsibility for irregular use belongs to user individuals. All information are under our knowledge of today, and not secure the perfection. All information may change according to circumstances.

