# SAFETY DATA SHEET MSDS for #86356 - HORADAM AQUARELL FRQulation (EC) No. 1907/2006 (REACH)

## series 14 - HORADAM AQUARELL

Article No.	14230 / 144	81 / 14486	Issue date:	01.02.23			
Version	4.3	( 01.02.23 )	Page	1/9			
	SECTION		bstance/mixture and of the				
company/undertaking							
1.1 Product identi							
Trade name		ORADAM AQUARELL ' water-colours					
		water-colours					
	14 230 Napl	es yellow reddish					
	•	lean blue hue					
	14 486 coba	It blue hue					
REACH registration							
UFI							
OFI							
		<u>e substance or mixture and uses ad</u>	vised against				
General us		creation of art.					
Uses advis	ed against						
<u>1.3 Details of the</u>	H. Schmincke Otto-Hahn-St D-40699 Erki Tel +49 (0) 2 Fax +49 (0) info@schmin www.schmin Schmincke-la mo-th 8.00-1	e & Co. GmbH & Co. KG crasse 2 rath 211 - 2509 - 0 211 - 2509 - 479 cke.de cke.de b: 6.30, fr 8.00-13.30					
	tel. +49 (0) 2 sdb@schmine	211-2509-474					
	പായാവന്നിന്ന						
1.4 Emergency te	lephone numbe	r					
Emergencycall Berlin +49 30-30686700 (24/7 counseling in german and english)							
		SECTION 2: Hazards	identification				
2.1 Classification	of the cubeters						
2.1 Classification							
	-	regulation 1272/2008 (CLP)					
Aquatic Chr	onic 2; H411 To	kic to aquatic life with long lasting effects	5.				
2.2 Label element	<u>s</u>						
Labelling							

<u>Labelling</u>



Signal word

Hazard statements

Item Numbers: 86356-4140, 86356-5170, 8556-500, 8556-500, 8556-500, 8556-500, 8556-500, 8556-500, 8556-500, 8556-500, 8556-500, 8556-500, 8556-500, 8556-500, 8556-500, 8556-500, 8556-5000, 8556-500, 8556-500, 8556-500, 8556-500, 8556-500, 8556-500, 8556

Page 1 of 9

## series 14 - HORADAM AQUARELL

Article No.	14230 / 14	481 / 14486	Issue date:	01.02.23
Version	4.3	( 01.02.23 )	Page	2/9
		n the low volume (small packaging size on the pans.	e) and the tiny risk potential there is no	
Safety precautions	P270 D P273 A	eep out of reach of children. o not eat, drink or smoke when using t void release to the environment. ollect spillage.	this product.	
<u>Text for labelling (CL</u>	Contains	s biocidal products. Contains BIT, CIT, of biocides: see section 16.	MIT, OIT: May produce an allergic reaction.	
	SEC	TION 3: Composition/inf	ormation on ingredients	
3.1 Substances				

#### Chemical characterisation pigment gum arabic Water CAS-Number EINECS / ELINCS / NLP EU index number REACH registration No. Hazchem-Code CI-Number

#### ------14 230 PW6, PW4, PR242, PY42 14 481 PW4, PB15:3 14 486 PW4, PB29

#### 3.2 Mixtures

Substance 1	

\_\_\_\_

---

zinc oxide: 5 - 25 % CAS: 1314-13-2 REACH: 01-2119463881-32-0043 Aquatic Acute 1; H400 / Aquatic Chronic 1; H410

#### Additional information

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

If you feel unwell, seek medical advice (show the label where possible).

## In case of inhalation

No special measures are required.

#### In case of skin contact

Thoroughly wash skin with soap and water. Seek medical attention if irritation persists.

#### After eye contact

In case of contact with eves, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart.

#### After swallowing

Page 2 of 9

## SAFETY DATA SHEET

MSDS for #86356 - HORADAM AQUAIREtd Regulation (EC) No. 1907/2006 (REACH)

## series 14 - HORADAM AQUARELL

Article No.	14230 / 14481 / 1448	6	Issue date:	01.02.23
Version	4.3	( 01.02.23 )	Page	3/9

Rinse mouth with water. Let water be drunken in little sips (dilution effect). If you feel unwell, seek medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

#### 4.3 Indication of any immediate medical attention and special treatment needed

---

## SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

Extinguishing media which must not be used for safety reasons

#### none

#### 5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide

#### 5.3 Advice for firefighters

Special protective equipment for firefighters

#### Additional information

---

**SECTION 6: Accidental release measures** 

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing.

#### 6.2 environmental precautions

Discharge into the environment must be avoided.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up Take up mechanically. Wash spill area with plenty of water.

Additional information

#### 6.4 Reference to other sections

Dispose of waste according to applicable legislation. refer to section 13

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advices on safe handling

Handle in accordance with good industrial hygiene and safety practice.

#### Precautions against fire and explosion

---\_\_\_\_

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Keep container tightly closed.

Hints on joint storage

#### Storage class

Furthenedetails: 86356-4140, 86356-5170, 86356-5190 storage temperature: AGW Protect from moisture contamination.

## SAFETY DATA SHEET

MSDS for #86356 - HORADAM AQUARE to Regulation (EC) No. 1907/2006 (REACH)

Article No.	14230 / 14481 / 1448	6	Issue date:	01.02.23
Version	4.3	( 01.02.23 )	Page	4/9

## 7.3 Specific end use(s)

No special measures necessary if stored and handled as prescribed.

### **SECTION 8: Exposure controls/personal protection**

#### **8.1 Control parameters**

1314-13-2 zinc oxide

DEU	short-term occupational exposu	20,000	mg/m³	4(I)
DEU	Long-term occupational exposur	10,000	mg/m³	2(II)

#### DNEL overview

1314-13-2	zinc	oxide
1911192	2010	Onlac

DNEL worker	Long-term - inhalation, systemic effects	5,00000	mg/m³
DNEL worker	Long-term - inhalation, local effects	0,50000	mg/m³
DNEL worker	Long-term - dermal, systemic effects	83,00000	mg/kg bw/day
DNEL Consumer	Long-term - oral, systemic effects	0,83000	mg/kg bw/day
DNEL Consumer	Long-term - inhalation, systemic effects	2,50000	mg/m³
DNEL Consumer	Long-term - dermal, systemic effects	83,00000	mg/kg bw/day

#### **PNEC** overview

1314-13-2 zinc oxide

PNEC soil	35,60000	mg/kg dw
PNEC aquatic, freshwater	20,60000	µg/L
PNEC aquatic, marine water	6,10000	µg/L
PNEC soil, freshwater	117,80000	mg/kg dw
PNEC soil, marine water	56,50000	mg/kg dw
PNEC sewage treatment plant (STP)	100,00000	µg/L

#### 8.2 Exposure controls

--

#### **Occupational exposure controls**

**Respiratory protection** 

With correct and proper use, and under normal conditions, breathing protection is not required.

Hand protection

Protect skin by using skin protective cream.

Eye protection

Goggles

#### **Body protection**

Wear suitable protective clothing. Wash contaminated clothing prior to re-use.

General protection and hygiene measures After work, wash hands and face.

## **SECTION 9: Physical and chemical properties**

9.1 information	on basic physical and che	mical properties		
Form	solid / pasty			
Colour	pigmented			
Odour	almost odourless			
		min	max	
Melting point/f	reezing point			
Initial boiling point and Item Numbers: 86356-4140, 86356-5170, 86356-5190 boiling range				Page 4 of 9

## series 14 - HORADAM AQUARELL

Article No.	14230 / 144	81 / 14486				Issue date:	01.02.23
/ersion	4.3	4.3 ( 01.02.23 )				Page	5/9
Flammability							
Explosion limits							
Flash point/flash p	oint range						
Ignition temperatu	ıre						
PH		4		6,5			
Viscosity							
Solubility							
Partition coefficier	nt:						
n-octanol/water							
Vapour pressure							
Density and/or rel	ative		max.	1,25 kg/l	20 °C		
density							
Relative vapour de	ensity						
Auto-ignition temp	perature						
Refraction index							

Danger of explosion

#### 9.2 Other information

---

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2 Chemical stability

Product is stable under normal storage conditions.

#### 10.3 Possibility of hazardous reactions

#### 10.4 Conditions to avoid

frost and heat

#### 10.5 Incompatible materials

strong acids oxidizing agents Strong alkali

#### 10.6 Hazardous decomposition products

No known hazardous decomposition products.

#### **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### **Toxicological tests**

#### 1314-13-2 zinc oxide

l I							
	oral	LD50	Rat	>	5000,00000	mg/kg	-
	inhalative	LC50	Rat	>	5,70000	mg/L	(4h)

## Toxicokinetics, metabolism and distribution

Acute toxicity No data available In case of inhalation No data available After swallowing No data available

In case of skins contact, 86356-5170, 86356-5190

MSDS for #86356 - HORADAM AQUARE to Fedulation (EC) No. 1907/2006 (REACH)

## series 14 - HORADAM AQUARELL

Article No.	14230 / 14481 / 14486		Issue date:	01.02.23
Version	4.3	( 01.02.23 )	Page	6/9

No data available After eye contact No data available

#### Practical experience

---

#### ----

#### <u>General remarks</u>

---

#### 11.2 Information on other hazards

----

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Ecotoxicological effects**

1314-13-2 zinc oxide

LC50	Danio rerio (zebrafish)	4,92000	mg/L	(96h)
EC50	Daphnia magna (Big water	7,50000	mg/L	(48h)
ErC50:	Algae	0,30000	mg/L	(72h)
NOEC	Daphnia magna (Big water	0,05800	mg/L	(21d)
LOEC:	Daphnia magna (Big water	0,13100	mg/L	(21d)

#### Aquatic toxicity

Water Hazard Class	2
WGK catalog number General information	

#### 12.2 Persistence and degradability

**Further details** 

Product is partially biodegradable. Oxygen demand

#### **12.3 Bioaccumulative potential**

Bioconcentration factor (BCF) ---Partition coefficient: n-octanol/water ---

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

No data available

#### **12.6 Endocrine disrupting properties**

-

#### 12.7 Other adverse effects

-Item Numbers: 86356-4140, 86356-5170, 86356-5190

# SAFETY DATA SHEET MSDS for #86356 - HORADAM & Obtain (EC) No. 1907/2006 (REACH)

## series 14 - HORADAM AQUARELL

Article No. Version	14230 / 14481 / 14486 4.3 ( 01.02	.23 )	Issue date: Page	01.02.23 7/ 9		
SECTION 13: Disposal considerations						
13.1 Waste treatmen	<u>t methods</u>					
Product Waste key number 080112  Recommendation	waste paint and varnish other t	than those mentioned in 08 01 11				
Package Waste key number  Recommendation		andle contaminated packages in the same	way as the substance itself			
Additional informat						
	SECTIO	N 14: Transport information	1			
14.1 UN number of T			•			
<b>14.1 UN number or I</b> 308						
14.2 UN proper shipp	ping name					
	ironmentally hazardous substan /IRONMENTALLY HAZARDOUS S					
14.3 Transport hazar	d class(es)					
ADR, ADN 9 IMDG 9 IATA 9						
14.4 Packing group						
III						
14.5 Environmental I	azarde					
Marine Pollutant - IN Marine Pollutant - Al	1DG	Yes 				
14.6 Special precauti	ons for user					
Land transport (AD) Code: ADR/RID Kemmler-number Hazard label ADR Limited quantities Package: Instruction Package: Special Pro Special provisions fo Portable tanks: Instr Portable tanks: Spec Tank coding Tunnel restriction Remarks EQ Special Provisions	s visions r packing together uctions	M6 90 9 51 P001 - IBC03 - LP01 - R001 PP1 MP19 T4 TP1 - TP29 LGBV -  E1 274 - 335 - 375 - 601				
•	26356-5170 86356-5190	2/5 - 5/5 - 5/6 - 7/2	Pa	age 7 of 9		
	36356-5170, 86356-5190		Pa	age 7 of		

## series 14 - HORADAM AQUARELL

Article No.	14230 / 1448	1 / 14486	Issue date:	01.02.23
Version	4.3	( 01.02.23 )	Page	8/9
Sea transport (1	(MDG)			
EmS		F-A, S-F		
Special Provisio	ns	274 - 335 - 969		
Limited quantiti	es	51		
Package: Instru	ctions	P001 - LP01		
Package: Specia	al Provisions	PP1		
<b>IBC:</b> Instruction	IS	IBC03		
<b>IBC:</b> Provisions		-		
Tank instruction	ns IMO	-		
Tank instruction	ns UN	T4		
Tank instruction	ns Special Provisions	TP1 - TP29		
Stowage and se	gregation	category A		
Properties and o	observations			
Remarks				
EQ		E1		
<u>Air transport (I</u>	ATA-DGR)			
Hazard		-		
Passenger		964 (450l)		
Passenger LQ		Y964 (30kg G)		
Cargo		964 (450l)		
ERG		9L		
Remarks				
EQ		E1		
Special Provisio	ning	A97 - A158 - A197		

#### 14.7 Maritime transport in bulk according to IMO instruments

No data available

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

#### **Europe**

 Contents of VOC [%]
 0

 Contents of VOC
 -- 

 [g/L]
 Further regulations, limitations and legal requirements

#### <u>Germany</u>

\_\_\_\_

---

Storage class	
Water Hazard Class	2
WGK catalog number	
Incident regulation	
Information on working limitations	

Further regulations, limitations and legal requirements

#### **Switzerland**

Contents of VOC [%]

---

#### Further regulations, limitations and legal requirements

Item Numbers: 86356-4140, 86356-5170, 86356-5190

MSDS for #86356 - HORADAM AQUAIRE to REGulation (EC) No. 1907/2006 (REACH)

## series 14 - HORADAM AQUARELL

Article No.	14230 / 14481 / 14486		Issue date:	01.02.23
Version	4.3	( 01.02.23 )	Page	9/9

#### USA

A

Further regulations, limitations and legal requirements

#### Federal Regulations

\_\_\_\_

State Regulations

#### <u>Canada</u>

---

Further regulations, limitations and legal requirements

#### 15.2 Chemical Safety Assessment

#### **SECTION 16: Other information**

#### **Further information**

Hazard statements (CLP)

H400 Very toxic to aquatic life.H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

#### **Further information**

This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

#### Reason of change

#### Additional information

BIT - 1,2-benzisothiazol-3(2H)-one

- CIT 5-chloro-2-methyl-4-isothiazolin-3-one
- MIT 2-methyl-2H-isothiazol-3-one
- OIT 2-octyl-2H-isothiazol-3-one